Drug and Alcohol Use and Related Matters Among Arrestees 2003

Zhiwei Zhang, Ph.D. National Opinion Research Center



Acknowledgement

This publication was developed for the National Institute of Justice (NIJ), Office of Justice Programs, U.S. Department of Justice by the National Opinion Research Center (NORC) at the University of Chicago. This project was supported by Contract No. 2001C-003 for the Arrestee Drug Abuse Monitoring (ADAM) program. The lead author of this report was Zhiwei Zhang, ADAM analytic task leader, who designed and wrote the estimation programs for all tables. Dean R. Gerstein (ADAM Project Director), James Hendrickson, Pamela Loose, Michael Yang, and Marianna Toce-Gerstein at NORC provided assistance in developing the report. The NIJ ADAM staff includes Christine Crossland (COTR), Henry Brownstein, Natalie Lu, and Diana Noone.

Overview

The Arrestee Drug Abuse Monitoring program (ADAM) measures the extent of drug and alcohol use in the high-risk population of people who have been arrested and booked as adults in city and county detention facilities operated by local police and sheriff departments. The data are collected by civilian research teams through probability-based sampling of male arrestees and purposive sampling of female arrestees. Information is obtained from personal interviews and urinalyses obtained voluntarily and confidentially, usually on the day of arrest and always within 48 hours of arrest.

As part of this process, research teams in the participating counties interview arrestees in each facility during one- to three-week periods in each quarter of the year. Interviewers collect demographic data and ask arrestees about what drugs they use, how often they use them, and how and where they acquire illicit drugs. Other questions ask about housing situation during the past year, method of support, and health insurance. After the interview, each respondent is asked to provide a urine sample, which is then analyzed to detect drug use.

This data report presents findings from 39 ADAM sites that collected data during one or more quarters in 2003. The report covers male and female arrestees separately. The data for men cover all 39 sites; the data for women cover the 25 sites where 25 or more female interviews were completed in 2003. Each section has 14 tables organized by site location, indicating the percentage of arrestees who qualified for the listed variables. An overview of the tables on adult arrestees is as follows:

- Table 1 arrays the ADAM sites by their geographic location, number of booking facilities, and number of interviews completed in each quarter.
- Table 2 provides demographic data about ADAM interviewees.
- Table 3 displays the percentage of arrestees who tested positive for any drug or multiple use of one or more of the most commonly reported drugs or alcohol.
- Tables 4 through 8 indicate drug-specific urinalysis and market acquisition data, which encompass the percentage of arrestees who tested positive on the selected drugs, the frequency that arrestees self-reported using selected drug use, and the intensity and mode of acquiring selected drugs during periods that range up to the past year.
- Tables 9 and 10 show rates of arrestee alcohol and drug use and risk of dependence, as determined by a clinically based dependence screen.
- Tables 11 through 13 detail arrestees' drug market participation, including failed attempts to purchase drugs.
- Finally, Table 14 displays the proportion of arrestees who reported receiving drug, alcohol, or mental health treatment in the prior year.

Male Arrestee Tables

Description of Sample

- Table 1. ADAM Booking Facilities, Completed Interviews, and Weighted Total Numbers—Adult Male Arrestees, 2003
- Table 2. Demographic Characteristics of Adult Male Arrestee Respondents, 2003

Drug Test Results

Table 3. Urine Test Results on Any or Multiple Drug or Alcohol Use among Adult Male Arrestees, 2003

Drug and Alcohol Use and Acquisition

- Table 4. Use and Acquisition of CRACK COCAINE among Adult Male Arrestees, 2003
- Table 5. Use and Acquisition of POWDER COCAINE among Adult Male Arrestees, 2003
- Table 6. Use and Acquisition of MARIJUANA among Adult Male Arrestees, 2003
- Table 7. Use and Acquisition of METHAMPHETAMINE among Adult Male Arrestees, 2003
- Table 8. Use and Acquisition of OPIATES/HEROIN among Adult Male Arrestees, 2003
- Table 9. Heavy Drug Use and Risk for Dependence among Adult Male Arrestees, 2003
- Table 10. ALCOHOL Use and Risk for Dependence among Adult Male Arrestees, 2003

Drug Market Behavior

- Table 11. Last Drug Buy with Cash Was Outdoors among Adult Male Arrestees, 2003
- Table 12. Any Failed Drug Buy in the Past 30 Days among Adult Male Arrestees, 2003
- Table 13. Failed Drug Buy Due to Police Activity among Adult Male Arrestees, 2003

Treatment

Table 14. Drug, Alcohol, and Mental Health Treatment Status among Adult Male Arrestees, 2003

Table 1: ADAM	Site Booking Facilities, Comp	oleted Interv	riews, and Wei	ghted Tota	Numbers	Adult Ma	ale Arrestee	es, Year 20	03
		# of Book	ing Facilities		Completed	Interviews (1	unweighted)		Weighted
Primary City	Study Area	Total	Data Collected	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Total	Total
Albany, NY	Capital Area	28	7	130	132	141	47	450	2,799
Albuquerque, NM	Bernalillo County	1	1	185	178	0	172	535	3,265
Anchorage, AK	Anchorage Borough	3	1	106	96	120	0	322	943
Atlanta, GA	Fulton & Dekalb Counties	3	2	297	293	279	0	869	8,169
Birmingham, AL	Jefferson County	21	3	123	0	215	192	530	1,749
Boston, MA	Suffolk County	9	5	0	0	0	111	111	452
Charlotte, NC	Charlotte-Metro	1	1	198	191	210	0	599	3,754
Chicago, IL	Cook County	36	5	319	309	302	0	930	28,672
Cleveland, OH	Cuyahoga County	67	6	238	246	252	0	736	2,915
Dallas, TX	Dallas County	23	4	474	553	470	0	1,497	8,960
Denver, CO	Denver County	1	1	185	201	0	194	580	2,573
Des Moines, IA	Polk County	5	2	140	146	144	0	430	914
Honolulu, HI	Oahu	8	1	116	134	120	0	370	1,502
Houston, TX	Harris County	3	2	0	0	0	87	87	1,894
Indianapolis, IN	Marion County	1	1	161	171	166	0	498	6,842
Las Vegas, NV	Clark County	4	4	382	0	343	256	981	5,347
Los Angeles, CA	Los Angels	86	4	46	0	0	303	349	957
Miami, FL	Miami-Dade County	2	2	0	0	0	294	294	3,244
Minneapolis, MN	Hennepin County	18	2	233	217	227	0	677	3,437
New Orleans, LA	Orleans Parish	1	1	170	178	174	0	522	7,505
New York, NY	Manhattan	6	1	81	221	215	213	730	10,529
Oklahoma City, OK	Oklahoma County	1	1	204	196	182	0	582	2,926
Omaha, NE	Douglas County	2	1	150	188	199	0	537	4,928
Philadelphia, PA	County of Philadelphia	7	4	0	248	219	217	684	1,919
Phoenix, AZ	Maricopa County	32	3	438	462	447	0	1,347	11,645
Portland, OR	Multnomah County	1	1	176	183	205	0	564	2,703
Rio Arriba, NM	Rio Arriba County	2	2	53	44	36	0	133	200
Sacramento, CA	Sacramento County	8	1	174	175	191	0	540	5,223
Salt Lake City, UT	Salt Lake County	1	1	208	215	208	0	631	2,844
San Antonio, TX	Bexar County	2	2	211	194	206	0	611	8,778
San Diego, CA	San Diego County	3	3	234	236	260	0	730	7,523
San Jose, CA	Santa Clara County	4	1	257	214	244	0	715	4,599
Seattle, WA	King County	7	4	237	251	243	0	731	4,758
Spokane, WA	Spokane County	1	1	128	109	135	0	372	2,006
Tampa, FL	Hillsborough & Pinellas Counties	2	2	0	0	395	406	801	6,310
Tucson, AZ	Pima County	1	1	76	185	186	0	447	2,657
Tulsa, OK	Tulsa County	1	1	169	183	171	172	695	3,664
Washington, D.C.	Washington, D.C.	7	2	120	120	118	0	358	1,148
Woodbury, IA	Woodbury County	1	1	91	0	0	0	91	202
Total		410	88	6,510	6,469	7,023	2,664	22,666	180,455

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is generally noted here and identifies the site in other tables in this report.

Table 2: Demographic Characteristics of Adult Male Arrestee Respondents, 2003 (Weighted To Represent Booked Arrestees*))				
			Race/Eth	nicity (%)			High School	Pr	ior Arrests (%))**	Health	Stable
				Non-Hispanic		Employed	Diploma or		Past	Year	Insurance,	Housing, Past
Primary City	Mean Age	Hispanic	White	Black	Other	(%)	GED (%)	Ever	1+ times	2+ times	Past Year (%)	30 Days (%)
Albany, NY	30.9	13.1	45.0	34.9	7.1	62.0	69.3	85.4	46.6	15.5	41.7	93.8
Albuquerque, NM	31.6	61.0	18.5	6.1	14.3	61.8	75.0	80.4	51.0	18.4	35.3	87.4
Anchorage, AK	33.3	5.2	39.4	12.9	42.4	53.6	84.2	89.5	49.4	15.7	34.9	78.0
Atlanta, GA	34.8	4.7	11.3	80.0	4.0	53.8	70.2	82.0	46.7	16.3	37.3	76.0
Birmingham, AL	32.6	0.8	16.1	79.6	3.5	59.8	70.6	81.2	48.3	16.1	38.9	88.3
Boston, MA	29.8	28.7	15.7	39.2	16.4	35.4	66.7	87.9	62.5	33.0	54.9	79.7
Charlotte, NC	29.6	8.5	21.3	63.4	6.9	58.6	61.3	79.4	48.3	19.7	43.9	87.9
Chicago, IL	30.9	10.0	13.4	75.2	1.4	48.7	58.8	84.4	45.8	15.2	31.9	92.0
Cleveland, OH	31.5	5.3	17.7	74.0	3.1	48.1	55.5	87.9	47.6	16.8	34.5	87.9
Dallas, TX	30.4	29.0	20.6	46.1	4.3	58.8	69.4	80.8	44.6	13.2	36.5	91.8
Denver, CO	33.1	41.2	24.6	28.2	6.1	51.9	69.4	85.4	52.1	20.8	28.1	76.6
Des Moines, IA	32.5	10.2	63.5	19.3	7.1	59.4	77.1	86.7	52.1	20.7	27.8	83.9
Honolulu, HI	34.9	12.9	15.3	6.1	65.7	48.5	80.0	84.7	44.7	14.6	58.8	69.9
Houston, TX	30.9	32.3	34.8	28.6	4.3	56.3	80.6	70.8	37.0	9.4	49.7	89.3
Indianapolis, IN	32.3	12.1	42.2	43.0	2.7	62.9	64.4	88.3	53.6	20.5	32.6	92.5
Las Vegas, NV	33.2	23.3	44.3	22.2	10.1	62.5	81.1	82.2	45.5	14.7	33.0	83.2
Los Angeles, CA	29.5	57.0	13.9	26.0	3.2	62.7	64.5	67.8	39.5	15.9	32.7	84.5
Miami, FL	31.9	49.0	9.7	37.8	3.5	62.9	63.4	80.2	49.1	24.1	35.2	90.8
Minneapolis, MN	31.5	8.7	31.1	50.4	9.8	51.7	74.7	84.7	57.1	25.8	45.3	86.4
New Orleans, LA	30.3	1.6	14.9	83.4	0.1	59.6	49.2	61.3	46.2	18.9	33.8	92.7
New York, NY	31.8	37.3	10.3	44.3	8.0	46.5	65.1	78.7	47.4	17.5	53.1	79.0
Oklahoma City, OK	32.1	9.3	41.2	36.6	13.0	61.1	74.3	85.6	51.8	20.1	29.2	92.1
Omaha, NE	31.5	14.2	47.3	29.5	9.0	62.7	75.0	84.0	51.6	19.0	31.8	85.5
Philadelphia, PA	30.4	17.4	16.1	59.2	7.3	51.8	69.7	67.1	32.3	7.8	44.7	87.2
Phoenix, AZ	31.1	33.9	44.2	11.1	10.8	62.4	71.0	85.4	47.8	16.6	41.8	87.5
Portland, OR	32.5	10.9	57.5	20.4	11.1	35.9	74.9	88.3	63.3	32.2	39.6	71.5
Rio Arriba, NM	31.4	87.0	5.4	0.0	7.6	54.5	58.9	86.5	54.3	18.6	25.8	91.5
Sacramento, CA	32.8	21.5	39.4	26.2	13.0	51.0	65.5	90.1	52.8	17.1	34.8	82.5
Salt Lake City, UT	31.5	21.7	61.0	4.8	12.5	60.8	67.9	84.1	50.3	22.6	29.6	87.0
San Antonio, TX	29.8	73.5	14.9	10.2	1.4	68.6	58.6	82.5	56.0	18.6	31.7	94.6
San Diego, CA	32.3	37.4	34.2	18.4	10.1	61.2	71.0	84.0	40.3	11.4	37.2	76.0
San Jose, CA	31.1	59.5	18.3	9.2	13.0	55.2	75.6	78.7	45.2	15.5	35.9	87.0
Seattle, WA	32.7	13.8	42.3	24.4	19.5	47.9	77.3	85.4	57.2	24.3	34.1	77.4
Spokane, WA	31.9	5.5	69.2	6.6	18.7	41.9	72.5	86.9	52.3	25.6	38.3	86.9
Tampa, FL	32.8	13.8	49.2	28.4	8.6	63.5	74.6	87.4	52.8	19.2	38.0	85.4
Tucson, AZ	33.3	41.0	36.7	12.1	10.3	63.0	67.3	84.2	52.1	21.4	48.8	82.4
Tulsa, OK	31.9	6.7	43.7	27.3	22.3	59.5	76.4	91.6	55.0	17.2	30.3	90.5
Washington, D.C.	32.9	4.5	5.0	84.6	6.0	50.3	70.1	73.7	34.3	6.5	49.5	85.6
Woodbury, IA	31.2	21.4	55.7	8.2	14.7	63.1	85.2	73.5	50.7	22.1	38.5	91.7
Median	31.8	14.2	31.1	28.2	8.6	58.8	70.2	84.2	49.4	18.4	35.9	87.0

^{*} All estimations in this table and subsequent tables are weighted to represent booked arrested men. ** Does not include arrests as a juvenile.

Table 3: Urine Test	Results on A	ny or Multiple L				es, 2003	
				ees Testing Posit			Interviews With
5. 6.	Any of 5	Multiple Drugs	Any of 9	Multiple Drugs	Any of 9 Drugs or	Multiple 9 Drugs	Completed Urine
Primary City	Drugs*	(Any of 5)	Drugs**	(Any of 9)	Alcohol**	or alcohol**	Tests (%)
Albany, NY	72.3	19.9	74.7	22.3	78.2	29.3	67.7
Albuquerque, NM	66.6	25.2	70.3	30.1	74.6	35.6	95.3
Anchorage, AK	66.3	18.0	66.6	22.5	70.7	28.5	90.1
Atlanta, GA	72.4	22.8	73.5	24.1	77.2	27.7	93.4
Birmingham, AL	66.1	19.8	67.5	22.6	72.1	29.1	87.8
Boston, MA	80.3	16.8	82.7	18.4	84.3	20.8	85.6
Charlotte, NC	65.9	17.4	66.8	20.7	69.5	23.7	86.8
Chicago, IL	86.0	38.1	86.0	40.3	86.2	41.9	91.6
Cleveland, OH	74.5	25.0	74.9	27.3	77.8	31.7	93.6
Dallas, TX	62.3	21.7	63.8	24.4	67.1	27.5	95.7
Denver, CO	66.4	23.3	72.6	27.2	75.0	31.3	95.7
Des Moines, IA	68.7	22.1	71.3	24.8	76.2	31.0	92.0
Honolulu, HI	62.9	21.4	64.7	23.6	72.6	27.6	84.7
Houston, TX	61.7	16.1	61.9	23.8	62.9	24.4	96.6
Indianapolis, IN	64.6	22.4	66.4	27.2	70.8	30.8	97.8
Las Vegas, NV	65.3	22.4	70.0	26.3	75.7	30.1	96.7
Los Angeles, CA	68.6	26.3	68.9	26.9	71.7	29.2	80.9
Miami, FL	63.2	26.9	64.7	28.5	68.6	29.5	95.9
Minneapolis, MN	64.7	19.3	66.1	21.7	71.6	25.5	92.2
New Orleans, LA	78.4	29.4	79.6	32.3	82.4	36.8	98.7
New York, NY	69.7	22.2	72.7	26.7	73.9	28.2	95.2
Oklahoma City, OK	70.9	25.3	73.5	31.9	77.5	34.7	98.4
Omaha, NE	71.0	24.9	72.9	27.6	78.2	33.0	88.4
Philadelphia, PA	67.0	28.2	68.8	32.9	71.2	35.1	91.8
Phoenix, AZ	74.1	27.8	76.8	31.5	80.8	36.2	95.0
Portland, OR	71.5	29.8	72.7	31.5	75.9	34.2	94.6
Rio Arriba, NM	77.2	34.6	80.7	46.0	87.4	51.8	90.8
Sacramento, CA	78.9	32.2	81.1	36.6	83.8	39.9	98.1
Salt Lake City, UT	56.2	21.1	60.0	22.3	62.9	25.1	95.7
San Antonio, TX	59.6	23.4	65.2	28.8	68.0	32.3	96.6
San Diego, CA	66.8	23.9	71.2	27.4	73.4	28.6	96.4
San Jose, CA	62.8	25.2	63.7	27.0	66.5	29.3	90.8
Seattle, WA	67.3	25.3	69.4	28.8	73.1	32.4	92.2
Spokane, WA	69.5	25.1	70.4	29.0	74.7	30.8	94.8
Tampa, FL	60.1	19.5	62.1	22.5	67.7	26.4	86.6
Tucson, AZ	73.3	31.3	76.4	33.4	80.1	38.6	89.3
Tulsa, OK	69.8	23.6	71.9	29.9	80.0	34.0	98.1
Washington, D.C.	65.6	17.7	65.8	21.1	70.9	26.6	81.8
Woodbury, IA	41.6	10.3	41.6	11.1	52.2	12.8	93.4
Median	67.0	23.4	70.3	27.2	73.9	30.1	93.4

*The 5 drugs are cocaine, marijuana, methamphetamine, opiates, and phencyclidine (PCP).

^{**}The 9 drugs are barbiturates, benzodiazepines, cocaine, marijuana, methadone, methamphetamine, opiates, phencyclidine (PCP), and propoxyphene.

Table 4: Use and A	cquisition of CRAC	CK COCAINE	among Adult N	Male Arrestees	, 2003			
	Arrestees	Arrestees	Reporting Crac	k Use (%)	Average No. of	Acquired C	Crack in Past	t 30 Days
	Testing Positive	Hirestees	reporting crue	K C5C (70)	Days in Past 30		Mean Num	ber of Days ^c
Primary City	for Cocaine ^a (%)	Past 7 Days	Past 30 Days	Past Year	Used Crack ^b	% of Arrestees	Cash	Non-cash
Albany, NY	34.5	17.2	20.0	22.7	9.7	22.1	12.3	8.9
Albuquerque, NM	35.0	14.8	16.4	21.4	7.1	16.4	13.5	9.4
Anchorage, AK	25.4	13.1	15.4	20.2	6.5	16.8	10.5	8.4
Atlanta, GA	49.8	25.3	26.6	28.2	10.5	28.9	14.4	6.8
Birmingham, AL	34.3	12.3	13.4	16.3	9.1	14.6	12.9	8.3
Boston, MA	31.8	13.4	16.0	22.6	9.1	19.7	12.0	3.4
Charlotte, NC	35.2	14.6	15.4	18.3	10.6	18.0	15.3	7.0
Chicago, IL	50.6	25.5	27.1	29.0	11.6	31.5	15.7	6.7
Cleveland, OH	39.0	23.2	24.5	26.7	9.7	28.0	13.3	7.4
Dallas, TX	32.7	12.5	13.7	15.9	8.6	15.0	13.0	7.4
Denver, CO	38.3	16.2	18.1	22.3	7.3	18.8	11.4	8.0
Des Moines, IA	12.1	5.6	6.3	10.1	4.5	6.1	10.1	5.9
Honolulu, HI	11.6	5.4	7.4	11.4	6.1	7.3	13.0	7.6
Houston, TX	22.6	17.1	21.5	19.6	9.3	19.9	16.3	3.7
Indianapolis, IN	35.3	14.7	16.7	18.6	8.8	17.9	12.8	6.8
Las Vegas, NV	21.9	9.6	11.0	14.3	7.2	11.9	14.6	7.0
Los Angeles, CA	23.5	8.8	10.2	15.8	5.4	12.1	10.0	7.2
Miami, FL	47.1	13.1	13.8	14.0	12.0	14.8	13.9	5.0
Minneapolis, MN	28.4	10.9	12.0	16.4	8.1	12.8	14.0	5.4
New Orleans, LA	47.6	22.1	23.4	24.3	12.0	24.0	13.6	7.5
New York, NY	35.7	13.2	13.6	15.7	12.7	14.5	17.0	5.3
Oklahoma City, OK	24.6	10.6	11.9	14.9	6.4	11.6	11.2	5.3
Omaha, NE	20.5	7.8	9.4	12.9	8.1	9.7	13.6	4.7
Philadelphia, PA	30.3	14.6	16.4	19.7	9.7	18.5	15.2	6.0
Phoenix, AZ	23.4	9.8	11.2	13.6	8.6	12.2	15.6	9.5
Portland, OR	29.7	16.8	19.8	24.4	6.4	19.4	12.8	5.8
Rio Arriba, NM	37.8	12.9	16.8	20.0	7.2	15.6	16.3	8.4
Sacramento, CA	21.6	11.8	13.4	17.2	7.0	14.0	15.3	5.6
Salt Lake City, UT	15.4	7.5	8.9	12.5	5.3	8.7	9.4	9.1
San Antonio, TX	30.5	3.2	3.9	5.3	7.7	4.1	11.6	5.8
San Diego, CA	10.3	5.7	7.1	10.4	4.5	7.8	14.2	6.1
San Jose, CA	12.9	5.2	6.0	8.6	5.6	6.7	7.7	7.9
Seattle, WA	36.6	19.2	20.8	28.1	9.3	23.2	12.7	8.2
	14.8	9.3	14.1	19.8	5.3	14.9	10.6	4.5
<mark>Spokane, WA</mark> Tampa, FL	30.1		13.3	16.1	8.4	14.9	12.6	7.1
• •		11.4						
Tucson, AZ	42.5	15.7	18.9	23.0	9.2	20.0	14.6	7.1
Tulsa, OK	20.4	10.7	11.9	14.2	7.6	11.9	14.8	6.9
Washington, D.C.	26.5	18.5	20.1	23.6	10.5	20.2	14.3	6.1
Woodbury, IA Median	2.6 30.1	0.8 12.9	0.8 13.8	0.8 17.2	2.8 8.1	0.8 14.9	N/A 13.4	3.0 6.9

^aArrestee tested positive for either crack or powder cocaine. ^bAsked of those who said they had used crack cocaine in the past year. ^cQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

		A wwo.cta.ca D.	nauting David	Coosina Har	Average No. of	Acquire	d Powder Co	ocaine
	Arrestees	Arrestees Re	porting Powder	Cocaine Use	Days in Past 30	in	Past 30 Days	S
	Testing Positive		(%)		Used Powder		Mean Num	ber of Days ^c
Primary City	for Cocaine ^a (%)	Past 7 Days	Past 30 Days	Past Year	Cocaine ^b	% of Arrestees	Cash	Non-cash
Albany, NY	34.5	8.1	12.6	19.4	4.5	14.6	5.4	4.5
Albuquerque, NM	35.0	12.4	15.3	22.9	4.3	16.4	4.9	5.1
Anchorage, AK	25.4	8.3	11.6	17.6	2.8	13.7	4.6	4.0
Atlanta, GA	49.8	8.5	10.1	15.5	5.3	11.7	7.1	3.2
Birmingham, AL	34.3	6.6	8.6	11.5	6.5	8.9	9.1	5.4
Boston, MA	31.8	6.9	10.1	20.8	6.2	15.3	4.4	2.3
Charlotte, NC	35.2	5.8	7.8	12.6	3.9	10.0	6.2	2.5
Chicago, IL	50.6	6.7	8.3	11.0	4.4	9.3	6.0	2.9
Cleveland, OH	39.0	2.5	4.5	8.5	2.2	6.0	4.8	3.1
Dallas, TX	32.7	8.3	11.2	15.5	4.5	12.5	7.8	3.8
Denver, CO	38.3	8.8	10.8	16.5	4.8	12.8	11.0	3.5
Des Moines, IA	12.1	3.7	4.0	8.9	3.3	4.3	5.5	2.3
Honolulu, HI	11.6	1.3	2.3	5.7	3.7	2.7	11.1	2.3
Houston, TX	22.6	19.6	24.0	27.2	7.4	17.7	6.5	1.5
Indianapolis, IN	35.3	5.1	8.6	13.3	3.6	9.3	4.0	2.8
Las Vegas, NV	21.9	7.2	9.6	14.1	5.0	10.2	9.9	4.2
Los Angeles, CA	23.5	10.1	11.4	17.6	1.8	11.2	3.3	2.3
Miami, FL	47.1	17.7	22.3	28.4	4.8	22.4	5.9	3.8
Minneapolis, MN	28.4	4.7	6.5	11.4	3.6	7.1	6.3	2.4
New Orleans, LA	47.6	8.3	9.8	12.7	6.1	10.3	7.4	1.9
New York, NY	35.7	8.3	10.2	12.1	7.4	10.6	9.5	2.5
Oklahoma City, OK	24.6	4.1	7.3	13.6	5.1	8.1	5.4	3.9
Omaha, NE	20.5	1.7	3.4	8.3	5.1	4.1	7.4	4.3
Philadelphia, PA	30.3	7.6	10.7	14.8	5.5	11.6	6.9	2.4
Phoenix, AZ	23.4	5.5	7.6	12.9	3.4	8.8	3.9	2.3
Portland, OR	29.7	10.6	14.5	20.4	4.3	15.4	9.8	4.3
Rio Arriba, NM	37.8	18.6	26.2	30.2	6.0	27.6	12.5	5.5
Sacramento, CA	21.6	4.9	6.1	9.6	3.3	6.3	5.3	3.0
Salt Lake City, UT	15.4	7.5	9.5	16.5	4.3	10.3	9.9	3.8
San Antonio, TX	30.5	12.0	14.8	21.2	4.6	15.1	6.4	4.0
San Diego, CA	10.3	3.2	4.2	8.4	2.6	4.4	11.5	2.5
San Jose, CA	12.9	4.8	5.8	10.6	3.0	6.2	4.0	1.6
Seattle, WA	36.6	8.2	13.0	21.6	4.5	14.1	7.3	3.6
Spokane, WA	14.8	3.5	7.6	13.4	2.6	8.6	3.8	4.7
Tampa, FL	30.1	8.4	11.5	17.0	4.2	12.2	5.6	3.3
Tucson, AZ	42.5	18.0	23.9	30.7	5.0	27.5	6.4	5.0
Tulsa, OK	20.4	3.6	5.3	10.5	4.4	6.6	6.1	3.8
Washington, D.C.	26.5	2.7	4.2	5.8	2.8	4.3	4.0	1.3
Woodbury, IA	2.6	0.7	0.7	0.7	0.4	0.7	N/A	1.0
Median	30.1	7.2	9.6	13.6	4.4	10.3	6.3	3.2

^aArrestee tested positive for either crack or powder cocaine. ^bAsked of those who said they had used powder cocaine in the past year. ^cQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

Table 6: Use and Ac	quisition of MAR	IJUANA amor	ng Adult Male	Arrestees, 200	3			
	Arrestees				Average			
	Testing Positive	Arrestees Re	eporting Mariju	ana Use (%)	Number of Days	Acquired Ma		
	for Marijuana				in Past 30 Days			ber of Days ^b
Primary City	(%)	Past 7 Days	Past 30 Days	Past Year	Used	% of Arrestees	Cash	Non-cash
Albany, NY	53.7	49.4	55.7	63.0	11.3	56.7	11.7	7.3
Albuquerque, NM	41.6	39.0	44.9	51.8	10.7	40.1	4.1	5.9
Anchorage, AK	52.0	44.7	53.5	62.5	8.1	52.2	5.5	4.6
Atlanta, GA	41.8	41.1	46.3	50.7	10.5	46.2	10.5	4.3
Birmingham, AL	44.6	35.3	40.6	47.0	10.0	41.3	8.4	3.8
Boston, MA	51.3	52.7	60.5	68.8	10.4	57.7	11.1	5.1
Charlotte, NC	46.9	41.9	46.9	54.4	10.7	48.3	9.5	5.8
Chicago, IL	53.2	47.8	52.8	57.3	11.0	53.5	11.9	5.3
Cleveland, OH	48.9	43.9	49.4	54.7	11.5	51.1	12.5	6.5
Dallas, TX	39.1	36.4	40.9	47.2	11.1	38.4	9.1	5.3
Denver, CO	42.3	39.3	45.3	51.9	9.6	45.3	6.7	5.9
Des Moines, IA	48.7	36.6	44.9	53.5	9.0	42.3	6.2	3.2
Honolulu, HI	30.9	30.0	35.9	43.8	7.6	36.9	6.0	5.4
Houston, TX	47.5	42.3	45.6	54.5	11.9	33.6	10.2	5.8
Indianapolis, IN	44.8	39.3	44.3	51.4	11.5	44.3	7.8	4.3
Las Vegas, NV	34.4	33.7	41.0	48.9	8.6	41.3	5.8	4.4
Los Angeles, CA	40.7	34.5	40.1	45.6	10.3	39.0	8.4	5.9
Miami, FL	40.7	33.4	38.0	46.8	9.6	38.1	10.6	5.6
Minneapolis, MN	48.3	42.6	49.4	54.9	10.6	45.1	7.9	6.0
New Orleans, LA	50.8	51.7	57.1	60.8	11.0	57.6	12.2	5.3
New York, NY	43.1	37.0	40.6	47.4	13.1	41.6	15.8	6.7
Oklahoma City, OK	54.9	39.7	44.7	51.2	11.3	43.5	7.4	4.9
Omaha, NE	50.8	40.4	44.4	50.7	12.9	40.8	8.5	6.6
Philadelphia, PA	45.8	41.7	46.6	53.0	10.8	46.6	12.9	5.1
Phoenix, AZ	40.9	34.2	40.8	48.4	9.3	41.6	5.7	5.1
Portland, OR	38.4	40.5	51.1	60.0	7.7	47.4	6.4	4.6
Rio Arriba, NM	50.0	37.7	45.3	55.6	8.7	34.6	4.4	3.9
Sacramento, CA	49.2	41.0	47.7	54.9	9.7	47.6	8.2	5.0
Salt Lake City, UT	31.7	27.9	33.5	43.4	8.7	34.6	4.5	6.3
San Antonio, TX	41.9	34.5	37.8	46.1	11.3	37.9	8.7	4.7
San Diego, CA	41.0	38.3	44.9	51.5	9.1	45.1	5.3	5.3
San Jose, CA	35.4	31.3	38.3	46.8	10.3	38.1	6.2	5.3
Seattle, WA	37.2	34.7	42.2	52.6	9.2	40.4	7.7	4.3
Spokane, WA	43.6	41.0	49.4	58.4	10.5	49.5	7.4	5.9
Tampa, FL	45.2	38.1	44.3	52.3	11.1	44.2	9.5	6.2
Tucson, AZ	44.1	40.6	46.2	54.5	11.6	46.6	4.6	6.5
Tulsa, OK	51.6	43.3	50.1	56.4	10.9	48.4	5.9	5.7
Washington, D.C.	37.4	33.6	40.5	45.8	10.1	35.3	11.5	3.8
Woodbury, IA	34.1	27.3	33.9	37.8	8.7	33.5	4.7	3.2
Median	44.1	39.3	44.9	51.9	10.5	43.5	7.9	5.3

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

	Arrestees Testing Positive	Arrestees Rep	Arrestees Reporting Methamphetamine Use in		Avg. No. of Days in Past 30 Days	_	Methampho Past 30 Days	S
	for Metham-		(70)		Used Metham-		Mean Num	ber of Days
Primary City	phetamine (%)	Past 7 Days	Past 30 Days	Past Year	phetamine ^a	% of Arrestees	Cash	Non-cash
Albany, NY	0.0	0.2	0.8	0.9	4.9	0.2	N/A	2.0
Albuquerque, NM	10.1	9.5	10.8	15.7	8.3	10.7	14.0	11.1
Anchorage, AK	0.7	0.9	1.5	4.8	2.4	1.7	1.0	2.5
Atlanta, GA	2.0	1.9	2.1	4.0	8.6	2.7	13.6	3.9
Birmingham, AL	1.2	1.2	1.2	2.5	4.8	1.7	8.0	8.2
Boston, MA	0.0	0.0	0.0	1.5	1.4	1.0	N/A	1.0
Charlotte, NC	0.6	0.4	0.9	1.2	5.1	1.4	2.4	1.0
Chicago, IL	1.4	0.2	0.8	1.1	7.1	0.8	3.1	3.7
Cleveland, OH	0.3	0.1	0.6	0.9	2.0	0.7	1.0	1.0
Dallas, TX	5.8	3.8	4.6	7.5	6.8	5.5	6.4	5.1
Denver, CO	4.7	4.0	4.7	8.9	6.1	4.9	9.5	5.2
Des Moines, IA	27.9	21.6	25.8	31.1	8.6	25.3	8.2	6.0
Honolulu, HI	40.3	25.5	29.2	37.9	10.1	29.8	11.8	8.5
Houston, TX	2.1	6.6	6.6	7.7	3.7	4.9	5.0	1.0
ndianapolis, IN	1.9	1.5	2.0	2.6	4.7	2.4	5.0	3.3
_as Vegas, NV	28.6	23.4	27.3	33.5	8.6	27.8	9.9	7.3
_os Angeles, CA	28.7	21.5	24.4	28.5	8.4	23.9	6.9	9.5
Miamia, FL	0.4	0.4	0.4	1.3	1.2	0.4	N/A	2.0
Minneapolis, MN	3.3	3.7	4.6	7.1	7.9	4.4	10.7	6.2
New Orleans, LA	2.6	0.0	0.6	0.8	3.0	0.5	N/A	1.0
New York, NY	0.0	0.0	0.2	0.5	2.6	0.2	1.0	N/A
Oklahoma City, OK	12.3	8.3	11.1	17.6	8.6	11.0	8.9	7.2
Omaha, NE	21.4	13.2	16.2	20.5	9.6	16.3	8.5	7.9
Philadelphia, PA	0.6	0.6	0.8	1.4	4.4	0.9	4.1	7.1
Phoenix, AZ	38.3	28.1	31.3	34.8	10.2	32.0	9.6	7.2
Portland, OR	25.4	20.7	26.3	33.7	7.6	26.1	8.5	7.2
Rio Arriba, NM	2.8	2.3	4.0	4.6	0.9	3.4	1.0	2.0
Sacramento, CA	37.6	28.5	33.2	37.7	9.1	34.4	8.2	6.9
Salt Lake City, UT	25.6	24.5	27.1	32.0	8.6	26.3	9.2	7.7
San Antonio, TX	3.5	2.2	3.3	4.5	5.9	2.9	2.0	9.3
San Diego, CA	36.2	27.8	31.1	36.8	8.6	31.9	8.9	6.3
San Jose, CA	36.9	24.4	27.3	33.9	8.1	28.3	7.2	5.5
Seattle, WA	12.1	11.4	13.8	19.2	8.5	13.9	9.3	8.1
Spokane, WA	32.1	29.7	34.6	38.5	10.9	35.7	10.3	6.7
Гаmpa, FL	1.6	1.5	2.2	4.8	5.7	2.2	9.9	3.5
Tucson, AZ	16.0	11.6	13.7	19.5	9.2	14.7	10.8	8.9
Гulsa, ОК	17.4	12.1	15.3	21.1	9.0	16.1	7.9	5.9
Washington, D.C.	0.7	0.0	0.0	0.5	0.3	0.9	30.0	1.0
Noodbury, IA	14.3	12.6	14.6	19.3	4.5	15.3	3.1	3.4

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

		Arrestoss	Reporting Hero	in Use (%)	Average No. of	Acquired H	eroin in Pas	t 30 Days
	Arrestees Testing Positive	Affestees	Keporting Hero		Days in Past 30 Days Used		Mean Num	ber of Days ^b
Primary City	for Opiates (%)	Past 7 Days	Past 30 Days	Past Year	Heroin ^a	% of Arrestees	Cash	Non-cash
Albany, NY	4.3	4.2	6.3	8.8	9.6	5.9	14.6	6.1
Albuquerque, NM	11.2	7.7	9.0	11.4	11.0	9.0	18.3	10.4
Anchorage, AK	7.4	0.7	0.7	1.7	7.9	1.0	4.8	2.1
Atlanta, GA	3.0	1.1	1.6	2.0	8.7	2.1	11.4	6.8
Birmingham, AL	8.3	1.3	1.5	1.8	11.6	2.1	9.3	8.3
Boston, MA	17.3	9.2	14.1	19.1	14.6	14.1	19.5	3.3
Charlotte, NC	2.0	0.8	1.0	2.0	6.6	1.4	7.3	1.0
Chicago, IL	24.9	20.5	21.2	23.1	14.1	22.6	22.1	6.7
Cleveland, OH	5.4	3.8	5.0	5.3	11.7	5.5	20.5	4.3
Dallas, TX	6.9	2.0	2.8	3.9	9.6	2.8	19.4	5.0
Denver, CO	6.8	5.1	5.3	6.1	14.5	5.4	23.6	9.2
Des Moines, IA	2.8	1.1	1.3	2.6	4.1	1.3	15.8	1.0
Honolulu, HI	4.6	2.7	3.8	4.7	6.6	3.8	15.1	1.8
Houston, TX	5.7	0.4	0.4	0.3	5.0	0.3	4.0	N/A
Indianapolis, IN	5.1	2.3	2.3	2.7	11.7	2.2	15.2	9.3
Las Vegas, NV	6.4	3.8	4.8	6.0	9.9	4.8	15.3	5.4
Los Angeles, CA	2.0	0.7	1.1	2.6	4.0	1.8	10.6	12.6
Miami, FL	2.5	1.7	1.7	2.9	9.2	2.0	15.3	N/A
Minneapolis, MN	5.8	3.7	4.1	4.7	12.0	4.1	21.0	3.4
New Orleans, LA	14.0	10.8	10.9	12.7	14.0	10.9	17.9	6.3
New York, NY	15.0	9.7	10.8	13.0	12.9	11.6	18.7	3.3
Oklahoma City, OK	3.0	1.3	1.3	1.8	7.7	1.4	20.2	1.9
Omaha, NE	5.0	0.0	0.1	0.3	7.8	0.1	1.0	N/A
Philadelphia, PA	11.5	7.1	7.5	9.4	11.3	8.5	22.4	7.6
Phoenix, AZ	4.4	2.5	2.8	3.6	11.1	3.1	18.0	3.8
Portland, OR	15.0	11.6	12.8	15.8	9.9	12.8	19.2	5.3
Rio Arriba, NM	28.4	19.7	20.5	24.9	13.3	23.0	17.8	11.8
Sacramento, CA	6.9	3.2	3.2	5.1	9.2	3.5	20.7	5.6
Salt Lake City, UT	7.7	4.1	4.8	7.2	9.3	4.6	19.2	4.7
San Antonio, TX	9.1	6.6	7.2	9.6	9.7	7.7	15.4	5.4
San Diego, CA	5.1	3.9	4.7	7.4	5.5	5.3	14.7	4.6
San Jose, CA	3.1	1.4	1.4	2.2	10.5	1.4	17.0	8.4
Seattle, WA	6.8	5.6	7.0	10.9	8.9	7.9	13.6	5.3
Spokane, WA	8.4	3.3	3.9	7.6	6.3	4.4	12.1	8.1
Tampa, FL	3.8	1.3	1.9	2.9	8.7	1.9	15.1	7.0
Tucson, AZ	4.2	3.8	5.2	6.2	11.1	5.1	18.0	6.0
Tulsa, OK	5.0	0.4	0.5	1.7	4.2	0.7	8.2	5.0
Washington, D.C.	9.8	10.0	10.7	10.7	13.8	10.6	18.3	13.8
Woodbury, IA	1.6	0.8	0.8	3.1	0.3	0.8	1.0	1.0
Median	5.8	3.3	3.9	5.1	9.6	4.1	15.8	5.4

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

Table 9: Heavy Drug	g Use and Risk for Dependence a	mong Adult Male Arrestees,	2003
	Heavy Use ^a of any of Five	Injected Drugs, Past Year	
Primary City	Drugs (%)	(%)	At Risk for Drug Dependence ^b (%)
Albany, NY	45.8	4.4	43.6
Albuquerque, NM	39.6	12.6	41.3
Anchorage, AK	35.4	2.9	35.7
Atlanta, GA	39.6	1.9	41.4
Birmingham, AL	28.5	3.7	33.2
Boston, MA	57.5	11.8	55.5
Charlotte, NC	37.0	2.5	31.2
Chicago, IL	51.9	5.1	48.7
Cleveland, OH	45.5	3.6	43.0
Dallas, TX	33.5	4.6	34.2
Denver, CO	35.2	8.5	31.5
Des Moines, IA	33.2	9.1	38.7
Honolulu, HI	30.0	5.1	38.4
Houston, TX	33.2	2.2	43.2
Indianapolis, IN	33.8	4.1	37.5
Las Vegas, NV	36.7	11.4	40.8
Los Angeles, CA	33.7	5.2	41.4
Miami, FL	30.5	2.1	33.8
Minneapolis, MN	35.6	4.4	32.3
New Orleans, LA	38.4	7.1	33.9
New York, NY	46.5	5.9	35.4
Oklahoma City, OK	37.0	9.9	37.2
Omaha, NE	36.7	8.1	34.7
Philadelphia, PA	40.0	6.0	39.2
Phoenix, AZ	40.7	8.8	41.8
Portland, OR	45.7	23.7	49.1
Rio Arriba, NM	38.8	25.1	39.9
Sacramento, CA	47.2	11.8	49.9
Salt Lake City, UT	35.2	12.1	39.6
San Antonio, TX	31.1	6.8	30.7
San Diego, CA	39.6	10.5	42.9
San Jose, CA	36.5	5.4	37.0
Seattle, WA	40.2	11.1	41.7
Spokane, WA	48.4	25.6	48.3
Tampa, FL	35.1	4.1	31.0
Tucson, AZ	45.5	9.6	42.5
Tulsa, OK	40.1	13.1	39.1
Washington, D.C.	35.0	4.8	37.1
Woodbury, IA	22.4	4.9	24.2
Median	37.0	6.0	39.1

*Heavy use is defined here, as in the National Household Survey on Drug Abuse, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The five drugs considered here are cocaine, heroin, marijuana, methamphetamine, and PCP. This list of five was established by the National Institute on Drug Abuse as a standard panel of commonly used illegal drugs.

^bDependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

	Arrestees Testing Positive for	Binge Drinking, Past 30 Days ^a	Heavy Drinking, Past 30 Days ^b	At Risk for Alcohol
Primary City	Alcohol (%)	(%)	(%)	Dependence ^c (%)
Albany, NY	14.5	54.4	32.4	33.9
Albuquerque, NM	14.0	61.1	35.0	37.2
Anchorage, AK	12.1	68.3	33.0	38.2
Atlanta, GA	9.2	41.2	26.6	28.6
Birmingham, AL	12.6	44.0	23.1	23.3
Boston, MA	4.7	54.8	30.1	35.5
Charlotte, NC	7.5	38.9	21.9	21.0
Chicago, IL	2.3	37.0	20.9	20.2
Cleveland, OH	9.1	48.6	32.9	27.9
Dallas, TX	8.1	41.1	21.4	21.3
Denver, CO	8.4	54.1	29.6	28.6
Des Moines, IA	11.8	46.6	24.6	24.5
Honolulu, HI	13.7	47.6	28.7	27.8
Houston, TX	1.8	47.9	27.6	22.6
ndianapolis, IN	10.0	50.2	29.9	36.1
_as Vegas, NV	11.2	48.3	25.7	30.3
os Angeles, CA	6.6	42.4	20.0	24.3
Miami, FL	5.0	45.1	21.0	22.6
Minneapolis, MN	11.5	51.5	24.6	30.9
New Orleans, LA	9.5	47.0	34.9	20.9
New York, NY	2.8	35.0	23.5	20.0
Oklahoma City, OK	8.4	51.1	29.1	33.1
Omaha, NE	13.0	45.2	23.2	24.9
Philadelphia, PA	4.9	37.4	21.7	23.4
Phoenix, AZ	10.8	45.6	25.5	26.0
Portland, OR	7.0	42.0	24.1	32.3
Rio Arriba, NM	20.2	65.7	32.9	46.2
Sacramento, CA	9.6	47.7	28.3	31.0
Salt Lake City, UT	6.7	48.1	26.1	27.1
San Antonio, TX	7.7	57.5	31.1	28.8
San Diego, CA	4.5	54.6	29.4	33.7
San Jose, CA	6.0	47.7	23.2	30.0
Seattle, WA	9.6	47.5	25.6	28.3
Spokane, WA	6.8	52.6	25.9	35.2
ampa, FL	11.2	53.1	29.0	30.6
Tucson, AZ	11.0	54.3	30.4	32.8
ulsa, OK	13.5	56.0	33.7	36.6
Washington, D.C.	12.1	25.6	12.7	15.0
Voodbury, IA	13.1	48.7	22.9	23.1

^aBinge drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on at least one occasion in a month.

^cDependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol.

^bHeavy drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on the same occasion on five or more days in a month.

Table 11: Last Drug	g Buy with Cash V	Vas Outdoors am	ong Adult Male A	rrestees, 2003	
		% of Last Buy	s with Cash in an (Outdoor Location	
Primary City	Marijuana	Crack Cocaine	Powder Cocaine	Heroin	Methamphetamine
Albany, NY	40.9	62.2	21.7	43.7	N/A
Albuquerque, NM	28.8	38.8	23.4	34.7	21.8
Anchorage, AK	37.3	35.2	25.4	100.0	0.0
Atlanta, GA	38.3	54.2	37.3	77.4	41.0
Birmingham, AL	42.2	45.3	25.4	14.6	0.0
Boston, MA	45.6	60.9	29.8	64.0	N/A
Charlotte, NC	44.2	42.8	31.0	0.0	0.0
Chicago, IL	74.0	74.3	67.4	74.7	17.2
Cleveland, OH	61.2	67.9	35.0	44.5	0.0
Dallas, TX	22.7	27.9	21.8	40.3	5.4
Denver, CO	48.4	59.5	51.0	77.7	22.2
Des Moines, IA	15.8	24.3	16.0	29.3	12.5
Honolulu, HI	47.1	64.3	27.8	44.4	46.7
Houston, TX	11.8	0.0	13.9	0.0	0.0
Indianapolis, IN	29.8	41.3	19.2	31.7	0.0
Las Vegas, NV	25.1	40.5	27.7	47.5	13.1
Los Angeles, CA	33.7	32.6	57.5	61.4	34.1
Miami, FL	35.7	40.5	35.1	0.0	N/A
Minneapolis, MN	57.3	52.1	31.4	52.8	26.4
New Orleans, LA	80.4	84.2	69.2	81.8	N/A
New York, NY	67.1	86.2	48.7	64.8	70.6
Oklahoma City, OK	28.1	20.2	11.4	46.7	5.8
Omaha, NE	37.2	32.9	27.8	N/A	8.7
Philadelphia, PA	65.2	76.4	60.3	81.0	31.6
Phoenix, AZ	19.7	23.5	11.9	23.4	15.9
Portland, OR	35.8	50.5	54.8	72.3	31.1
Rio Arriba, NM	13.4	0.0	5.2	25.0	0.0
Sacramento, CA	35.5	41.5	33.7	55.3	25.3
Salt Lake City, UT	21.9	21.5	39.8	56.9	18.1
San Antonio, TX	19.3	18.8	28.0	19.1	14.9
San Diego, CA	32.2	46.9	21.3	39.6	25.8
San Jose, CA	37.6	62.1	23.5	17.6	28.1
Seattle, WA	33.7	54.7	35.9	47.1	23.3
Spokane, WA	18.5	31.1	9.7	18.7	12.3
Tampa, FL	26.2	41.5	29.7	66.5	25.5
Tucson, AZ	30.8	34.7	31.9	67.6	18.5
Tulsa, OK	23.8	20.8	7.2	0.0	16.9
Washington, D.C.	65.3	70.3	27.1	89.2	100.0
Woodbury, IA	16.8	N/A	N/A	0.0	14.3
Median	35.5	41.5	27.9	45.6	17.2

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 12: Any Faile	ed Drug Buy in the Pa	•			
Primary City	Marijuana	% Reportin	g Failed Drug Buy in Powder Cocaine	Heroin	Methamphetamine
Albany, NY	30.5	33.4	27.3	22.5	N/A
Albuquerque, NM	34.7	37.1	26.8	22.0	16.8
Anchorage, AK	33.5	17.3	30.0	38.5	0.0
Atlanta, GA	33.8	17.4	21.1	12.8	39.2
Birmingham, AL	24.1	21.9	23.0	11.5	24.8
Boston, MA	36.2	22.3	34.4	56.7	N/A
Charlotte, NC	30.5	34.7	23.4	36.0	0.0
Chicago, IL	24.3	22.7	10.4	18.8	17.2
Cleveland, OH	23.9	13.8	12.2	8.5	0.0
Dallas, TX	33.9	28.8	17.5	23.1	16.6
Denver, CO	25.5	29.7	21.3	14.9	26.3
Des Moines, IA	37.9	33.0	55.8	13.7	35.9
Honolulu, HI	48.2	25.8	0.0	21.6	23.9
Houston, TX	50.9	34.2	35.7	100.0	33.0
Indianapolis, IN	26.8	28.4	16.9	0.0	9.4
Las Vegas, NV	41.0	21.8	24.8	13.9	26.6
Los Angeles, CA	34.6	47.3	33.3	18.9	46.9
Miami, FL	42.5	49.1	44.1	0.0	N/A
Minneapolis, MN	32.6	31.4	18.4	11.8	37.1
New Orleans, LA	15.6	18.4	19.8	11.4	N/A
New York, NY	22.9	25.4	27.6	13.2	0.0
Oklahoma City, OK	26.2	30.1	21.5	0.0	19.5
Omaha, NE	16.8	33.5	55.7	0.0	30.4
Philadelphia, PA	28.2	36.1	34.4	31.2	13.2
Phoenix, AZ	21.0	16.9	14.3	16.4	19.0
Portland, OR	27.3	33.5	23.2	33.8	36.5
Rio Arriba, NM	24.3	41.5	48.2	30.7	0.0
Sacramento, CA	29.5	23.6	23.0	53.5	37.5
Salt Lake City, UT	21.0	29.7	11.7	21.3	25.8
San Antonio, TX	15.8	35.7	12.3	20.2	0.0
San Diego, CA	37.1	29.3	0.0	32.7	33.7
San Jose, CA	28.5	18.5	24.8	21.4	40.5
Seattle, WA	27.1	38.7	33.0	17.4	31.5
Spokane, WA	25.9	19.4	11.3	21.3	25.7
Tampa, FL	29.8	22.6	26.2	44.7	53.1
Tucson, AZ	33.7	50.8	26.6	30.4	27.3
Tulsa, OK	33.8	21.9	17.1	20.0	31.4
Washington, D.C.	30.4	22.4	10.4	21.7	0.0
Woodbury, IA	27.5	N/A	N/A	0.0	25.0
Median	29.5	29.1	23.1	20.2	25.7

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying a drug with cash in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 13: Failed Dr	rug Buy Due to Po	lice Activity amo	ng Adult Male A	rrestees, 2003	
		% Reporting Last			vity
Primary City	Marijuana	Crack Cocaine	Powder Cocaine	Heroin	Methamphetamine
Albany, NY	2.5	5.7	8.4	17.6	N/A
Albuquerque, NM	5.9	10.9	0.0	17.5	0.0
Anchorage, AK	2.2	9.2	0.0	0.0	N/A
Atlanta, GA	12.9	21.0	5.3	41.1	0.0
Birmingham, AL	0.0	9.1	16.4	0.0	0.0
Boston, MA	6.6	24.6	31.2	0.0	N/A
Charlotte, NC	12.6	5.7	0.0	60.8	N/A
Chicago, IL	24.8	28.0	10.2	34.4	0.0
Cleveland, OH	0.0	7.1	0.0	0.0	N/A
Dallas, TX	6.6	7.6	7.1	16.9	0.0
Denver, CO	2.0	3.8	20.1	0.0	0.0
Des Moines, IA	6.2	0.0	36.4	0.0	0.0
Honolulu, HI	9.4	37.5	N/A	0.0	11.3
Houston, TX	2.4	0.0	63.2	0.0	0.0
Indianapolis, IN	1.3	16.2	0.0	N/A	0.0
Las Vegas, NV	5.2	23.7	15.1	15.0	4.1
Los Angeles, CA	11.8	17.9	0.0	0.0	5.0
Miami, FL	13.2	0.0	28.4	N/A	N/A
Minneapolis, MN	5.9	29.7	0.0	21.4	0.0
New Orleans, LA	13.7	16.5	0.0	16.3	N/A
New York, NY	14.9	18.4	14.2	34.1	N/A
Oklahoma City, OK	6.0	8.4	0.0	N/A	0.0
Omaha, NE	2.5	0.0	0.0	N/A	10.0
Philadelphia, PA	17.2	28.0	14.2	41.8	0.0
Phoenix, AZ	2.2	24.2	11.1	0.0	4.3
Portland, OR	6.1	22.6	13.0	21.2	0.0
Rio Arriba, NM	0.0	0.0	0.0	0.0	N/A
Sacramento, CA	6.9	6.0	0.0	0.0	6.2
Salt Lake City, UT	5.7	14.5	11.4	0.0	8.2
San Antonio, TX	0.0	29.1	7.1	59.3	N/A
San Diego, CA	5.0	18.3	N/A	0.0	0.0
San Jose, CA	9.8	0.0	0.0	0.0	0.0
Seattle, WA	1.7	16.6	6.3	0.0	3.5
Spokane, WA	8.8	0.0	31.3	0.0	0.0
Tampa, FL	11.4	18.6	5.7	14.7	0.0
Tucson, AZ	4.9	2.0	6.6	0.0	12.5
Tulsa, OK	3.6	11.7	0.0	0.0	0.0
Washington, D.C.	9.7	9.7	100.0	0.0	N/A
Woodbury, IA	20.0	N/A	N/A	N/A	0.0
Median	6.0	11.3	6.8	0.0	0.0

Note: Question was asked of arrestees who said they had purchased drugs with cash in the past 30 days and had at least one failed drug buy. In sites where the number of arrestees with failed drug buys in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

Table 14: Drug, Alco	ohol, and Mental				rrestees, 2003	Hoolth/Described
	01-	Drug or Alcohol	Treatment (%	n)	Inpatient Mental Treatm	
Primary City	Ever	atient Past Year	Ever	or Residential Past Year	Ever	Past Year
Albany, NY	40.0	11.2	33.3	9.5	10.4	2.5
Albuquerque, NM	24.3	6.0	31.3	5.7	9.5	0.9
Anchorage, AK	39.4	6.7	43.6	8.8	10.7	1.9
Atlanta, GA	15.1	1.5	25.7	4.8	11.3	1.3
Birmingham, AL	13.4	2.9	20.7	2.9	7.2	0.8
Boston, MA	28.2	12.9	40.2	19.3	19.6	4.0
Charlotte, NC	16.6	3.1	22.9	5.2	10.9	0.6
Chicago, IL	20.9	5.7	22.9	5.3	7.7	1.8
Cleveland, OH	22.0	4.5	29.3	7.0	12.6	2.7
·	12.8	2.6	29.3	7.0 5.5	5.4	0.5
Dallas, TX Denver, CO	23.4	5.0	36.1	7.5	13.1	1.6
Des Moines, IA	31.0	8.3	32.3	7.5 5.6	14.3	1.0
Honolulu, HI	21.8	3.2	25.4	5.8	12.3	0.6
Houston, TX	19.3	9.4	24.7	7.6	12.3	2.8
	27.3	6.3		2.1	8.4	0.6
Indianapolis, IN	16.8	3.9	23.8	4.6		1.1
Las Vegas, NV Los Angeles, CA			22.9		10.8	
<u> </u>	11.5 17.4	3.4 4.2	15.8 16.7	4.7	5.8	1.2 1.2
Miami, FL	29.5	5.2		3.8 9.6	8.1 11.2	1.9
Minneapolis, MN	29.5 7.9	1.8	38.3			0.9
New Orleans, LA			13.5	4.6 8.3	6.5 8.2	1.4
New York, NY	23.3	7.7	30.0			
Oklahoma City, OK	10.9	2.2	29.2	5.7 4.8	10.1	0.4
Omaha, NE	20.2 22.9	1.9 5.9	26.0 29.7	7.7	14.0	1.3 1.7
Philadelphia, PA	19.4	4.0	29.7	4.4	10.9	1.6
Phoenix, AZ Portland, OR	38.2	14.6	42.7	8.4	9.0	1.7
Rio Arriba, NM	22.1	9.4	43.3	14.6	4.7	1.7
Sacramento, CA	16.9	5.3	24.5	4.9	14.4	2.3
Salt Lake City, UT	26.9	5.7	29.5	6.8	9.9	1.0
San Antonio, TX	12.1	1.6	14.4	2.1	7.2	0.3
San Diego, CA	18.5	4.3	29.5	7.6	11.7	1.4
-	21.4	7.7	29.5	6.5	7.1	1.4
San Jose, CA Seattle, WA						
	30.1	6.7	34.2	5.2	11.8	3.1
Spokane, WA	34.9	6.1	35.1	3.9	14.6	0.9
Tampa, FL Tucson, AZ	18.2 19.3	3.8	25.2	4.7	12.7 13.9	1.5 1.9
		4.5	26.8	6.0		
Tulsa, OK Washington, D.C.	15.1	2.9	29.8	4.9	11.1	2.0
•	15.3	3.0	23.0	6.2	6.7	1.3
Woodbury, IA Median	34.2 20.9	1.6 4.5	29.8 26.8	5.5 5.6	5.9 10.8	2.8 1.4

Female Arrestee Tables

Description of Sample

- Table 1. ADAM Booking Facilities and Completed Interviews—Adult Female Arrestees, 2003
- Table 2. Demographic Characteristics of Adult Female Arrestee Respondents, 2003

Drug Test Results

Table 3. Urine Test Results on Any or Multiple Drug or Alcohol Use among Adult Female Arrestees, 2003

Drug and Alcohol Use and Acquisition

- Table 4. Use and Acquisition of CRACK COCAINE among Adult Female Arrestees, 2003
- Table 5. Use and Acquisition of POWDER COCAINE among Adult Female Arrestees, 2003
- Table 6. Use and Acquisition of MARIJUANA among Adult Female Arrestees, 2003
- Table 7. Use and Acquisition of METHAMPHETAMINE among Adult Female Arrestees, 2003
- Table 8. Use and Acquisition of OPIATES/HEROIN among Adult Female Arrestees, 2003
- Table 9. Heavy Drug Use and Risk for Dependence among Adult Female Arrestees, 2003
- Table 10. ALCOHOL Use and Risk for Dependence among Adult Female Arrestees, 2003

Drug Market Behavior

- Table 11. Last Drug Buy with Cash Was Outdoors among Adult Female Arrestees, 2003
- Table 12. Any Failed Drug Buy in the Past 30 Days among Adult Female Arrestees, 2003
- Table 13. Failed Drug Buy Due to Police Activity among Adult Female Arrestees, 2003

Treatment

Table 14. Drug, Alcohol, and Mental Health Treatment Status among Adult Female Arrestees, 2003

	ite Booking Facilities and							
		# of Booking Facilities		Completed Interviews (unweighted)				
Primary City	Study Area	Total	Collected	Quarter 1	Quarter 2	Quarter 3	Quarter 4	Total
Albany, NY	Capital Area	19	7	8	9	11	4	32
Albuquerque, NM	Bernalillo County	1	1	62	63	0	50	175
Anchorage, AK	Anchorage Borough	3	3	33	36	33	0	102
Birmingham, AL	Jefferson County	12	3	10	0	10	8	28
Charlotte, NC	Charlotte-Metro	1	1	97	103	119	0	319
Chicago, IL	Cook County	5	5	9	9	8	0	26
Cleveland, OH	Cuyahoga County	50	6	78	127	46	0	251
Denver, CO	Denver County	1	1	66	62	0	62	190
Des Moines, IA	Polk County	5	2	47	28	52	0	127
Honolulu, HI	Oahu	8	1	24	15	14	0	53
Indianapolis, IN	Marion County	1	1	65	61	53	0	179
Los Angeles, CA	Los Angels	4	4	15	0	0	17	32
Minneapolis, MN	Hennepin County	17	2	57	13	18	0	88
New Orleans, LA	Orleans Parish	1	1	84	77	81	0	242
New York, NY	Manhattan	6	2	5	10	9	8	32
Oklahoma City, OK	Oklahoma County	1	1	71	71	76	0	218
Omaha, NE	Douglas County	2	1	18	18	6	0	42
Phoenix, AZ	Maricopa County	9	3	105	109	112	0	326
Portland, OR	Multnomah County	1	1	32	36	36	0	104
Salt Lake City, UT	Salt Lake County	1	1	71	37	0	0	108
San Diego, CA	San Diego County	3	3	99	95	107	0	301
San Jose, CA	Santa Clara County	4	1	29	69	58	0	156
Tucson, AZ	Pima County	1	1	57	69	50	0	176
Tulsa, OK	Tulsa County	1	1	73	78	82	59	292
Washington, D.C.	Washington, D.C.	7	3	19	30	16	0	65
Total	_	164	56	1,234	1,225	997	208	3,664

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is generally noted here and identifies the site in other tables in this report.

Table 2: Demograph	ic Character	ristics of Ac	lult Female	Arrestee Re	espondents,	2003						
			Race/Eth	nicity (%)			High School	P	rior Arrests (%	o)*	Health	Stable
				Non-Hispanic		Employed	Diploma or			Year	Insurance,	Housing, Past
Primary City	Mean Age	Hispanic	White	Black	Other	(%)	GED (%)	Ever	1+ times	2+ times	Past Year (%)	•
Albany, NY	29.6	9.7	58.1	25.8	6.5	29.0	58.1	87.1	56.7	16.7	60.0	87.1
Albuquerque, NM	30.9	64.0	19.2	3.5	13.4	47.6	74.3	76.5	51.9	19.8	49.7	83.6
Anchorage, AK	32.6	9.8	32.4	7.8	50.0	24.5	78.4	86.1	51.5	25.8	40.6	86.3
Birmingham, AL	33.0	0.0	35.7	60.7	3.6	39.3	82.1	71.4	42.3	15.4	53.6	89.3
Charlotte, NC	30.3	6.0	32.9	55.2	6.0	48.4	62.6	70.7	40.8	18.3	53.2	83.3
Chicago, IL	29.2	16.0	24.0	60.0	0.0	37.5	76.0	64.0	60.0	12.0	45.8	92.0
Cleveland, OH	33.8	4.0	27.7	62.7	5.6	37.6	58.4	78.4	43.5	14.1	47.6	88.8
Denver, CO	31.6	35.3	27.9	25.3	11.6	37.9	62.1	76.8	47.3	17.9	33.9	78.8
Des Moines, IA	31.3	3.9	66.9	20.5	8.7	32.3	74.8	67.7	39.4	11.0	41.3	89.8
Honolulu, HI	33.2	15.1	28.3	0.0	56.6	37.7	75.5	66.0	43.1	11.8	50.0	69.8
Indianapolis, IN	32.4	2.3	46.0	46.0	5.7	43.3	57.9	84.3	53.7	21.7	42.2	93.1
Los Angeles, CA	32.6	34.4	18.8	37.5	9.4	37.5	71.9	65.6	18.8	9.4	54.8	80.6
Minneapolis, MN	29.9	9.1	27.3	43.2	20.5	29.5	70.5	70.9	51.2	16.7	60.9	84.1
New Orleans, LA	30.7	2.1	19.5	78.0	0.4	44.4	53.1	60.3	44.8	18.7	39.7	93.8
New York, NY	34.1	53.1	3.1	40.6	3.1	34.4	71.9	77.4	26.7	10.0	75.0	93.8
Oklahoma City, OK	32.7	7.0	47.9	26.5	18.6	41.4	72.1	76.3	42.5	11.8	34.6	88.4
Omaha, NE	30.8	7.1	52.4	35.7	4.8	42.9	69.0	61.9	31.0	9.5	42.9	90.5
Phoenix, AZ	29.6	29.8	46.8	10.8	12.6	40.1	65.9	72.8	43.9	17.6	52.2	81.7
Portland, OR	33.6	12.9	60.4	16.8	9.9	23.0	77.2	83.2	59.4	35.4	51.0	63.4
Salt Lake City, UT	31.6	14.8	74.1	1.9	9.3	38.0	55.6	88.0	63.5	30.8	46.3	87.9
San Diego, CA	32.0	32.3	40.7	15.0	12.0	41.7	71.0	68.2	36.4	13.1	43.0	71.8
San Jose, CA	30.6	53.6	22.2	15.7	8.5	33.3	72.5	78.3	43.6	14.1	49.7	89.3
Tucson, AZ	32.2	36.8	46.0	4.0	13.2	39.3	71.9	73.0	46.8	17.1	64.3	84.4
Tulsa, OK	30.9	4.5	44.8	25.3	25.3	39.6	73.3	77.4	43.5	18.2	36.0	91.6
Washington, D.C.	30.4	4.7	6.3	79.7	9.4	34.4	70.3	49.2	26.7	15.0	68.3	85.9
Median	31.6	9.8	32.9	25.8	9.4	37.9	71.9	73.0	43.6	16.7	49.7	87.1

* Does not include arrests as a juvenile.

			% of Arrestee	es Testing Positive	e for:		Interviews With
	Any of 5	Multiple Drugs	Any of 9	Multiple Drugs	Any of 9 Drugs or	Multiple Drugs	Completed Urine
Primary City	Drugs*	(Any of 5)	Drugs**	(Any of 9)	Alcohol**	(Any of 10)	Tests (%)
Albany, NY	60.9	13.0	65.2	13.0	69.6	13.0	74.2
Albuquerque, NM	62.5	25.0	70.0	31.3	74.4	36.3	92.5
Anchorage, AK	52.1	13.8	60.6	23.4	64.9	23.4	92.2
Birmingham, AL	68.0	20.0	76.0	32.0	80.0	44.0	89.3
Charlotte, NC	58.0	16.8	62.4	22.6	62.4	26.6	86.2
Chicago, IL	61.1	38.9	66.7	44.4	66.7	44.4	72.0
Cleveland, OH	67.8	23.8	72.4	27.6	73.6	30.1	95.6
Denver, CO	69.1	24.9	75.1	28.2	80.1	30.4	96.3
Des Moines, IA	63.6	19.5	66.9	24.6	66.9	26.3	94.5
Honolulu, HI	74.5	27.7	76.6	34.0	83.0	34.0	90.4
Indianapolis, IN	75.3	29.9	79.9	41.4	80.5	42.0	97.8
Los Angeles, CA	59.3	14.8	63.0	18.5	63.0	22.2	84.4
Minneapolis, MN	59.2	21.1	64.5	23.7	65.8	27.6	87.4
New Orleans, LA	59.8	17.8	62.2	23.2	66.0	26.1	99.6
New York, NY	73.3	36.7	73.3	43.3	73.3	43.3	96.9
Oklahoma City, OK	74.2	28.6	78.4	37.1	79.8	39.4	100.0
Omaha, NE	56.8	18.9	56.8	21.6	59.5	27.0	88.1
Phoenix, AZ	74.6	28.7	78.5	36.2	82.1	39.7	95.4
Portland, OR	82.2	36.7	84.4	38.9	86.7	40.0	91.2
Salt Lake City, UT	69.6	29.4	75.5	34.3	77.5	37.3	95.4
San Diego, CA	69.1	24.3	72.6	26.7	77.8	30.6	96.3
San Jose, CA	70.1	20.4	72.8	21.8	73.5	21.8	96.7
Tucson, AZ	68.6	32.7	73.2	36.6	73.9	37.3	90.1
Tulsa, OK	68.0	22.5	73.1	30.9	77.5	33.5	98.3
Washington, D.C.	61.1	22.2	66.7	25.9	66.7	27.8	84.6
Median	68.0	23.8	72.6	28.2	73.6	30.6	92.5

^{*}The 5 drugs are cocaine, marijuana, methamphetamine, opiates, and phencyclidine (PCP).

^{**}The 9 drugs are barbiturates, benzodiazepines, cocaine, marijuana, methadone, methamphetamine, opiates, phencyclidine (PCP), and propoxyphene.

Table 4: Use and Acquisition of CRACK COCAINE among Adult Female Arrestees, 2003									
	Arrestees Testing Pagiting	Arrestees	Reporting Crac	k Use (%)	Average No. of	Acquired C	Crack in Past		
	Testing Positive				Days in Past 30			ber of Days ^c	
Primary City	for Cocaine ^a (%)	Past 7 Days	Past 30 Days	Past Year	Used Crack ^b	% of Arrestees	Cash	Non-cash	
Albany, NY	34.8	30.0	30.0	38.7	8.9	30.0	16.7	15.0	
Albuquerque, NM	38.1	21.7	24.7	28.4	11.5	23.6	19.8	5.3	
Anchorage, AK	36.2	27.4	29.5	34.3	7.3	29.2	14.9	7.0	
Birmingham, AL	36.0	17.9	17.9	17.9	11.8	17.9	10.5	12.5	
Charlotte, NC	35.4	17.6	18.5	20.9	11.8	18.8	15.7	6.6	
Chicago, IL	33.3	20.0	20.0	24.0	14.1	28.0	14.0	8.8	
Cleveland, OH	52.7	34.4	36.5	41.6	11.7	37.3	16.0	6.3	
Denver, CO	52.5	32.4	36.2	39.7	9.9	37.8	13.9	6.3	
Des Moines, IA	17.5	12.0	12.0	15.0	9.8	13.5	10.3	5.5	
Honolulu, HI	8.5	3.8	3.8	7.5	6.8	5.8	23.3	16.0	
Indianapolis, IN	55.7	36.9	39.5	44.1	11.9	39.9	14.0	6.5	
Los Angeles, CA	25.9	15.6	18.8	18.8	13.5	18.8	13.0	6.3	
Minneapolis, MN	40.8	23.8	25.0	28.2	10.8	27.1	15.9	5.4	
New Orleans, LA	37.3	23.3	26.0	27.5	13.1	26.0	14.4	8.7	
New York, NY	50.0	23.3	23.3	29.0	14.0	25.8	19.6	10.8	
Oklahoma City, OK	35.3	17.5	18.9	21.4	9.3	19.2	17.1	6.3	
Omaha, NE	35.1	24.4	26.8	28.6	5.8	21.4	11.1	13.7	
Phoenix, AZ	28.1	16.8	17.4	21.9	10.1	17.8	20.0	11.3	
Portland, OR	39.6	28.7	30.9	38.6	10.1	30.9	15.2	5.8	
Salt Lake City, UT	19.4	7.5	10.4	16.7	7.6	11.1	16.0	2.7	
San Diego, CA	15.2	12.2	13.5	18.5	8.4	13.8	14.4	8.0	
San Jose, CA	10.1	2.2	4.4	6.6	6.2	4.2	8.6	11.7	
Tucson, AZ	40.0	18.0	20.5	24.5	12.3	23.4	14.8	12.5	
Tulsa, OK	24.0	9.8	10.5	15.3	8.1	11.2	15.4	6.8	
Washington, D.C.	30.9	22.0	23.3	25.4	12.6	25.0	16.3	4.2	
Median	35.3	20.0	20.5	24.5	10.1	23.4	15.2	6.8	

^aArrestee tested positive for either crack or powder cocaine. ^bAsked of those who said they had used crack cocaine in the past year. ^cQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

	Arrestees	Arrestees Re	porting Powder	Cocaine Use	Average No. of Days in Past 30	-	d Powder Co Past 30 Days	
	Testing Positive		(%)		Used Powder		Mean Num	ber of Days ^c
Primary City	for Cocaine ^a (%)	Past 7 Days	Past 30 Days	Past Year	Cocaine ^b	% of Arrestees	Cash	Non-cash
Albany, NY	34.8	3.3	16.7	29.0	4.1	16.7	6.0	2.3
Albuquerque, NM	38.1	10.6	15.4	26.0	4.4	16.4	9.2	3.2
Anchorage, AK	36.2	9.6	12.8	23.5	3.8	14.6	6.2	6.7
Birmingham, AL	36.0	10.7	14.3	14.3	3.3	14.3	10.0	5.5
Charlotte, NC	35.4	4.8	8.0	12.7	5.2	8.3	11.8	3.5
Chicago, IL	33.3	8.0	8.0	16.0	3.7	8.0	2.5	N/A
Cleveland, OH	52.7	2.8	5.6	11.2	1.9	6.0	6.0	1.7
Denver, CO	52.5	5.9	8.0	14.8	5.1	9.0	16.3	6.1
Des Moines, IA	17.5	0.8	1.6	3.9	2.1	3.2	2.7	2.0
Honolulu, HI	8.5	0.0	0.0	0.0	N/A	1.9	N/A	29.0
Indianapolis, IN	55.7	5.2	7.6	11.8	2.2	7.9	7.3	3.8
Los Angeles, CA	25.9	0.0	0.0	0.0	N/A	0.0	N/A	N/A
Minneapolis, MN	40.8	1.2	2.4	7.1	6.0	3.5	9.3	1.0
New Orleans, LA	37.3	8.7	9.5	11.3	8.0	10.3	13.2	7.2
New York, NY	50.0	13.3	23.3	29.0	7.3	22.6	4.7	12.8
Oklahoma City, OK	35.3	4.7	7.5	14.0	5.2	7.5	13.2	4.3
Omaha, NE	35.1	0.0	0.0	9.5	1.4	0.0	N/A	N/A
Phoenix, AZ	28.1	6.9	10.0	13.9	5.1	10.6	9.5	5.9
Portland, OR	39.6	7.4	14.9	23.8	3.9	18.6	8.5	2.2
Salt Lake City, UT	19.4	2.8	7.5	15.9	3.1	9.3	2.4	1.4
San Diego, CA	15.2	3.1	4.4	10.1	3.9	4.7	14.0	2.1
San Jose, CA	10.1	1.5	2.2	5.3	3.4	3.5	1.0	1.0
Tucson, AZ	40.0	12.4	17.0	27.6	4.4	19.0	5.0	2.6
Tulsa, OK	24.0	2.5	4.6	8.7	3.5	4.5	3.5	6.2
Washington, D.C.	30.9	1.7	5.2	12.9	6.6	6.7	N/A	1.7
Median	35.3	4.7	7.6	12.9	3.9	8.0	7.3	3.4

^aArrestee tested positive for either crack or powder cocaine. ^bAsked of those who said they had used powder cocaine in the past year. ^cQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Appliable.

Table 6: Use and Acc	quisition of MARI	JUANA amor	g Adult Femal	e Arrestees, 20	003			
	Arrestees Testing Positive for Marijuana	Arrestees Re	eporting Mariju	ana Use (%)	Average Number of Days in Past 30 Days	Acquired Ma		ast 30 Days ber of Days ^b
Primary City	(%)	Past 7 Days	Past 30 Days	Past Year	Used	% of Arrestees	Cash	Non-cash
Albany, NY	34.8	30.0	30.0	48.4	8.0	30.0	10.5	7.9
Albuquerque, NM	29.4	28.4	33.3	39.1	9.8	32.1	4.7	4.7
Anchorage, AK	24.5	28.7	35.8	45.0	7.5	36.5	3.9	4.2
Birmingham, AL	40.0	21.4	28.6	46.4	5.1	28.6	3.4	2.0
Charlotte, NC	35.0	29.7	33.5	40.2	9.4	34.1	11.9	5.5
Chicago, IL	38.9	40.0	44.0	56.0	6.8	40.0	7.6	7.7
Cleveland, OH	27.2	29.8	36.5	43.6	7.2	37.8	9.1	4.4
Denver, CO	34.3	34.6	39.4	45.0	8.8	39.9	4.0	5.5
Des Moines, IA	39.2	36.0	44.8	50.4	7.2	39.7	4.6	3.6
Honolulu, HI	29.8	23.1	28.8	32.1	6.0	32.7	1.0	3.9
Indianapolis, IN	42.0	42.6	49.2	55.6	10.2	48.3	8.1	5.8
Los Angeles, CA	29.6	34.4	34.4	40.6	9.9	34.4	17.3	3.8
Minneapolis, MN	34.2	27.1	31.8	39.5	9.1	32.9	8.9	3.2
New Orleans, LA	30.3	32.0	36.0	40.8	9.7	36.0	10.0	7.5
New York, NY	36.7	43.3	53.3	58.1	12.9	54.8	14.1	6.5
Oklahoma City, OK	43.3	31.3	36.8	42.8	9.1	35.7	8.1	5.2
Omaha, NE	29.7	28.6	35.7	45.2	8.5	31.0	9.0	2.7
Phoenix, AZ	31.6	30.7	37.3	46.9	9.2	39.6	5.9	7.2
Portland, OR	35.2	31.6	40.6	49.5	8.6	41.2	5.4	2.9
Salt Lake City, UT	29.1	17.1	25.7	37.0	9.2	25.0	2.3	4.1
San Diego, CA	29.1	32.7	38.0	45.3	8.0	39.6	7.4	6.2
San Jose, CA	29.1	28.1	34.1	43.0	10.1	36.9	4.5	5.5
Tucson, AZ	29.0	25.8	31.6	44.1	8.0	34.2	5.4	5.6
Tulsa, OK	35.7	29.9	36.4	44.4	10.5	36.6	6.8	5.8
Washington, D.C.	29.1	32.8	37.3	42.9	10.4	33.3	14.3	4.6
Median	31.6	30.0	36.0	44.4	9.1	36.0	7.4	5.2

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

Table 7: Use and Acceptable	quisition of MET	НАМРНЕТА	MINE among A	Adult Female A	rrestees, 2003			
	Arrestees Testing Positive	Arrestees Rep	orting Metham (%)	phetamine Use	Avg. No. of Days in Past 30 Days Used Metham-	-	Methamphe Past 30 Days Mean Num	
Primary City	for Metham- phetamine (%)	Past 7 Days	Past 30 Days	Past Year	phetamine ^a	% of Arrestees	Cash	Non-cash
Albany, NY	0.0	0.0	0.0	0.0	N/A	0.0	N/A	N/A
Albuquerque, NM	8.8	12.3	15.4	21.3	6.6	14.5	5.5	8.4
Anchorage, AK	2.1	1.1	1.1	8.1	2.4	2.1	N/A	10.0
Birmingham, AL	0.0	3.6	3.6	3.6	9.2	3.6	N/A	15.0
Charlotte, NC	1.1	0.3	1.0	2.5	2.0	1.0	1.0	1.7
Chicago, IL	0.0	0.0	0.0	0.0	N/A	0.0	N/A	N/A
Cleveland, OH	0.4	0.4	0.8	1.2	6.8	0.8	3.0	1.0
Denver, CO	5.0	4.8	7.4	10.7	6.4	7.4	7.0	6.6
Des Moines, IA	23.3	16.8	20.0	28.3	10.2	18.3	14.7	6.4
Honolulu, HI	57.4	30.8	34.6	38.5	13.6	34.6	18.4	8.2
Indianapolis, IN	2.3	0.6	0.6	2.8	1.2	1.1	N/A	15.5
Los Angeles, CA	18.5	9.4	18.8	21.9	4.3	18.8	5.3	4.8
Minneapolis, MN	2.6	2.4	3.5	4.7	1.4	2.4	2.0	1.0
New Orleans, LA	0.8	0.0	0.0	0.8	3.5	0.0	N/A	N/A
New York, NY	0.0	0.0	3.3	6.5	0.3	3.2	N/A	1.0
Oklahoma City, OK	17.2	9.0	11.3	15.3	9.3	12.2	6.5	5.2
Omaha, NE	13.5	19.5	22.0	21.4	9.1	16.7	6.0	11.0
Phoenix, AZ	41.6	31.0	36.6	41.5	10.1	36.9	7.9	8.6
Portland, OR	29.7	24.2	30.5	40.6	8.3	32.0	8.3	5.4
Salt Lake City, UT	45.6	32.1	36.8	53.7	8.5	36.1	8.4	7.4
San Diego, CA	47.1	35.5	38.2	44.4	9.3	38.4	7.9	10.7
San Jose, CA	45.3	30.4	34.8	42.1	9.4	35.9	5.5	6.2
Tucson, AZ	23.9	17.0	19.6	24.5	11.4	20.9	8.6	12.8
Tulsa, OK	22.9	12.6	16.5	24.0	10.2	17.5	11.9	6.3
Washington, D.C.	0.0	0.0	0.0	0.0	N/A	0.0	N/A	N/A
Median	8.8	9.0	11.3	15.3	8.4	12.2	7.0	6.6

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable

Table 8 : Use and Ac	equisition of HERO	OIN among A	dult Female Ar	restees, 2003				
	A	Arrestees 1	Reporting Hero	in Use (%)	Average No. of Days in Past 30	Acquired H	leroin in Pas	-
	Arrestees Testing Positive			. ,	Days Used		Mean Num	ber of Days ^b
Primary City	for Opiates (%)	Past 7 Days	Past 30 Days	Past Year	Heroin ^a	% of Arrestees	Cash	Non-cash
Albany, NY	4.3	0.0	3.3	12.9	12.2	6.7	25.5	N/A
Albuquerque, NM	13.8	10.0	12.4	13.6	13.9	12.1	20.4	3.6
Anchorage, AK	5.3	0.0	1.1	1.0	4.4	2.1	10.0	3.0
Birmingham, AL	12.0	3.6	3.6	7.1	0.5	3.6	N/A	N/A
Charlotte, NC	4.0	1.3	1.3	1.6	14.7	1.3	28.7	2.5
Chicago, IL	22.2	16.0	16.0	20.0	15.6	16.0	14.5	16.5
Cleveland, OH	6.7	6.0	7.2	8.8	13.9	7.6	17.4	6.4
Denver, CO	6.1	4.3	4.8	8.5	9.9	4.8	21.9	6.8
Des Moines, IA	4.2	1.6	1.6	2.4	7.7	2.4	25.0	5.5
Honolulu, HI	6.4	3.8	3.8	3.8	9.3	5.8	7.5	5.5
Indianapolis, IN	5.7	1.2	2.3	3.4	8.6	2.2	8.8	1.7
Los Angeles, CA	0.0	3.1	3.1	3.1	1.8	6.3	1.0	1.0
Minneapolis, MN	6.6	6.0	6.0	7.1	14.2	7.1	22.2	5.5
New Orleans, LA	13.3	9.9	10.3	11.7	17.5	10.3	24.3	6.9
New York, NY	23.3	23.3	23.3	25.8	14.0	25.8	20.7	10.7
Oklahoma City, OK	5.6	0.9	1.4	2.3	4.6	1.4	30.0	1.5
Omaha, NE	0.0	0.0	0.0	2.4	0.3	0.0	N/A	N/A
Phoenix, AZ	6.1	4.0	4.4	6.2	11.3	5.6	20.0	12.5
Portland, OR	22.0	12.9	17.0	26.7	8.1	19.6	15.1	6.1
Salt Lake City, UT	8.7	4.8	5.7	8.3	7.6	6.5	25.0	1.0
San Diego, CA	8.7	6.4	6.8	8.1	10.5	7.4	18.9	2.8
San Jose, CA	3.4	2.9	2.9	5.3	7.2	2.8	30.0	1.0
Tucson, AZ	9.7	4.6	4.6	6.1	16.5	4.4	22.5	13.5
Tulsa, OK	7.4	1.4	1.8	3.5	6.9	2.4	5.5	11.5
Washington, D.C.	10.9	10.3	12.1	16.1	14.1	13.3	25.2	6.5
Median	6.6	4.0	4.4	7.1	9.9	5.8	20.7	5.5

^aQuestion was asked of arrestees who said they had used the drug in the past year. ^bQuestion was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable

	ug Use and Risk for Depende	Injected Drugs, Past Year	At Risk for Drug
Primary City	Drugs (%)	(%)	Dependence ^b (%)
Albany, NY	54.8	3.3	56.7
Albuquerque, NM	40.2	15.2	44.2
Anchorage, AK	30.0	2.1	31.9
Birmingham, AL	21.4	14.8	37.0
Charlotte, NC	29.4	2.3	32.6
Chicago, IL	36.0	4.0	44.0
Cleveland, OH	40.4	7.3	44.8
Denver, CO	39.2	8.6	40.1
Des Moines, IA	37.8	7.1	40.5
Honolulu, HI	34.0	3.9	39.2
ndianapolis, IN	47.2	6.3	58.8
os Angeles, CA	31.3	6.3	37.5
Minneapolis, MN	35.3	7.2	34.5
New Orleans, LA	30.8	8.8	36.3
New York, NY	67.7	6.5	58.1
Oklahoma City, OK	33.0	12.3	37.1
Omaha, NE	28.6	9.5	31.0
Phoenix, AZ	45.7	10.3	48.8
Portland, OR	54.5	31.3	63.3
Salt Lake City, UT	43.5	22.5	54.8
San Diego, CA	44.8	14.5	48.1
San Jose, CA	33.6	6.4	40.6
Гucson, AZ	36.2	12.1	34.8
Γulsa, OK	33.4	13.0	34.0
Washington, D.C.	36.5	8.8	40.7
Median	36.2	8.6	40.5

^aHeavy use is defined here, as in the National Household Survey on Drug Abuse, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The five drugs considered here are cocaine, heroin, marijuana, methamphetamine, and PCP. This list of five was established by the National Institute on Drug Abuse as a standard panel of commonly used illegal drugs.

^bDependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

Table 10: ALCOHO	L Use and Risk for Depende	ence among Adult Fer	male Arrestees, 2003	
	Arrestees Testing Positive	Binge Drinking,	Heavy Drinking,	At Risk for Alcohol
Primary City	for Alcohol (%)	Past 30 Days ^a (%)	Past 30 Days ^b (%)	Dependence ^c (%)
Albany, NY	50.0	53.3	50.0	45.2
Albuquerque, NM	85.0	49.7	27.5	38.0
Anchorage, AK	100.0	63.8	40.9	46.4
Birmingham, AL	80.0	25.0	10.7	14.3
Charlotte, NC	87.5	28.5	12.3	19.7
Chicago, IL	N/A	32.0	12.0	24.0
Cleveland, OH	90.9	37.5	25.8	24.3
Denver, CO	86.4	46.8	29.8	32.3
Des Moines, IA	66.7	27.2	10.5	16.5
Honolulu, HI	60.0	30.8	19.2	20.8
Indianapolis, IN	100.0	43.8	27.0	37.6
Los Angeles, CA	50.0	31.3	6.5	18.8
Minneapolis, MN	100.0	31.8	16.9	26.8
New Orleans, LA	95.5	30.3	20.9	14.2
New York, NY	N/A	36.7	6.7	25.8
Oklahoma City, OK	83.3	34.9	16.0	29.9
Omaha, NE	100.0	26.2	11.9	14.3
Phoenix, AZ	89.7	29.3	15.0	19.5
Portland, OR	100.0	36.8	14.0	26.3
Salt Lake City, UT	87.5	25.9	10.2	23.4
San Diego, CA	93.9	35.4	17.2	23.8
San Jose, CA	50.0	41.2	22.1	26.4
Tucson, AZ	60.0	35.1	13.3	18.1
Tulsa, OK	33.3	36.5	15.8	22.7
Washington, D.C.	50.0	25.4	13.6	16.1
Median	86.4	34.9	15.8	23.8

^aBinge drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on at least one occasion in a month.

bHeavy drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on the same occasion on five or more days in a month.

^cDependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol. N/A = Not Applicable.

Table 11: Last Drug Buy with Cash Was Outdoors among Adult Female Arrestees, 2003						
	% of Last Buys with Cash in an Outdoor Location					
Primary City	Marijuana	Crack Cocaine	Powder Cocaine	Heroin	Methamphetamine	
Albany, NY	50.0	50.0	0.0	50.0	N/A	
Albuquerque, NM	20.0	32.0	12.5	23.5	0.0	
Anchorage, AK	18.8	23.5	40.0	0.0	N/A	
Birmingham, AL	50.0	80.0	100.0	N/A	N/A	
Charlotte, NC	22.4	36.4	12.5	33.3	0.0	
Chicago, IL	50.0	100.0	0.0	100.0	N/A	
Cleveland, OH	39.5	42.9	28.6	42.9	0.0	
Denver, CO	30.8	48.8	50.0	57.1	0.0	
Des Moines, IA	25.0	27.3	0.0	0.0	12.5	
Honolulu, HI	0.0	50.0	N/A	100.0	40.0	
Indianapolis, IN	25.0	38.5	25.0	0.0	N/A	
Los Angeles, CA	20.0	0.0	N/A	N/A	50.0	
Minneapolis, MN	71.4	57.1	0.0	66.7	0.0	
New Orleans, LA	71.8	60.9	33.3	65.0	N/A	
New York, NY	66.7	71.4	40.0	60.0	N/A	
Oklahoma City, OK	11.1	22.7	16.7	0.0	0.0	
Omaha, NE	66.7	60.0	N/A	N/A	0.0	
Phoenix, AZ	8.6	10.5	26.7	29.4	5.1	
Portland, OR	26.7	58.3	57.1	69.2	11.1	
Salt Lake City, UT	33.3	0.0	0.0	0.0	5.6	
San Diego, CA	20.0	69.2	0.0	33.3	15.1	
San Jose, CA	27.8	0.0	0.0	0.0	20.0	
Tucson, AZ	7.7	21.7	23.1	0.0	6.7	
Tulsa, OK	8.8	5.6	0.0	0.0	12.5	
Washington, D.C.	50.0	66.7	0.0	66.7	N/A	
Median	26.7	42.9	14.6	33.3	5.6	

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying the drug is small, these finding have low statistical reliability and should be interpreted cautiously. N/A=Not Applicable.

Table 12: Any Failed Drug Buy in the Past 30 Days among Adult Female Arrestees, 2003							
	% Reporting Failed Drug Buy in Last 30 Days						
Primary City	Marijuana	Crack Cocaine	Powder Cocaine	Heroin	Methamphetamine		
Albany, NY	0.0	0.0	33.3	50.0	N/A		
Albuquerque, NM	30.4	50.0	33.3	16.7	25.0		
Anchorage, AK	38.9	26.3	33.3	100.0	N/A		
Birmingham, AL	20.0	20.0	0.0	N/A	N/A		
Charlotte, NC	38.9	28.6	40.0	0.0	0.0		
Chicago, IL	40.0	0.0	50.0	0.0	N/A		
Cleveland, OH	18.6	30.1	0.0	23.5	0.0		
Denver, CO	19.4	30.4	42.9	50.0	25.0		
Des Moines, IA	53.3	14.3	33.3	100.0	22.2		
Honolulu, HI	0.0	66.7	N/A	0.0	50.0		
Indianapolis, IN	37.0	28.8	37.5	0.0	N/A		
Los Angeles, CA	16.7	20.0	N/A	0.0	33.3		
Minneapolis, MN	33.3	36.8	33.3	20.0	0.0		
New Orleans, LA	21.7	16.1	20.0	4.3	N/A		
New York, NY	23.1	50.0	33.3	16.7	N/A		
Oklahoma City, OK	28.0	42.9	50.0	0.0	26.7		
Omaha, NE	40.0	28.6	0.0	N/A	100.0		
Phoenix, AZ	31.7	16.7	41.2	11.8	18.0		
Portland, OR	53.3	37.5	12.5	38.5	61.1		
Salt Lake City, UT	33.3	16.7	20.0	0.0	25.0		
San Diego, CA	34.3	40.0	25.0	31.3	27.0		
San Jose, CA	27.3	40.0	0.0	0.0	18.5		
Tucson, AZ	14.3	23.1	20.0	0.0	25.0		
Tulsa, OK	26.8	23.8	0.0	0.0	50.0		
Washington, D.C.	36.4	53.8	0.0	16.7	N/A		
Median	30.4	28.6	33.3	11.8	25.0		

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying a drug with cash in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

Table 13: Failed Drug Buy Due to Police Activity among Adult Female Arrestees, 2003						
	% Reporting Last Failed Drug Buy Due to Police Activity					
Primary City	Marijuana	Crack Cocaine	Powder Cocaine	Heroin	Methamphetamine	
Albany, NY	N/A	N/A	0.0	0.0	N/A	
Albuquerque, NM	0.0	26.7	0.0	0.0	0.0	
Anchorage, AK	0.0	20.0	0.0	0.0	N/A	
Birmingham, AL	0.0	0.0	N/A	N/A	N/A	
Charlotte, NC	0.0	23.1	0.0	N/A	N/A	
Chicago, IL	50.0	N/A	0.0	N/A	N/A	
Cleveland, OH	0.0	8.0	N/A	0.0	N/A	
Denver, CO	0.0	0.0	0.0	0.0	0.0	
Des Moines, IA	0.0	0.0	0.0	100.0	0.0	
Honolulu, HI	N/A	0.0	N/A	N/A	0.0	
Indianapolis, IN	10.0	29.4	33.3	N/A	N/A	
Los Angeles, CA	0.0	0.0	N/A	N/A	0.0	
Minneapolis, MN	0.0	14.3	0.0	0.0	N/A	
New Orleans, LA	0.0	22.2	0.0	0.0	N/A	
New York, NY	0.0	0.0	50.0	0.0	N/A	
Oklahoma City, OK	0.0	16.7	0.0	N/A	0.0	
Omaha, NE	0.0	50.0	N/A	N/A	0.0	
Phoenix, AZ	0.0	14.3	0.0	0.0	0.0	
Portland, OR	12.5	11.1	0.0	20.0	0.0	
Salt Lake City, UT	0.0	0.0	0.0	N/A	0.0	
San Diego, CA	0.0	25.0	0.0	0.0	0.0	
San Jose, CA	0.0	50.0	N/A	N/A	20.0	
Tucson, AZ	0.0	16.7	0.0	N/A	25.0	
Tulsa, OK	0.0	0.0	N/A	N/A	0.0	
Washington, D.C.	25.0	14.3	N/A	0.0	N/A	
Median	0.0	14.3	0.0	0.0	0.0	

Note: Question was asked of arrestees who said they had purchased drugs with cash in the past 30 days and had at least one failed drug buy. In sites where the number of arrestees with failed drug buys in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

Table 14: Drug, Alcohol, and Mental Health Treatment Status among Adult Female Arrestees, 2003						
	Drug or Alcohol Treatment (%)				Inpatient Mental	
	Outpatient		Inpatient or Residential		Health/Psychiatric Treatment (%)	
Primary City	Ever	Past Year	Ever	Past Year	Ever	Past Year
Albany, NY	54.8	23.3	54.8	16.7	32.3	10.0
Albuquerque, NM	17.6	4.1	26.0	7.1	16.0	2.4
Anchorage, AK	46.5	13.0	50.5	6.0	7.9	3.0
Birmingham, AL	7.1	0.0	25.0	14.3	14.3	0.0
Charlotte, NC	21.8	4.8	26.7	5.7	18.3	2.2
Chicago, IL	16.0	4.0	28.0	12.0	16.0	8.0
Cleveland, OH	32.4	5.6	41.2	10.0	21.6	5.3
Denver, CO	22.6	4.8	38.4	3.7	24.2	2.1
Des Moines, IA	33.1	7.9	37.8	4.7	26.8	5.5
Honolulu, HI	26.4	7.7	20.8	3.8	13.2	0.0
Indianapolis, IN	32.6	9.6	34.8	6.8	20.2	2.9
Los Angeles, CA	25.0	3.1	25.0	9.4	18.8	0.0
Minneapolis, MN	27.6	3.5	29.9	9.4	18.4	5.9
New Orleans, LA	5.4	2.5	10.7	3.7	10.3	0.4
New York, NY	28.1	6.3	40.6	12.9	21.9	3.2
Oklahoma City, OK	14.0	3.7	31.2	6.0	21.4	2.3
Omaha, NE	2.4	0.0	23.8	7.1	21.4	4.8
Phoenix, AZ	21.6	6.8	24.1	6.2	13.9	1.6
Portland, OR	38.6	13.1	45.5	13.9	20.8	4.1
Salt Lake City, UT	33.3	15.9	36.1	10.2	13.0	0.0
San Diego, CA	23.4	6.7	28.8	5.4	17.1	3.1
San Jose, CA	25.0	4.7	23.0	7.3	16.4	2.0
Tucson, AZ	17.7	5.5	27.4	8.6	14.7	1.9
Tulsa, OK	18.4	4.2	29.2	5.2	19.1	2.4
Washington, D.C.	20.3	9.4	34.4	7.8	15.6	1.6
Median	23.4	5.5	29.2	7.1	18.3	2.4