

# **Drug and Alcohol Use and Related Matters Among Arrestees**

**2000**

# Acknowledgement

---

The methodology employed for this publication was developed for the National Institute of Justice (NIJ), Office of Justice Programs, U.S. Department of Justice by the National Opinion Research Center (NORC) at the University of Chicago. This project was supported by Contract No. 2001C-003 for the Arrestee Drug Abuse Monitoring (ADAM) program. The lead author of previous reports from which this report derives its content was Zhiwei Zhang, ADAM analytic task leader, who designed and wrote the estimation programs for all tables. The NIJ ADAM staff includes Christine Crossland (COTR), Henry Brownstein, Natalie Lu, Diana Noone, and Sandra Woerle.

# Overview

---

The Arrestee Drug Abuse Monitoring program (ADAM) measures the extent of drug and alcohol use in the high-risk population of people who have been arrested and booked as adults in city and county detention facilities operated by local police and sheriff departments. The data are collected by civilian research teams through probability-based sampling of male arrestees and purposive sampling of female arrestees. Information is obtained from personal interviews and urinalyses obtained voluntarily and confidentially, usually on the day of arrest and always within 48 hours of arrest.

As part of this process, research teams in the participating counties interview arrestees in each facility during one- to three-week periods in each quarter of the year. Interviewers collect demographic data and ask arrestees about what drugs they use, how often they use them, and how and where they acquire illicit drugs. Other questions ask about housing situation during the past year, method of support, and health insurance. After the interview, each respondent is asked to provide a urine sample, which is then analyzed to detect drug use.

This data report presents findings from 35 ADAM sites that collected data during one or more quarters in 2000. The report covers male and female arrestees separately. The data for men cover all 35 sites; the data for women cover the 25 sites where 25 or more female interviews were completed in 2000. Each section has 14 tables organized by site location, indicating the percentage of arrestees who qualified for the listed variables. An overview of the tables on adult arrestees is as follows:

- Table 1 arrays the ADAM sites by their geographic location, number of booking facilities, and number of interviews completed in each quarter.
- Table 2 provides demographic data about ADAM interviewees.
- Table 3 displays the percentage of arrestees who tested positive for any drug or multiple use of one or more of the most commonly reported drugs or alcohol.
- Tables 4 through 8 indicate drug-specific urinalysis and market acquisition data, which encompass the percentage of arrestees who tested positive on the selected drugs, the frequency that arrestees self-reported using selected drug use, and the intensity and mode of acquiring selected drugs during periods that range up to the past year.
- Tables 9 and 10 show rates of arrestee alcohol and drug use and risk of dependence, as determined by a clinically based dependence screen.
- Tables 11 through 13 detail arrestees' drug market participation, including failed attempts to purchase drugs.
- Finally, Table 14 displays the proportion of arrestees who reported receiving drug, alcohol, or mental health treatment in the prior year.

# Male Arrestee Tables

---

## ***Description of Sample***

Table 1. ADAM Booking Facilities, Completed Interviews, and Weighted Total Numbers—Adult Male Arrestees, 2000

Table 2. Demographic Characteristics of Adult Male Arrestee Respondents, 2000

## ***Drug Test Results***

Table 3. Urine Test Results on Any or Multiple Drug or Alcohol Use Among Adult Male Arrestees, 2000

## ***Drug and Alcohol Use and Acquisition***

Table 4. Use and Acquisition of CRACK COCAINE Among Adult Male Arrestees, 2000

Table 5. Use and Acquisition of POWDER COCAINE Among Adult Male Arrestees, 2000

Table 6. Use and Acquisition of MARIJUANA Among Adult Male Arrestees, 2000

Table 7. Use and Acquisition of METHAMPHETAMINE Among Adult Male Arrestees, 2000

Table 8. Use and Acquisition of OPIATES/HEROIN Among Adult Male Arrestees, 2000

Table 9. Heavy Drug Use and Risk for Dependence Among Adult Male Arrestees, 2000

Table 10. ALCOHOL Use and Risk for Dependence Among Adult Male Arrestees, 2000

## ***Drug Market Behavior***

Table 11. Last Drug Buy with Cash Was Outdoors Among Adult Male Arrestees, 2000

Table 12. Any Failed Drug Buy in the Past 30 Days Among Adult Male Arrestees, 2000

Table 13. Failed Drug Buy Due to Police Activity Among Adult Male Arrestees, 2000

## ***Treatment***

Table 14. Drug, Alcohol, and Mental Health Treatment Status Among Adult Male Arrestees, 2000

# Female Arrestee Tables

---

## ***Description of Sample***

Table 1. ADAM Booking Facilities and Completed Interviews—Adult Female Arrestees, 2000

Table 2. Demographic Characteristics of Adult Female Arrestee Respondents, 2000

## ***Drug Test Results***

Table 3. Urine Test Results on Any or Multiple Drug or Alcohol Use Among Adult Female Arrestees, 2000

## ***Drug and Alcohol Use and Acquisition***

Table 4. Use and Acquisition of CRACK COCAINE Among Adult Female Arrestees, 2000

Table 5. Use and Acquisition of POWDER COCAINE Among Adult Female Arrestees, 2000

Table 6. Use and Acquisition of MARIJUANA Among Adult Female Arrestees, 2000

Table 7. Use and Acquisition of METHAMPHETAMINE Among Adult Female Arrestees, 2000

Table 8. Use and Acquisition of OPIATES/HEROIN Among Adult Female Arrestees, 2000

Table 9. Heavy Drug Use and Risk for Dependence Among Adult Female Arrestees, 2000

Table 10. ALCOHOL Use and Risk for Dependence Among Adult Female Arrestees, 2000

## ***Drug Market Behavior***

Table 11. Last Drug Buy with Cash Was Outdoors Among Adult Female Arrestees, 2000

Table 12. Any Failed Drug Buy in the Past 30 Days Among Adult Female Arrestees, 2000

Table 13. Failed Drug Buy Due to Police Activity Among Adult Female Arrestees, 2000

## ***Treatment***

Table 14. Drug, Alcohol, and Mental Health Treatment Status Among Adult Female Arrestees, 2000

**Table 1: ADAM Site, Completed Interviews, and Weighted Total Numbers -- Adult Male Arrestees, Year 2000**

| Primary City        | Study Area               | Completed Interviews (unweighted) |           |           |           |        | Weighted Total |
|---------------------|--------------------------|-----------------------------------|-----------|-----------|-----------|--------|----------------|
|                     |                          | Quarter 1                         | Quarter 2 | Quarter 3 | Quarter 4 | Total  |                |
| Albany, NY          | Capital Area             | 0                                 | 38        | 168       | 123       | 329    | 1,722          |
| Albuquerque, NM     | Bernalillo County        | 150                               | 99        | 72        | 0         | 321    | 2,912          |
| Anchorage, AK       | Anchorage Borough        | 171                               | 138       | 135       | 116       | 560    | 1,094          |
| Atlanta, GA         | Fulton & Dekalb Counties | 189                               | 174       | 203       | 189       | 755    | 7,879          |
| Birmingham, AL      | Jefferson County         | 99                                | 115       | 130       | 105       | 449    | 2,528          |
| Charlotte, NC       | Charlotte-Metro          | 0                                 | 0         | 0         | 108       | 108    | 1,221          |
| Chicago, IL         | Cook County              | 0                                 | 0         | 337       | 0         | 337    | 1,642          |
| Cleveland, OH       | Cuyahoga County          | 269                               | 335       | 251       | 211       | 1,066  | 5,877          |
| Dallas, TX          | Dallas County            | 223                               | 308       | 0         | 186       | 717    | 9,218          |
| Denver, CO          | Denver County            | 160                               | 173       | 184       | 210       | 727    | 5,191          |
| Des Moines, IA      | Polk County              | 89                                | 87        | 83        | 84        | 343    | 1,966          |
| Detroit, MI         | Wayne County             | 0                                 | 0         | 259       | 260       | 519    | 1,093          |
| Fort Lauderdale, FL | Broward County           | 176                               | 176       | 0         | 0         | 352    | 4,524          |
| Honolulu, HI        | Oahu                     | 136                               | 150       | 164       | 131       | 581    | 2,245          |
| Houston, TX         | Harris County            | 447                               | 318       | 0         | 0         | 765    | 4,935          |
| Indianapolis, IN    | Marion County            | 165                               | 185       | 216       | 218       | 784    | 8,614          |
| Laredo, TX          | Webb County              | 68                                | 93        | 86        | 58        | 305    | 921            |
| Las Vegas, NV       | Clark County             | 199                               | 258       | 243       | 254       | 954    | 7,733          |
| Miami, FL           | Miami-Dade County        | 198                               | 221       | 237       | 0         | 656    | 7,336          |
| Minneapolis, MN     | Hennepin County          | 0                                 | 180       | 206       | 177       | 563    | 4,018          |
| New Orleans, LA     | Orleans Parish           | 164                               | 169       | 165       | 170       | 668    | 8,095          |
| New York, NY        | Manhattan                | 426                               | 203       | 245       | 215       | 1,089  | 18,037         |
| Oklahoma City, OK   | Oklahoma County          | 187                               | 182       | 180       | 177       | 726    | 3,362          |
| Omaha, NE           | Douglas County           | 103                               | 102       | 117       | 120       | 442    | 4,290          |
| Philadelphia, PA    | County of Philadelphia   | 0                                 | 151       | 124       | 104       | 379    | 2,111          |
| Phoenix, AZ         | Maricopa County          | 314                               | 384       | 405       | 403       | 1,506  | 15,395         |
| Portland, OR        | Multnomah County         | 135                               | 202       | 217       | 220       | 774    | 3,883          |
| Sacramento, CA      | Sacramento County        | 141                               | 135       | 163       | 157       | 596    | 7,505          |
| Salt Lake City, UT  | Salt Lake County         | 159                               | 184       | 168       | 182       | 693    | 3,178          |
| San Antonio, TX     | Bexar County             | 107                               | 159       | 180       | 210       | 656    | 9,395          |
| San Diego, CA       | San Diego County         | 155                               | 153       | 164       | 148       | 620    | 9,165          |
| San Jose, CA        | Santa Clara County       | 151                               | 156       | 177       | 171       | 655    | 9,621          |
| Seattle, WA         | King County              | 211                               | 249       | 258       | 240       | 958    | 5,926          |
| Spokane, WA         | Spokane County           | 118                               | 114       | 131       | 126       | 489    | 2,660          |
| Tucson, AZ          | Pima County              | 182                               | 148       | 138       | 151       | 619    | 3,474          |
| Total               |                          | 5,292                             | 5,739     | 5,806     | 5,101     | 22,061 | 188,766        |

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is generally noted here and identifies the site in other tables in this report.

**Table 2: Demographic Characteristics of Adult Male Arrestee Respondents, 2000 (Weighted To Represent Booked Arrestees\*)**

| Primary City        | Mean Age | Race/Ethnicity (%) |              |       |       | Employed (%) | High School Diploma or GED (%) | Prior Arrests (%)** |           |          | Health Insurance, Past Year (%) | Stable Housing, Past 30 Days (%) |
|---------------------|----------|--------------------|--------------|-------|-------|--------------|--------------------------------|---------------------|-----------|----------|---------------------------------|----------------------------------|
|                     |          | Hispanic           | Non-Hispanic |       |       |              |                                | Ever                | Past Year |          |                                 |                                  |
|                     |          |                    | White        | Black | Other |              |                                |                     | 1+ times  | 2+ times |                                 |                                  |
| Albany, NY          | 31.6     | 11.9               | 44.0         | 37.9  | 6.2   | 61.5         | 70.2                           | 77.0                | 50.3      | 17.6     | 42.6                            | 89.6                             |
| Albuquerque, NM     | 32.0     | 60.2               | 16.4         | 8.1   | 15.3  | 69.2         | 75.8                           | 81.8                | 54.2      | 22.3     | 33.8                            | 87.0                             |
| Anchorage, AK       | 32.8     | 8.0                | 41.3         | 12.5  | 38.2  | 52.6         | 80.3                           | 87.6                | 51.6      | 16.6     | 35.6                            | 74.5                             |
| Atlanta, GA         | 34.2     | 3.8                | 9.8          | 84.1  | 2.3   | 66.0         | 68.2                           | 82.6                | 51.3      | 22.7     | 42.7                            | 79.4                             |
| Birmingham, AL      | 31.1     | 2.9                | 21.5         | 75.2  | 0.4   | 64.9         | 66.6                           | 84.3                | 51.2      | 16.8     | 46.1                            | 93.1                             |
| Charlotte, NC       | 27.6     | 10.7               | 22.4         | 64.5  | 2.4   | 60.9         | 67.3                           | 78.3                | 58.1      | 25.5     | 39.6                            | 79.9                             |
| Chicago, IL         | 30.3     | 15.9               | 10.8         | 72.1  | 1.1   | 59.6         | 60.6                           | 61.8                | 35.6      | 14.1     | 38.6                            | 92.5                             |
| Cleveland, OH       | 32.0     | 5.8                | 19.5         | 71.9  | 2.8   | 63.8         | 66.5                           | 82.6                | 43.5      | 12.3     | 41.5                            | 93.1                             |
| Dallas, TX          | 29.7     | 28.6               | 23.8         | 44.2  | 3.4   | 69.6         | 65.2                           | 80.9                | 49.2      | 16.2     | 24.9                            | 90.4                             |
| Denver, CO          | 32.6     | 42.2               | 22.3         | 25.6  | 10.0  | 67.5         | 65.9                           | 84.9                | 60.9      | 31.1     | 32.1                            | 76.0                             |
| Des Moines, IA      | 31.9     | 8.3                | 58.7         | 25.8  | 7.1   | 63.2         | 75.9                           | 82.4                | 51.4      | 24.5     | 39.7                            | 85.6                             |
| Detroit, MI         | 30.3     | 2.8                | 13.9         | 77.2  | 6.1   | 65.6         | 68.2                           | 82.4                | 47.6      | 16.2     | 49.8                            | 94.4                             |
| Fort Lauderdale, FL | 32.2     | 16.7               | 34.6         | 41.8  | 6.9   | 74.9         | 65.1                           | 77.3                | 42.7      | 15.1     | 43.3                            | 88.9                             |
| Honolulu, HI        | 33.2     | 15.4               | 21.7         | 3.3   | 59.6  | 48.6         | 81.1                           | 82.1                | 46.8      | 22.8     | 49.3                            | 75.0                             |
| Houston, TX         | 29.3     | 33.4               | 18.4         | 44.4  | 3.7   | 74.3         | 66.2                           | 77.9                | 46.9      | 16.7     | 37.4                            | 89.8                             |
| Indianapolis, IN    | 32.1     | 5.5                | 38.4         | 51.6  | 4.5   | 59.9         | 57.9                           | 86.4                | 55.2      | 22.1     | 40.2                            | 90.6                             |
| Laredo, TX          | 29.9     | 95.8               | 2.5          | 0.5   | 1.2   | 65.5         | 46.4                           | 72.1                | 41.2      | 9.7      | 30.7                            | 94.7                             |
| Las Vegas, NV       | 33.0     | 20.0               | 42.5         | 24.3  | 13.3  | 65.7         | 76.0                           | 84.0                | 53.7      | 24.4     | 34.3                            | 81.6                             |
| Miami, FL           | 32.2     | 41.1               | 10.7         | 44.1  | 4.1   | 66.6         | 65.9                           | 77.6                | 48.9      | 19.8     | 36.4                            | 87.8                             |
| Minneapolis, MN     | 29.4     | 8.1                | 29.8         | 49.7  | 12.4  | 58.0         | 74.4                           | 84.3                | 58.0      | 27.0     | 48.3                            | 84.5                             |
| New Orleans, LA     | 29.6     | 0.9                | 12.7         | 84.8  | 1.6   | 61.5         | 50.7                           | 86.3                | 58.7      | 24.8     | 39.1                            | 93.8                             |
| New York, NY        | 32.8     | 31.2               | 9.0          | 56.7  | 3.1   | 44.9         | 60.3                           | 84.5                | 53.1      | 18.2     | 41.8                            | 85.2                             |
| Oklahoma City, OK   | 31.9     | 6.0                | 47.7         | 33.7  | 12.6  | 71.7         | 75.4                           | 84.6                | 51.0      | 18.9     | 35.4                            | 90.5                             |
| Omaha, NE           | 30.2     | 12.9               | 38.8         | 41.9  | 6.4   | 77.3         | 76.3                           | 79.0                | 46.8      | 12.0     | 42.9                            | 93.1                             |
| Philadelphia, PA    | 31.2     | 10.3               | 15.9         | 69.1  | 4.7   | 54.2         | 71.5                           | 67.5                | 35.8      | 12.0     | 45.9                            | 93.1                             |
| Phoenix, AZ         | 32.0     | 36.3               | 41.7         | 10.8  | 11.2  | 69.4         | 67.4                           | 85.6                | 55.5      | 23.0     | 35.7                            | 83.1                             |
| Portland, OR        | 33.3     | 8.6                | 58.2         | 22.3  | 10.9  | 51.3         | 73.0                           | 86.6                | 55.4      | 27.0     | 48.4                            | 74.8                             |
| Sacramento, CA      | 33.6     | 20.7               | 35.1         | 32.0  | 12.2  | 53.2         | 75.4                           | 90.6                | 55.7      | 21.5     | 39.3                            | 82.5                             |
| Salt Lake City, UT  | 30.9     | 26.2               | 57.6         | 4.7   | 11.6  | 69.7         | 64.3                           | 84.8                | 59.4      | 27.9     | 30.9                            | 85.8                             |
| San Antonio, TX     | 30.0     | 67.9               | 17.1         | 13.6  | 1.5   | 69.4         | 67.2                           | 74.9                | 45.6      | 20.1     | 34.9                            | 89.6                             |
| San Diego, CA       | 33.2     | 38.6               | 31.2         | 19.8  | 10.5  | 60.5         | 76.6                           | 83.0                | 43.4      | 14.6     | 35.2                            | 76.3                             |
| San Jose, CA        | 32.0     | 43.7               | 28.9         | 12.3  | 15.1  | 68.8         | 79.3                           | 78.4                | 45.8      | 18.2     | 38.8                            | 82.4                             |
| Seattle, WA         | 32.3     | 14.7               | 44.1         | 22.9  | 18.4  | 60.8         | 79.0                           | 88.9                | 56.9      | 24.0     | 40.5                            | 77.2                             |
| Spokane, WA         | 31.9     | 6.7                | 67.5         | 10.0  | 15.7  | 52.8         | 77.6                           | 88.9                | 56.9      | 24.9     | 40.5                            | 86.6                             |
| Tucson, AZ          | 32.0     | 42.1               | 38.8         | 9.5   | 9.6   | 64.0         | 67.3                           | 86.8                | 49.0      | 18.8     | 39.5                            | 81.5                             |
| Median              | 32.0     | 15.4               | 28.9         | 33.7  | 6.9   | 64.0         | 68.2                           | 82.6                | 51.2      | 19.8     | 39.5                            | 86.6                             |

\* All estimations in this table and subsequent tables are weighted to represent booked arrested men. \*\* Does not include arrests as a juvenile.

**Table 3: Urine Test Results on Any or Multiple Drug Use Among Adult Male Arrestees, 2000**

| Primary City        | % of Arrestees Testing Positive for: |                           |                   |                            | Interviews With Completed Urine Tests (%) |
|---------------------|--------------------------------------|---------------------------|-------------------|----------------------------|---|
|                     | Any of 5 Drugs*                      | Multiple Drugs (Any of 5) | Any of 10 Drugs** | Multiple Drugs (Any of 10) |   |
| Albany, NY          | 64.9                                 | 10.4                      | 67.1              | 11.0                       | 74.7                                      |
| Albuquerque, NM     | 64.9                                 | 28.2                      | 65.9              | 31.8                       | 87.5                                      |
| Anchorage, AK       | 52.2                                 | 10.3                      | 55.4              | 13.8                       | 82.9                                      |
| Atlanta, GA         | 70.4                                 | 19.3                      | 70.8              | 20.1                       | 96.9                                      |
| Birmingham, AL      | 64.8                                 | 21.8                      | 65.8              | 25.7                       | 85.9                                      |
| Charlotte, NC       | 68.2                                 | 22.9                      | 70.2              | 26.8                       | 88.0                                      |
| Chicago, IL         | 75.9                                 | 34.4                      | 76.2              | 35.7                       | 85.7                                      |
| Cleveland, OH       | 72.0                                 | 25.6                      | 72.6              | 27.3                       | 82.0                                      |
| Dallas, TX          | 54.5                                 | 14.8                      | 55.2              | 15.7                       | 85.0                                      |
| Denver, CO          | 63.7                                 | 18.1                      | 68.2              | 20.9                       | 93.4                                      |
| Des Moines, IA      | 55.3                                 | 19.1                      | 55.9              | 21.5                       | 91.0                                      |
| Detroit, MI         | 69.5                                 | 11.7                      | 70.3              | 12.7                       | 81.5                                      |
| Fort Lauderdale, FL | 61.8                                 | 14.5                      | 62.6              | 17.7                       | 96.6                                      |
| Honolulu, HI        | 62.8                                 | 22.6                      | 63.8              | 25.4                       | 80.0                                      |
| Houston, TX         | 57.2                                 | 18.0                      | 57.7              | 21.2                       | 88.4                                      |
| Indianapolis, IN    | 64.1                                 | 20.0                      | 66.7              | 23.4                       | 94.1                                      |
| Laredo, TX          | 58.9                                 | 20.7                      | 61.5              | 24.0                       | 93.1                                      |
| Las Vegas, NV       | 58.5                                 | 19.6                      | 60.4              | 22.4                       | 89.3                                      |
| Miami, FL           | 62.8                                 | 22.5                      | 64.2              | 23.8                       | 94.2                                      |
| Minneapolis, MN     | 66.7                                 | 18.5                      | 68.4              | 19.4                       | 92.4                                      |
| New Orleans, LA     | 69.4                                 | 22.8                      | 70.4              | 26.3                       | 96.1                                      |
| New York, NY        | 79.9                                 | 27.7                      | 82.1              | 32.4                       | 96.6                                      |
| Oklahoma City, OK   | 71.4                                 | 24.8                      | 72.9              | 29.8                       | 97.9                                      |
| Omaha, NE           | 63.4                                 | 14.9                      | 64.3              | 16.7                       | 85.1                                      |
| Philadelphia, PA    | 71.9                                 | 17.8                      | 72.8              | 22.9                       | 85.1                                      |
| Phoenix, AZ         | 65.5                                 | 24.1                      | 66.3              | 25.9                       | 94.3                                      |
| Portland, OR        | 64.3                                 | 24.6                      | 65.3              | 26.2                       | 88.9                                      |
| Sacramento, CA      | 73.5                                 | 25.3                      | 74.6              | 29.3                       | 85.1                                      |
| Salt Lake City, UT  | 54.1                                 | 17.9                      | 55.1              | 18.9                       | 89.9                                      |
| San Antonio, TX     | 52.9                                 | 17.6                      | 55.7              | 21.7                       | 91.5                                      |
| San Diego, CA       | 63.7                                 | 20.1                      | 67.2              | 24.1                       | 95.5                                      |
| San Jose, CA        | 52.9                                 | 21.0                      | 57.2              | 22.2                       | 89.2                                      |
| Seattle, WA         | 64.1                                 | 21.5                      | 66.1              | 24.4                       | 88.4                                      |
| Spokane, WA         | 57.9                                 | 21.4                      | 58.1              | 24.1                       | 90.6                                      |
| Tucson, AZ          | 69.4                                 | 28.7                      | 71.7              | 31.9                       | 89.0                                      |
| Median              | 64.1                                 | 20.7                      | 66.1              | 23.8                       | 89.2                                      |

\*The 5 drugs are cocaine, marijuana, methamphetamine, opiates, and phencyclidine (PCP).

\*\*The 10 drugs are barbiturates, benzodiazepines, cocaine, marijuana, methadone, methamphetamine, methaqualone, opiates, phencyclidine (PCP), and propoxyphene.



**Table 4:** Use and Acquisition of CRACK COCAINE Among Adult Male Arrestees, 2000

| Primary City        | Arrestees Testing Positive for Cocaine <sup>a</sup> (%) | Arrestees Reporting Crack Use (%) |              |           | Average No. of Days in Past 30 Used Crack <sup>b</sup> | Acquired Crack in Past 30 Days |                                  |          |
|---------------------|---|-----------------------------------|--------------|-----------|--|--------------------------------|----------------------------------|----------|
|                     |   | Past 7 Days                       | Past 30 Days | Past Year |  | % of Arrestees                 | Mean Number of Days <sup>c</sup> |          |
|                     |   |                                   |              |           |  |                                | Cash                             | Non-cash |
| Albany, NY          | 24.6  | 14.6                              | 16.3         | 22.0      | 8.0  | 18.5                           | 12.3                             | 9.9      |
| Albuquerque, NM     | 34.8  | 17.8                              | 19.1         | 25.1      | 9.8  | 21.6                           | 12.1                             | 8.6      |
| Anchorage, AK       | 22.1  | 14.1                              | 16.9         | 22.6      | 5.8  | 17.0                           | 10.9                             | 5.5      |
| Atlanta, GA         | 48.5  | 23.3                              | 24.6         | 28.0      | 12.0   | 26.2                           | 14.9                             | 9.7      |
| Birmingham, AL      | 33.0  | 14.2                              | 15.6         | 17.6      | 11.5   | 16.5                           | 12.3                             | 8.2      |
| Charlotte, NC       | 43.5  | 14.7                              | 20.2         | 24.1      | 10.2   | 23.0                           | 12.5                             | 5.8      |
| Chicago, IL         | 37.1  | 17.8                              | 20.5         | 23.5      | 10.1   | 21.6                           | 14.6                             | 4.6      |
| Cleveland, OH       | 38.4  | 20.2                              | 21.3         | 22.7      | 8.1  | 23.4                           | 11.2                             | 5.7      |
| Dallas, TX          | 27.7  | 11.8                              | 13.3         | 16.8      | 8.6  | 14.6                           | 13.5                             | 6.5      |
| Denver, CO          | 35.4  | 16.1                              | 19.7         | 22.8      | 6.7  | 20.0                           | 9.4                              | 5.8      |
| Des Moines, IA      | 11.0  | 7.2                               | 9.8          | 13.1      | 6.5  | 10.0                           | 8.7                              | 5.0      |
| Detroit, MI         | 24.4  | 13.5                              | 15.4         | 17.0      | 10.3   | 17.4                           | 13.9                             | 7.0      |
| Fort Lauderdale, FL | 30.9  | 11.0                              | 12.2         | 15.0      | 7.5  | 14.7                           | 13.9                             | 8.5      |
| Honolulu, HI        | 15.8  | 11.7                              | 13.9         | 19.7      | 7.3  | 14.7                           | 14.4                             | 7.4      |
| Houston, TX         | 31.5  | 10.4                              | 11.2         | 12.8      | 8.8  | 12.2                           | 14.5                             | 4.0      |
| Indianapolis, IN    | 31.1  | 13.1                              | 14.4         | 17.5      | 9.5  | 15.4                           | 11.3                             | 5.7      |
| Laredo, TX          | 45.0  | 8.0                               | 9.0          | 12.8      | 6.6  | 9.9                            | 9.4                              | 12.3     |
| Las Vegas, NV       | 22.5  | 12.1                              | 14.1         | 18.3      | 7.5  | 14.1                           | 12.4                             | 7.8      |
| Miami, FL           | 43.5  | 13.4                              | 13.6         | 14.8      | 10.2   | 14.0                           | 17.7                             | 6.1      |
| Minneapolis, MN     | 25.7  | 14.5                              | 17.1         | 19.6      | 6.2  | 17.2                           | 8.9                              | 5.5      |
| New Orleans, LA     | 34.8  | 12.7                              | 14.7         | 16.0      | 8.9  | 14.9                           | 13.4                             | 9.0      |
| New York, NY        | 48.8  | 19.2                              | 21.4         | 22.7      | 13.2   | 21.1                           | 17.0                             | 6.3      |
| Oklahoma City, OK   | 22.4  | 10.7                              | 12.1         | 15.2      | 7.3  | 14.5                           | 13.5                             | 7.9      |
| Omaha, NE           | 18.0  | 7.7                               | 8.9          | 11.5      | 7.4  | 8.1                            | 11.0                             | 8.6      |
| Philadelphia, PA    | 30.9  | 16.5                              | 18.4         | 20.8      | 9.7  | 18.6                           | 12.5                             | 7.4      |
| Phoenix, AZ         | 31.9  | 17.9                              | 19.5         | 24.7      | 7.9  | 20.5                           | 13.3                             | 8.7      |
| Portland, OR        | 21.9  | 9.1                               | 10.7         | 15.5      | 6.2  | 10.6                           | 11.2                             | 5.6      |
| Sacramento, CA      | 18.4  | 12.4                              | 14.0         | 17.7      | 6.7  | 14.6                           | 11.4                             | 4.5      |
| Salt Lake City, UT  | 18.0  | 6.2                               | 7.2          | 13.3      | 5.1  | 7.8                            | 12.4                             | 7.2      |
| San Antonio, TX     | 20.4  | 2.3                               | 4.6          | 7.1       | 4.5  | 5.1                            | 10.5                             | 3.9      |
| San Diego, CA       | 14.8  | 9.0                               | 9.8          | 12.8      | 4.7  | 10.0                           | 11.7                             | 7.0      |
| San Jose, CA        | 12.1  | 5.6                               | 6.4          | 8.9       | 5.4  | 6.9                            | 9.3                              | 4.4      |
| Seattle, WA         | 31.2  | 17.2                              | 19.9         | 25.2      | 7.7  | 21.1                           | 13.0                             | 8.0      |
| Spokane, WA         | 15.1  | 8.8                               | 15.2         | 20.6      | 5.5  | 15.9                           | 9.3                              | 3.6      |
| Tucson, AZ          | 40.8  | 20.1                              | 23.1         | 28.7      | 7.4  | 23.1                           | 13.1                             | 8.1      |
| Median              | 30.9  | 13.1                              | 14.7         | 17.7      | 7.5  | 15.4                           | 12.4                             | 7.0      |

<sup>a</sup>Arrestee tested positive for either crack or powder cocaine. <sup>b</sup>Asked of those who said they had used crack cocaine in the past year. <sup>c</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 5:** Use and Acquisition of POWDER COCAINE Among Adult Male Arrestees, 2000

| Primary City        | Arrestees Testing Positive for Cocaine <sup>a</sup> (%) | Arrestees Reporting Powder Cocaine Use (%) |              |           | Average No. of Days in Past 30 Used Powder Cocaine <sup>b</sup> | Acquired Powder Cocaine in Past 30 Days |                                  |          |
|---------------------|---|--|--------------|-----------|---|---|----------------------------------|----------|
|                     |   | Past 7 Days                                | Past 30 Days | Past Year |   | % of Arrestees                          | Mean Number of Days <sup>c</sup> |          |
|                     |   |  |              |           |   |   | Cash                             | Non-cash |
| Albany, NY          | 24.6  | 5.0  | 7.4          | 11.4      | 2.9   | 9.5                                     | 8.4                              | 6.2      |
| Albuquerque, NM     | 34.8  | 11.6                                       | 18.0         | 24.9      | 4.8   | 19.0                                    | 6.2                              | 3.5      |
| Anchorage, AK       | 22.1  | 7.4  | 11.7         | 19.2      | 3.1   | 13.6                                    | 6.1                              | 3.9      |
| Atlanta, GA         | 48.5  | 7.3  | 8.9          | 12.6      | 7.2   | 9.5                                     | 10.3                             | 4.3      |
| Birmingham, AL      | 33.0  | 4.1  | 5.9          | 9.0       | 4.8   | 6.4                                     | 5.2                              | 4.3      |
| Charlotte, NC       | 43.5  | 9.8  | 12.1         | 27.3      | 4.4   | 14.6                                    | 7.6                              | 4.4      |
| Chicago, IL         | 37.1  | 3.9  | 5.2          | 7.0       | 3.8   | 5.4                                     | 2.8                              | 3.1      |
| Cleveland, OH       | 38.4  | 5.1  | 6.8          | 9.2       | 5.1   | 7.3                                     | 4.8                              | 2.3      |
| Dallas, TX          | 27.7  | 9.2  | 11.3         | 17.5      | 4.5   | 12.3                                    | 8.5                              | 2.6      |
| Denver, CO          | 35.4  | 10.3                                       | 12.5         | 18.5      | 3.7   | 13.0                                    | 7.4                              | 2.9      |
| Des Moines, IA      | 11.0  | 2.9  | 5.4          | 8.6       | 3.1   | 5.0                                     | 1.7                              | 1.4      |
| Detroit, MI         | 24.4  | 2.6  | 3.6          | 6.2       | 5.2   | 4.4                                     | 4.2                              | 4.0      |
| Fort Lauderdale, FL | 30.9  | 10.6                                       | 13.8         | 16.9      | 4.4   | 14.5                                    | 7.9                              | 3.3      |
| Honolulu, HI        | 15.8  | 3.3  | 5.5          | 10.1      | 4.5   | 6.8                                     | 7.9                              | 4.7      |
| Houston, TX         | 31.5  | 4.9  | 7.0          | 10.0      | 3.8   | 8.3                                     | 4.3                              | 1.7      |
| Indianapolis, IN    | 31.1  | 4.6  | 8.4          | 11.1      | 4.3   | 9.3                                     | 5.7                              | 2.6      |
| Laredo, TX          | 45.0  | 28.7                                       | 33.9         | 39.3      | 5.7   | 35.1                                    | 8.6                              | 5.6      |
| Las Vegas, NV       | 22.5  | 6.0  | 8.6          | 13.2      | 4.7   | 8.7                                     | 10.1                             | 4.5      |
| Miami, FL           | 43.5  | 15.3                                       | 17.9         | 22.6      | 7.0   | 18.1                                    | 10.6                             | 5.4      |
| Minneapolis, MN     | 25.7  | 5.4  | 8.2          | 13.3      | 2.5   | 8.5                                     | 2.6                              | 2.5      |
| New Orleans, LA     | 34.8  | 7.7  | 9.2          | 11.9      | 6.3   | 9.6                                     | 10.1                             | 6.2      |
| New York, NY        | 48.8  | 14.7                                       | 16.7         | 19.2      | 9.3   | 16.5                                    | 12.5                             | 2.6      |
| Oklahoma City, OK   | 22.4  | 5.2  | 7.2          | 11.8      | 4.2   | 8.2                                     | 6.9                              | 3.9      |
| Omaha, NE           | 18.0  | 2.8  | 5.1          | 8.5       | 3.0   | 4.3                                     | 3.8                              | 2.4      |
| Philadelphia, PA    | 30.9  | 5.3  | 7.1          | 9.7       | 6.5   | 7.8                                     | 11.1                             | 10.4     |
| Phoenix, AZ         | 31.9  | 10.3                                       | 13.8         | 20.7      | 4.8   | 14.5                                    | 7.5                              | 4.6      |
| Portland, OR        | 21.9  | 5.9  | 7.8          | 11.4      | 4.6   | 8.4                                     | 9.2                              | 4.4      |
| Sacramento, CA      | 18.4  | 1.8  | 3.2          | 4.5       | 4.5   | 3.6                                     | 4.2                              | 2.9      |
| Salt Lake City, UT  | 18.0  | 9.3  | 12.0         | 20.8      | 3.5   | 13.4                                    | 6.6                              | 3.6      |
| San Antonio, TX     | 20.4  | 8.0  | 12.4         | 20.7      | 5.6   | 13.0                                    | 9.6                              | 3.1      |
| San Diego, CA       | 14.8  | 3.2  | 5.8          | 11.2      | 1.6   | 7.2                                     | 3.7                              | 3.8      |
| San Jose, CA        | 12.1  | 3.0  | 5.6          | 12.9      | 2.4   | 5.9                                     | 3.1                              | 2.1      |
| Seattle, WA         | 31.2  | 9.5  | 12.1         | 18.1      | 4.1   | 14.1                                    | 6.2                              | 3.5      |
| Spokane, WA         | 15.1  | 6.4  | 12.3         | 18.7      | 3.8   | 13.7                                    | 6.2                              | 3.0      |
| Tucson, AZ          | 40.8  | 20.9                                       | 26.4         | 35.9      | 4.3   | 28.7                                    | 7.5                              | 4.2      |
| Median              | 30.9  | 6.0  | 8.6          | 12.9      | 4.4   | 9.5                                     | 6.9                              | 3.6      |

<sup>a</sup>Arrestee tested positive for either crack or powder cocaine. <sup>b</sup>Asked of those who said they had used powder cocaine in the past year. <sup>c</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 6: Use and Acquisition of MARIJUANA Among Adult Male Arrestees, 2000**

| Primary City        | Arrestees Testing Positive for Marijuana (%) | Arrestees Reporting Marijuana Use (%) |              |           | Average Number of Days in Past 30 Days Used Marijuana <sup>a</sup> | Acquired Marijuana in Past 30 Days |                                  |          |
|---------------------|--|---------------------------------------|--------------|-----------|--|------------------------------------|----------------------------------|----------|
|                     |  | Past 7 Days                           | Past 30 Days | Past Year |  | % of Arrestees                     | Mean Number of Days <sup>b</sup> |          |
|                     |  |                                       |              |           |  |                                    | Cash                             | Non-cash |
| Albany, NY          | 44.7   | 38.6                                  | 47.7         | 55.5      | 10.6   | 44.4                               | 11.3                             | 4.7      |
| Albuquerque, NM     | 47.3   | 44.6                                  | 51.6         | 56.6      | 10.2   | 50.5                               | 6.2                              | 5.1      |
| Anchorage, AK       | 37.7   | 36.4                                  | 41.0         | 50.2      | 9.5  | 41.2                               | 6.0                              | 6.0      |
| Atlanta, GA         | 38.2   | 32.4                                  | 36.2         | 44.7      | 10.8   | 36.4                               | 11.1                             | 6.1      |
| Birmingham, AL      | 45.3   | 35.7                                  | 44.0         | 53.2      | 9.9  | 43.6                               | 9.6                              | 5.3      |
| Charlotte, NC       | 44.2   | 46.2                                  | 50.7         | 58.0      | 11.1   | 43.5                               | 10.9                             | 4.8      |
| Chicago, IL         | 45.7   | 38.3                                  | 43.7         | 52.3      | 9.7  | 43.4                               | 11.7                             | 5.1      |
| Cleveland, OH       | 49.2   | 45.5                                  | 50.2         | 58.1      | 9.2  | 51.3                               | 10.3                             | 4.1      |
| Dallas, TX          | 35.8   | 33.6                                  | 39.7         | 47.2      | 9.8  | 39.5                               | 9.0                              | 5.7      |
| Denver, CO          | 40.9   | 39.9                                  | 47.0         | 53.0      | 8.5  | 44.5                               | 5.6                              | 4.0      |
| Des Moines, IA      | 41.4   | 37.5                                  | 44.8         | 52.6      | 9.6  | 43.9                               | 5.6                              | 4.5      |
| Detroit, MI         | 49.8   | 42.9                                  | 49.0         | 56.5      | 10.5   | 48.9                               | 11.2                             | 5.6      |
| Fort Lauderdale, FL | 43.3   | 33.3                                  | 38.5         | 46.2      | 9.8  | 39.9                               | 11.4                             | 4.7      |
| Honolulu, HI        | 30.4   | 35.5                                  | 39.8         | 45.9      | 8.8  | 38.9                               | 6.8                              | 6.1      |
| Houston, TX         | 35.8   | 29.3                                  | 35.1         | 40.8      | 10.3   | 36.1                               | 8.4                              | 6.4      |
| Indianapolis, IN    | 48.9   | 37.9                                  | 42.1         | 52.8      | 11.0   | 41.4                               | 9.2                              | 5.8      |
| Laredo, TX          | 28.5   | 35.1                                  | 29.1         | 33.7      | 10.9   | 30.6                               | 5.7                              | 7.0      |
| Las Vegas, NV       | 33.3   | 32.4                                  | 39.3         | 47.3      | 9.3  | 37.8                               | 6.0                              | 3.9      |
| Miami, FL           | 38.5   | 30.3                                  | 35.3         | 41.6      | 9.4  | 32.9                               | 11.4                             | 6.5      |
| Minneapolis, MN     | 54.2   | 46.4                                  | 53.4         | 61.4      | 10.4   | 46.4                               | 10.1                             | 5.9      |
| New Orleans, LA     | 46.6   | 44.3                                  | 49.0         | 56.3      | 10.1   | 48.7                               | 11.9                             | 5.2      |
| New York, NY        | 40.6   | 45.2                                  | 49.5         | 43.3      | 13.7   | 49.4                               | 17.8                             | 7.3      |
| Oklahoma City, OK   | 57.0   | 48.9                                  | 53.5         | 60.8      | 11.2   | 49.4                               | 7.5                              | 6.1      |
| Omaha, NE           | 48.1   | 43.3                                  | 50.0         | 55.1      | 11.1   | 46.0                               | 7.6                              | 4.6      |
| Philadelphia, PA    | 49.4   | 43.9                                  | 50.1         | 58.3      | 11.8   | 48.9                               | 13.8                             | 8.5      |
| Phoenix, AZ         | 33.7   | 32.3                                  | 38.7         | 46.5      | 9.5  | 38.6                               | 4.8                              | 4.6      |
| Portland, OR        | 35.6   | 32.3                                  | 39.4         | 50.1      | 7.9  | 32.6                               | 6.2                              | 4.8      |
| Sacramento, CA      | 50.0   | 42.6                                  | 49.4         | 56.1      | 10.5   | 47.7                               | 10.0                             | 4.9      |
| Salt Lake City, UT  | 33.5   | 29.3                                  | 36.1         | 44.6      | 9.0  | 37.1                               | 4.9                              | 5.8      |
| San Antonio, TX     | 40.7   | 31.6                                  | 34.9         | 44.1      | 10.6   | 34.6                               | 6.0                              | 4.8      |
| San Diego, CA       | 38.6   | 34.4                                  | 41.5         | 50.0      | 8.6  | 42.3                               | 5.0                              | 5.4      |
| San Jose, CA        | 35.9   | 35.4                                  | 43.2         | 50.0      | 10.8   | 42.3                               | 6.2                              | 5.2      |
| Seattle, WA         | 37.8   | 39.6                                  | 48.0         | 56.8      | 9.1  | 45.7                               | 6.9                              | 5.3      |
| Spokane, WA         | 40.2   | 39.1                                  | 47.9         | 52.8      | 9.2  | 45.6                               | 6.8                              | 4.6      |
| Tucson, AZ          | 45.1   | 40.3                                  | 47.5         | 55.4      | 10.3   | 49.2                               | 4.5                              | 5.7      |
| Median              | 40.9   | 37.9                                  | 44.0         | 52.6      | 10.1   | 43.5                               | 7.6                              | 5.3      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year. <sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 7: Use and Acquisition of METHAMPHETAMINE Among Adult Male Arrestees, 2000**

| Primary City        | Arrestees Testing Positive for Methamphetamine (%) | Arrestees Reporting Methamphetamine Use (%) |              |           | Avg. No. of Days in Past 30 Days Used Methamphetamine <sup>a</sup> | Acquired Methamphetamine in Past 30 Days |                                  |          |
|---------------------|--|---|--------------|-----------|--|--|----------------------------------|----------|
|                     |  | Past 7 Days                                 | Past 30 Days | Past Year |  | % of Arrestees                           | Mean Number of Days <sup>b</sup> |          |
|                     |  |   |              |           |  |  | Cash                             | Non-cash |
| Albany, NY          | 0.0  | 0.7   | 0.8          | 1.4       | 16.2   | 0.8                                      | 0.0                              | 1.4      |
| Albuquerque, NM     | 4.7  | 4.3   | 6.3          | 10.8      | 4.4  | 7.4                                      | 6.0                              | 9.2      |
| Anchorage, AK       | 0.2  | 1.1   | 2.5          | 4.9       | 4.5  | 2.2                                      | 6.0                              | 6.3      |
| Atlanta, GA         | 0.5  | 0.5   | 0.7          | 0.8       | 9.1  | 0.6                                      | 25.8                             | 4.7      |
| Birmingham, AL      | 0.2  | 0.0   | 0.0          | 0.3       | 0.5  | 0.1                                      | 0.0                              | 0.0      |
| Charlotte, NC       | 1.4  | 0.6   | 0.6          | 2.5       | 4.3  | 0.6                                      | 20.0                             | 20.0     |
| Chicago, IL         | 0.0  | 0.0   | 0.3          | 0.3       | 1.3  | 0.2                                      | 1.0                              | 0.0      |
| Cleveland, OH       | 0.1  | 0.3   | 0.5          | 0.7       | 2.9  | 0.5                                      | 5.8                              | 4.2      |
| Dallas, TX          | 2.1  | 1.7   | 2.6          | 4.1       | 6.2  | 3.0                                      | 12.6                             | 7.5      |
| Denver, CO          | 2.6  | 2.9   | 4.2          | 5.2       | 3.8  | 3.9                                      | 2.5                              | 3.2      |
| Des Moines, IA      | 18.6   | 17.8  | 21.2         | 24.7      | 7.7  | 21.0                                     | 7.0                              | 6.0      |
| Detroit, MI         | 0.0  | 0.5   | 0.5          | 0.7       | 15.0   | 0.2                                      | 10.0                             | 5.0      |
| Fort Lauderdale, FL | 0.0  | 0.0   | 0.0          | 0.0       | 0.0  | 0.0                                      | 0.0                              | 0.0      |
| Honolulu, HI        | 35.9   | 27.3  | 32.2         | 37.0      | 10.6   | 31.6                                     | 10.0                             | 8.2      |
| Houston, TX         | 0.5  | 1.3   | 1.4          | 2.6       | 2.0  | 1.6                                      | 2.4                              | 1.5      |
| Indianapolis, IN    | 0.7  | 0.7   | 1.3          | 2.5       | 2.3  | 1.7                                      | 1.9                              | 1.4      |
| Laredo, TX          | 0.0  | 0.3   | 0.3          | 0.7       | 2.4  | 0.5                                      | 0.0                              | 2.0      |
| Las Vegas, NV       | 17.8   | 16.6  | 19.5         | 26.4      | 8.2  | 18.7                                     | 8.6                              | 5.1      |
| Miami, FL           | 0.0  | 0.3   | 0.3          | 0.9       | 3.5  | 0.4                                      | 2.6                              | 0.0      |
| Minneapolis, MN     | 1.6  | 2.2   | 4.0          | 6.5       | 3.7  | 3.5                                      | 1.9                              | 1.5      |
| New Orleans, LA     | 0.2  | 0.2   | 0.3          | 0.5       | 8.7  | 0.3                                      | 19.0                             | 0.0      |
| New York, NY        | 0.0  | 0.0   | 0.2          | 0.3       | 3.2  | 0.2                                      | 0.0                              | 0.0      |
| Oklahoma City, OK   | 11.3   | 9.1   | 12.1         | 16.7      | 6.9  | 12.0                                     | 8.8                              | 7.5      |
| Omaha, NE           | 11.0   | 8.6   | 9.9          | 11.7      | 12.9   | 9.7                                      | 12.1                             | 8.3      |
| Philadelphia, PA    | 0.0  | 0.2   | 0.5          | 2.1       | 3.3  | 0.5                                      | 6.0                              | 11.6     |
| Phoenix, AZ         | 19.1   | 17.2  | 20.1         | 23.7      | 9.9  | 20.3                                     | 10.4                             | 7.7      |
| Portland, OR        | 21.4   | 18.4  | 20.4         | 26.0      | 7.9  | 19.2                                     | 8.0                              | 5.8      |
| Sacramento, CA      | 29.3   | 21.0  | 24.7         | 29.6      | 9.2  | 24.7                                     | 9.9                              | 6.1      |
| Salt Lake City, UT  | 17.1   | 14.9  | 18.6         | 26.2      | 8.2  | 18.5                                     | 8.1                              | 8.0      |
| San Antonio, TX     | 0.2  | 0.5   | 2.9          | 4.4       | 4.4  | 3.0                                      | 4.0                              | 1.1      |
| San Diego, CA       | 26.3   | 21.0  | 24.7         | 31.4      | 7.1  | 26.1                                     | 8.8                              | 4.4      |
| San Jose, CA        | 21.5   | 17.0  | 23.2         | 31.1      | 7.2  | 24.3                                     | 4.8                              | 4.0      |
| Seattle, WA         | 9.2  | 8.4   | 11.2         | 17.2      | 6.5  | 10.5                                     | 7.7                              | 6.7      |
| Spokane, WA         | 20.4   | 19.5  | 25.0         | 31.0      | 8.3  | 25.6                                     | 8.0                              | 6.0      |
| Tucson, AZ          | 6.9  | 7.4   | 10.3         | 15.2      | 7.6  | 10.0                                     | 6.9                              | 6.8      |
| Median              | 1.6  | 1.7   | 2.9          | 4.9       | 6.5  | 3.0                                      | 6.9                              | 5.0      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year. <sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 8: Use and Acquisition of HEROIN Among Adult Male Arrestees, 2000**

| Primary City        | Arrestees<br>Testing Positive<br>for Opiates (%) | Arrestees Reporting Heroin Use (%) |              |           | Average No. of<br>Days in Past 30<br>Days Used<br>Heroin <sup>a</sup> | Acquired Heroin in Past 30 Days |                                  |          |
|---------------------|--|------------------------------------|--------------|-----------|---|---------------------------------|----------------------------------|----------|
|                     |  | Past 7 Days                        | Past 30 Days | Past Year |   | % of Arrestees                  | Mean Number of Days <sup>b</sup> |          |
|                     |  |                                    |              |           |   |                                 | Cash                             | Non-cash |
| Albany, NY          | 6.5  | 3.0                                | 3.1          | 4.4       | 11.6  | 3.7                             | 17.0                             | 2.8      |
| Albuquerque, NM     | 11.7   | 10.8                               | 12.2         | 15.3      | 9.9   | 13.4                            | 16.5                             | 8.8      |
| Anchorage, AK       | 3.5  | 0.7                                | 1.4          | 2.7       | 5.3   | 1.0                             | 14.2                             | 2.0      |
| Atlanta, GA         | 2.8  | 1.4                                | 1.5          | 1.9       | 11.9  | 1.9                             | 20.5                             | 7.8      |
| Birmingham, AL      | 10.2   | 1.2                                | 1.2          | 1.4       | 17.5  | 1.3                             | 26.5                             | 17.8     |
| Charlotte, NC       | 1.9  | 0.0                                | 0.0          | 1.2       | 0.3   | 0.0                             | 0.0                              | 0.0      |
| Chicago, IL         | 27.0   | 21.3                               | 23.1         | 24.9      | 15.9  | 24.2                            | 22.2                             | 7.8      |
| Cleveland, OH       | 3.7  | 3.9                                | 4.2          | 4.8       | 8.9   | 4.5                             | 14.3                             | 2.7      |
| Dallas, TX          | 3.0  | 2.6                                | 2.8          | 3.9       | 9.6   | 3.2                             | 20.9                             | 4.4      |
| Denver, CO          | 3.4  | 2.8                                | 3.0          | 5.2       | 7.9   | 3.3                             | 15.2                             | 4.8      |
| Des Moines, IA      | 2.7  | 0.5                                | 0.5          | 1.0       | 11.8  | 0.5                             | 5.0                              | 4.0      |
| Detroit, MI         | 7.8  | 6.2                                | 6.7          | 7.0       | 14.8  | 7.5                             | 20.7                             | 8.8      |
| Fort Lauderdale, FL | 2.1  | 0.9                                | 0.9          | 1.6       | 5.5   | 0.9                             | 17.9                             | 2.0      |
| Honolulu, HI        | 6.8  | 5.9                                | 6.5          | 8.6       | 11.2  | 6.6                             | 23.2                             | 4.0      |
| Houston, TX         | 7.4  | 0.5                                | 0.8          | 1.9       | 9.0   | 1.3                             | 6.8                              | 1.0      |
| Indianapolis, IN    | 3.4  | 0.9                                | 1.4          | 1.9       | 11.9  | 2.0                             | 12.7                             | 6.5      |
| Laredo, TX          | 9.9  | 7.5                                | 8.8          | 11.5      | 11.8  | 9.1                             | 23.1                             | 7.6      |
| Las Vegas, NV       | 4.8  | 3.1                                | 4.4          | 5.8       | 8.5   | 4.5                             | 16.3                             | 4.1      |
| Miami, FL           | 4.0  | 3.6                                | 4.2          | 4.7       | 13.1  | 4.2                             | 24.6                             | 4.1      |
| Minneapolis, MN     | 3.0  | 1.8                                | 2.4          | 4.1       | 6.5   | 2.6                             | 13.7                             | 8.3      |
| New Orleans, LA     | 15.5   | 12.7                               | 13.7         | 14.6      | 12.0  | 13.5                            | 20.3                             | 5.9      |
| New York, NY        | 20.5   | 17.6                               | 18.3         | 19.4      | 15.2  | 18.3                            | 21.1                             | 6.6      |
| Oklahoma City, OK   | 3.2  | 0.5                                | 0.8          | 1.4       | 5.0   | 0.7                             | 10.1                             | 12.0     |
| Omaha, NE           | 2.0  | 0.3                                | 1.4          | 1.7       | 5.8   | 1.2                             | 5.9                              | 3.4      |
| Philadelphia, PA    | 11.8   | 8.5                                | 9.5          | 9.5       | 14.7  | 9.4                             | 21.7                             | 9.4      |
| Phoenix, AZ         | 6.6  | 6.5                                | 7.4          | 9.3       | 12.9  | 7.9                             | 21.8                             | 7.6      |
| Portland, OR        | 14.1   | 8.5                                | 10.4         | 13.2      | 10.0  | 10.0                            | 17.2                             | 5.2      |
| Sacramento, CA      | 3.3  | 4.1                                | 5.1          | 5.8       | 7.8   | 5.3                             | 12.5                             | 7.5      |
| Salt Lake City, UT  | 6.6  | 2.9                                | 4.1          | 7.7       | 8.5   | 4.4                             | 14.2                             | 5.9      |
| San Antonio, TX     | 10.2   | 6.5                                | 6.9          | 9.8       | 15.4  | 7.3                             | 22.9                             | 8.1      |
| San Diego, CA       | 6.0  | 4.3                                | 5.0          | 6.5       | 8.4   | 5.1                             | 22.8                             | 7.7      |
| San Jose, CA        | 5.9  | 2.4                                | 2.4          | 3.5       | 12.9  | 2.4                             | 22.9                             | 5.5      |
| Seattle, WA         | 9.9  | 8.0                                | 10.1         | 14.2      | 8.8   | 10.3                            | 18.9                             | 5.9      |
| Spokane, WA         | 7.9  | 5.4                                | 7.9          | 10.8      | 6.6   | 8.4                             | 14.4                             | 4.3      |
| Tucson, AZ          | 8.8  | 6.0                                | 7.1          | 10.8      | 10.5  | 7.7                             | 19.1                             | 7.0      |
| Median              | 6.5  | 3.6                                | 4.2          | 5.8       | 10.0  | 4.5                             | 17.9                             | 5.9      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year. <sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

**Table 9: Heavy Drug Use and Risk for Dependence Among Adult Male Arrestees, 2000**

| Primary City        | Heavy Use <sup>a</sup> of Any of Five Drugs (%) | Injected Drugs, Past Year (%) | At Risk for Drug Dependence <sup>b</sup> (%) |
|---------------------|---|-------------------------------|--|
| Albany, NY          | 35.5  | 4.0                           | 33.3   |
| Albuquerque, NM     | 40.6  | 16.4                          | 39.7   |
| Anchorage, AK       | 31.1  | 5.7                           | 29.3   |
| Atlanta, GA         | 34.0  | 2.4                           | 33.2   |
| Birmingham, AL      | 29.9  | 2.5                           | 29.1   |
| Charlotte, NC       | 31.8  | 4.2                           | 33.9   |
| Chicago, IL         | 43.2  | 4.6                           | 47.1   |
| Cleveland, OH       | 34.7  | 4.1                           | 36.7   |
| Dallas, TX          | 33.2  | 6.8                           | 29.6   |
| Denver, CO          | 31.3  | 8.5                           | 28.6   |
| Des Moines, IA      | 32.0  | 7.0                           | 41.1   |
| Detroit, MI         | 36.9  | 3.0                           | 37.2   |
| Fort Lauderdale, FL | 27.3  | 2.0                           | 28.2   |
| Honolulu, HI        | 38.6  | 8.9                           | 41.5   |
| Houston, TX         | 25.4  | 3.8                           | 26.5   |
| Indianapolis, IN    | 31.9  | 2.6                           | 29.8   |
| Laredo, TX          | 29.3  | 10.7                          | 29.9   |
| Las Vegas, NV       | 34.5  | 8.9                           | 36.4   |
| Miami, FL           | 31.0  | 3.0                           | 28.8   |
| Minneapolis, MN     | 36.7  | 2.3                           | 37.3   |
| New Orleans, LA     | 34.7  | 9.6                           | 37.8   |
| New York, NY        | 54.2  | 7.0                           | 42.5   |
| Oklahoma City, OK   | 41.6  | 11.2                          | 42.0   |
| Omaha, NE           | 35.4  | 7.1                           | 32.0   |
| Philadelphia, PA    | 40.5  | 5.6                           | 43.1   |
| Phoenix, AZ         | 40.1  | 15.8                          | 41.3   |
| Portland, OR        | 35.5  | 18.5                          | 34.7   |
| Sacramento, CA      | 43.3  | 13.0                          | 43.7   |
| Salt Lake City, UT  | 32.0  | 11.7                          | 37.3   |
| San Antonio, TX     | 28.5  | 6.5                           | 26.5   |
| San Diego, CA       | 34.4  | 9.7                           | 39.8   |
| San Jose, CA        | 37.5  | 5.2                           | 37.7   |
| Seattle, WA         | 42.4  | 14.8                          | 41.7   |
| Spokane, WA         | 39.8  | 16.6                          | 41.9   |
| Tucson, AZ          | 42.8  | 12.6                          | 44.2   |
| Median              | 34.7  | 7.0                           | 37.2   |

<sup>a</sup>Heavy use is defined here, as in the National Household Survey on Drug Abuse, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The five drugs considered here are cocaine, heroin, marijuana, methamphetamine, and PCP. This list of five was established by the National Institute on Drug Abuse as a standard panel of commonly used illegal drugs.

<sup>b</sup>Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

**Table 10: ALCOHOL Use and Risk for Dependence Among Adult Male Arrestees, 2000**

| Primary City        | Binge Drinking, Past 30 Days <sup>a</sup><br>(%) | Heavy Drinking, Past 30 Days <sup>b</sup><br>(%) | At Risk for Alcohol<br>Dependence <sup>c</sup> (%) |
|---------------------|--|--|--|
| Albany, NY          | 53.2   | 34.1   | 35.1   |
| Albuquerque, NM     | 70.2   | 39.3   | 45.9   |
| Anchorage, AK       | 69.5   | 38.8   | 44.9   |
| Atlanta, GA         | 42.5   | 28.5   | 29.4   |
| Birmingham, AL      | 48.5   | 28.6   | 25.6   |
| Charlotte, NC       | 47.6   | 25.5   | 26.7   |
| Chicago, IL         | 44.2   | 27.6   | 25.5   |
| Cleveland, OH       | 54.1   | 37.0   | 33.8   |
| Dallas, TX          | 46.1   | 23.3   | 24.3   |
| Denver, CO          | 62.9   | 38.4   | 38.2   |
| Des Moines, IA      | 56.1   | 29.0   | 31.5   |
| Detroit, MI         | 38.4   | 24.4   | 26.5   |
| Fort Lauderdale, FL | 52.6   | 34.9   | 29.5   |
| Honolulu, HI        | 46.4   | 25.9   | 29.0   |
| Houston, TX         | 41.0   | 22.5   | 22.0   |
| Indianapolis, IN    | 50.6   | 28.4   | 33.8   |
| Laredo, TX          | 64.6   | 35.5   | 33.4   |
| Las Vegas, NV       | 53.6   | 31.5   | 32.1   |
| Miami, FL           | 40.2   | 17.7   | 21.4   |
| Minneapolis, MN     | 54.3   | 29.5   | 32.5   |
| New Orleans, LA     | 35.9   | 21.0   | 22.0   |
| New York, NY        | 39.8   | 23.6   | 22.2   |
| Oklahoma City, OK   | 61.3   | 37.1   | 39.0   |
| Omaha, NE           | 51.0   | 26.8   | 20.6   |
| Philadelphia, PA    | 35.4   | 21.7   | 21.5   |
| Phoenix, AZ         | 54.2   | 30.8   | 33.5   |
| Portland, OR        | 40.5   | 18.3   | 24.5   |
| Sacramento, CA      | 51.7   | 28.9   | 34.1   |
| Salt Lake City, UT  | 48.6   | 23.2   | 31.2   |
| San Antonio, TX     | 43.5   | 23.5   | 25.7   |
| San Diego, CA       | 54.5   | 31.6   | 33.7   |
| San Jose, CA        | 61.0   | 34.2   | 43.5   |
| Seattle, WA         | 52.1   | 29.0   | 33.4   |
| Spokane, WA         | 55.9   | 30.6   | 36.9   |
| Tucson, AZ          | 59.2   | 37.8   | 38.1   |
| Median              | 51.7   | 28.9   | 31.5   |

<sup>a</sup>Binge drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on at least one occasion in a month.

<sup>b</sup>Heavy drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on the same occasion on five or more days in a month.

<sup>c</sup>Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol.

**Table 11: Last Drug Buy with Cash Was Outdoors Among Adult Male Arrestees, 2000**

| Primary City        | % of Last Buys with Cash in an Outdoor Location |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana                                       | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 33.2  | 54.4          | 32.8           | 31.3   | 100.0           |
| Albuquerque, NM     | 22.0  | 22.3          | 19.6           | 25.3   | 0.0             |
| Anchorage, AK       | 21.4  | 20.3          | 17.2           | 53.1   | 30.2            |
| Atlanta, GA         | 44.6  | 59.2          | 46.5           | 48.1   | 0.0             |
| Birmingham, AL      | 41.3  | 37.1          | 28.3           | 26.5   | 0.0             |
| Charlotte, NC       | 35.4  | 54.5          | 36.1           | 0.0    | 0.0             |
| Chicago, IL         | 71.3  | 81.1          | 53.0           | 82.0   | 0.0             |
| Cleveland, OH       | 63.9  | 68.2          | 55.2           | 57.3   | 70.7            |
| Dallas, TX          | 17.5  | 30.1          | 15.6           | 19.6   | 11.4            |
| Denver, CO          | 37.1  | 44.2          | 34.0           | 56.8   | 30.6            |
| Des Moines, IA      | 18.9  | 25.7          | 17.7           | 0.0    | 7.9             |
| Detroit, MI         | 40.0  | 44.1          | 14.7           | 31.9   | 0.0             |
| Fort Lauderdale, FL | 40.7  | 49.0          | 37.5           | 30.2   | 0.0             |
| Honolulu, HI        | 42.5  | 54.7          | 42.4           | 62.1   | 26.6            |
| Houston, TX         | 22.0  | 39.6          | 9.7            | 0.0    | 0.0             |
| Indianapolis, IN    | 31.2  | 27.8          | 30.4           | 40.5   | 42.8            |
| Laredo, TX          | 17.0  | 13.6          | 7.3            | 7.0    | 0.0             |
| Las Vegas, NV       | 25.0  | 49.7          | 28.5           | 35.2   | 16.8            |
| Miami, FL           | 44.4  | 57.2          | 39.7           | 37.0   | 0.0             |
| Minneapolis, MN     | 49.0  | 67.6          | 48.8           | 90.7   | 19.5            |
| New Orleans, LA     | 71.6  | 69.7          | 48.5           | 63.8   | 23.5            |
| New York, NY        | 80.6  | 88.0          | 78.6           | 81.7   | 100.0           |
| Oklahoma City, OK   | 15.7  | 19.6          | 18.6           | 43.6   | 12.8            |
| Omaha, NE           | 24.4  | 54.2          | 46.5           | 0.0    | 8.7             |
| Philadelphia, PA    | 66.4  | 72.2          | 65.8           | 95.6   | 100.0           |
| Phoenix, AZ         | 21.5  | 23.6          | 16.4           | 32.5   | 7.7             |
| Portland, OR        | 32.7  | 50.7          | 55.4           | 67.9   | 21.8            |
| Sacramento, CA      | 23.6  | 36.0          | 7.7            | 9.1    | 14.7            |
| Salt Lake City, UT  | 13.5  | 22.7          | 22.6           | 21.9   | 13.5            |
| San Antonio, TX     | 24.3  | 24.7          | 13.0           | 37.8   | 0.0             |
| San Diego, CA       | 39.3  | 53.8          | 30.4           | 25.3   | 18.8            |
| San Jose, CA        | 30.2  | 38.1          | 57.2           | 11.2   | 29.5            |
| Seattle, WA         | 36.1  | 54.6          | 42.1           | 65.0   | 31.9            |
| Spokane, WA         | 8.2   | 18.9          | 6.6            | 8.0    | 9.2             |
| Tucson, AZ          | 26.7  | 26.5          | 18.9           | 35.8   | 0.0             |
| Median              | 32.7  | 49.0          | 30.4           | 35.2   | 12.8            |

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying the drug is small, these findings have low statistical reliability and should be interpreted cautiously.



**Table 12: Any Failed Drug Buy in the Past 30 Days Among Adult Male Arrestees, 2000**

| Primary City        | % Reporting Failed Drug Buy in Last 30 Days |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana                                   | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 36.8  | 43.4          | 22.1           | 62.8   | 100.0           |
| Albuquerque, NM     | 41.2  | 39.8          | 30.9           | 30.5   | 16.5            |
| Anchorage, AK       | 40.7  | 35.1          | 30.7           | 22.8   | 16.0            |
| Atlanta, GA         | 37.4  | 40.2          | 28.5           | 19.1   | 0.0             |
| Birmingham, AL      | 17.0  | 20.6          | 18.1           | 0.0    | N/A             |
| Charlotte, NC       | 73.4  | 54.0          | 68.5           | N/A    | 0.0             |
| Chicago, IL         | 42.8  | 41.5          | 30.0           | 26.1   | 100.0           |
| Cleveland, OH       | 37.9  | 25.1          | 12.7           | 13.5   | 0.0             |
| Dallas, TX          | 45.6  | 47.3          | 28.6           | 15.8   | 28.3            |
| Denver, CO          | 38.8  | 37.4          | 39.3           | 12.8   | 38.2            |
| Des Moines, IA      | 37.4  | 60.1          | 41.2           | 0.0    | 39.8            |
| Detroit, MI         | 44.7  | 36.2          | 66.5           | 27.5   | 0.0             |
| Fort Lauderdale, FL | 33.6  | 30.1          | 19.3           | 34.9   | N/A             |
| Honolulu, HI        | 46.5  | 34.2          | 56.3           | 15.2   | 44.6            |
| Houston, TX         | 40.0  | 51.5          | 35.5           | 0.0    | 31.5            |
| Indianapolis, IN    | 52.6  | 32.5          | 30.7           | 32.8   | 13.3            |
| Laredo, TX          | 57.1  | 27.0          | 42.7           | 12.7   | 0.0             |
| Las Vegas, NV       | 42.9  | 37.4          | 25.1           | 17.7   | 47.9            |
| Miami, FL           | 33.5  | 31.2          | 26.4           | 19.9   | 0.0             |
| Minneapolis, MN     | 39.0  | 43.3          | 26.3           | 76.7   | 8.5             |
| New Orleans, LA     | 27.2  | 19.6          | 35.3           | 23.4   | 0.0             |
| New York, NY        | 11.6  | 8.9           | 11.0           | 18.2   | 0.0             |
| Oklahoma City, OK   | 50.1  | 59.3          | 29.2           | 20.1   | 29.3            |
| Omaha, NE           | 38.1  | 24.7          | 3.8            | 0.0    | 35.3            |
| Philadelphia, PA    | 31.3  | 31.2          | 25.0           | 18.6   | 0.0             |
| Phoenix, AZ         | 41.8  | 30.9          | 22.1           | 20.7   | 32.8            |
| Portland, OR        | 26.2  | 32.2          | 19.7           | 22.0   | 27.8            |
| Sacramento, CA      | 47.8  | 44.9          | 25.8           | 21.2   | 55.0            |
| Salt Lake City, UT  | 32.9  | 47.2          | 22.0           | 25.1   | 34.4            |
| San Antonio, TX     | 45.0  | 19.5          | 37.5           | 27.9   | 83.8            |
| San Diego, CA       | 44.8  | 36.9          | 14.3           | 22.7   | 46.0            |
| San Jose, CA        | 46.7  | 30.2          | 34.7           | 5.8    | 25.0            |
| Seattle, WA         | 42.6  | 37.4          | 30.9           | 25.3   | 40.0            |
| Spokane, WA         | 31.4  | 30.2          | 15.1           | 37.4   | 24.8            |
| Tucson, AZ          | 32.4  | 38.2          | 29.3           | 24.0   | 23.9            |
| Median              | 40.0  | 36.2          | 28.6           | 20.9   | 26.4            |

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying a drug with cash in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 13: Failed Drug Buy Due to Police Activity Among Adult Male Arrestees, 2000**

| Primary City        | % Reporting Last Failed Drug Buy Due to Police Activity |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana   | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 7.6   | 11.4          | 0.0            | 9.7    | 0.0             |
| Albuquerque, NM     | 1.4   | 0.0           | 0.0            | 0.0    | 0.0             |
| Anchorage, AK       | 2.3   | 11.1          | 0.0            | 0.0    | 0.0             |
| Atlanta, GA         | 5.7   | 4.7           | 20.9           | 0.0    | N/A             |
| Birmingham, AL      | 2.7   | 4.2           | 0.0            | N/A    | N/A             |
| Charlotte, NC       | 4.2   | 0.0           | 0.0            | N/A    | N/A             |
| Chicago, IL         | 7.8   | 26.2          | 18.0           | 42.5   | 0.0             |
| Cleveland, OH       | 14.1  | 11.2          | 8.6            | 0.0    | N/A             |
| Dallas, TX          | 8.3   | 17.0          | 14.0           | 0.0    | 0.0             |
| Denver, CO          | 0.0   | 11.5          | 0.0            | 18.1   | 0.0             |
| Des Moines, IA      | 1.5   | 0.0           | 0.0            | N/A    | 0.0             |
| Detroit, MI         | 4.1   | 7.8           | 0.0            | 14.9   | 6.8             |
| Fort Lauderdale, FL | 6.6   | 10.0          | 0.0            | 0.0    | N/A             |
| Honolulu, HI        | 2.9   | 15.9          | 0.0            | 0.0    | 7.3             |
| Houston, TX         | 0.5   | 27.9          | 0.0            | N/A    | 0.0             |
| Indianapolis, IN    | 3.5   | 2.8           | 11.6           | 0.0    | 0.0             |
| Laredo, TX          | 14.2  | 0.0           | 18.5           | 21.9   | N/A             |
| Las Vegas, NV       | 3.2   | 10.3          | 12.1           | 0.0    | 8.7             |
| Miami, FL           | 18.4  | 17.2          | 32.1           | 58.8   | N/A             |
| Minneapolis, MN     | 6.9   | 5.4           | 0.0            | 25.9   | 0.0             |
| New Orleans, LA     | 10.3  | 26.3          | 10.7           | 26.4   | N/A             |
| New York, NY        | 41.3  | 44.6          | 39.1           | 30.9   | N/A             |
| Oklahoma City, OK   | 6.8   | 2.3           | 0.0            | 0.0    | 13.0            |
| Omaha, NE           | 3.6   | 3.0           | 0.0            | N/A    | 5.9             |
| Philadelphia, PA    | 13.1  | 3.9           | 28.1           | 15.7   | N/A             |
| Phoenix, AZ         | 3.6   | 18.0          | 16.3           | 3.2    | 4.9             |
| Portland, OR        | 2.1   | 3.7           | 0.0            | 0.0    | 7.3             |
| Sacramento, CA      | 9.3   | 3.1           | 87.0           | 18.5   | 7.4             |
| Salt Lake City, UT  | 9.8   | 12.4          | 14.6           | 0.0    | 12.7            |
| San Antonio, TX     | 1.9   | 0.0           | 4.2            | 2.6    | 0.0             |
| San Diego, CA       | 10.0  | 15.9          | 0.0            | 0.0    | 5.0             |
| San Jose, CA        | 4.4   | 8.2           | 15.0           | 0.0    | 0.0             |
| Seattle, WA         | 2.4   | 22.9          | 14.1           | 7.3    | 6.1             |
| Spokane, WA         | 3.4   | 0.0           | 16.8           | 8.2    | 2.6             |
| Tucson, AZ          | 7.9   | 13.5          | 6.7            | 25.2   | 15.5            |
| Median              | 4.4   | 10.0          | 6.7            | 2.9    | 4.9             |

Note: Question was asked of arrestees who said they had purchased drugs with cash in the past 30 days and had at least one failed drug buy. In sites where the number of arrestees with failed drug buys in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

**Table 14:** Drug, Alcohol, and Mental Health Treatment Status Among Adult Male Arrestees, 2000

| Primary City        | Drug or Alcohol Treatment (%) |           |                          |           | Inpatient Mental Health/Psychiatric Treatment (%) |           |
|---------------------|-------------------------------|-----------|--------------------------|-----------|---|-----------|
|                     | Outpatient                    |           | Inpatient or Residential |           |   |           |
|                     | Ever                          | Past Year | Ever                     | Past Year | Ever  | Past Year |
| Albany, NY          | 40.0                          | 8.7       | 42.7                     | 10.8      | 14.4  | 2.1       |
| Albuquerque, NM     | 23.9                          | 6.9       | 32.6                     | 6.0       | 9.9   | 0.7       |
| Anchorage, AK       | 33.9                          | 5.5       | 36.4                     | 6.7       | 13.8  | 1.5       |
| Atlanta, GA         | 12.6                          | 1.8       | 19.2                     | 2.7       | 5.0   | 0.3       |
| Birmingham, AL      | 12.5                          | 3.2       | 20.8                     | 2.4       | 6.1   | 0.0       |
| Charlotte, NC       | 14.7                          | 6.2       | 19.0                     | 8.1       | 4.0   | 0.0       |
| Chicago, IL         | 16.3                          | 4.8       | 18.5                     | 4.4       | 7.6   | 0.9       |
| Cleveland, OH       | 19.1                          | 3.4       | 25.9                     | 6.9       | 9.4   | 1.3       |
| Dallas, TX          | 11.3                          | 3.5       | 16.5                     | 4.5       | 5.2   | 0.2       |
| Denver, CO          | 18.8                          | 4.9       | 32.4                     | 7.9       | 9.8   | 1.1       |
| Des Moines, IA      | 32.2                          | 8.2       | 37.8                     | 5.6       | 14.5  | 2.4       |
| Detroit, MI         | 14.7                          | 2.7       | 20.6                     | 3.9       | 7.8   | 3.1       |
| Fort Lauderdale, FL | 12.3                          | 1.0       | 20.7                     | 3.0       | 6.8   | 0.2       |
| Honolulu, HI        | 19.3                          | 5.7       | 27.3                     | 7.9       | 12.5  | 1.8       |
| Houston, TX         | 8.3                           | 1.9       | 16.4                     | 3.5       | 7.0   | 0.9       |
| Indianapolis, IN    | 23.7                          | 5.4       | 23.4                     | 3.0       | 8.4   | 1.3       |
| Laredo, TX          | 14.3                          | 4.9       | 16.9                     | 8.1       | 3.3   | 0.0       |
| Las Vegas, NV       | 13.8                          | 3.6       | 22.8                     | 3.9       | 8.4   | 0.8       |
| Miami, FL           | 13.0                          | 3.2       | 16.6                     | 6.1       | 5.3   | 0.5       |
| Minneapolis, MN     | 25.9                          | 5.8       | 34.3                     | 9.2       | 10.2  | 1.2       |
| New Orleans, LA     | 9.6                           | 3.6       | 13.6                     | 3.0       | 7.5   | 0.8       |
| New York, NY        | 26.7                          | 11.4      | 29.2                     | 7.9       | 5.2   | 1.1       |
| Oklahoma City, OK   | 13.6                          | 1.9       | 31.9                     | 6.3       | 11.5  | 0.3       |
| Omaha, NE           | 16.4                          | 2.2       | 22.1                     | 3.5       | 13.3  | 0.5       |
| Philadelphia, PA    | 16.5                          | 5.3       | 23.0                     | 7.0       | 9.8   | 2.0       |
| Phoenix, AZ         | 17.6                          | 3.6       | 27.3                     | 6.8       | 11.2  | 1.5       |
| Portland, OR        | 33.6                          | 9.5       | 36.2                     | 9.5       | 10.2  | 2.2       |
| Sacramento, CA      | 13.2                          | 4.5       | 22.9                     | 5.8       | 13.0  | 2.2       |
| Salt Lake City, UT  | 21.0                          | 6.6       | 32.1                     | 5.4       | 10.3  | 0.7       |
| San Antonio, TX     | 13.0                          | 1.6       | 20.6                     | 5.1       | 6.3   | 0.3       |
| San Diego, CA       | 17.7                          | 4.7       | 31.4                     | 8.5       | 9.7   | 2.1       |
| San Jose, CA        | 19.3                          | 4.1       | 23.1                     | 5.3       | 6.5   | 0.6       |
| Seattle, WA         | 34.6                          | 8.9       | 35.6                     | 6.7       | 10.5  | 1.7       |
| Spokane, WA         | 32.2                          | 5.5       | 32.7                     | 6.8       | 15.7  | 3.1       |
| Tucson, AZ          | 21.2                          | 4.7       | 29.5                     | 6.4       | 15.3  | 2.4       |
| Median              | 17.6                          | 4.7       | 23.4                     | 6.1       | 9.7   | 1.1       |

**Table 1: ADAM Site Booking Facilities and Completed Interviews -- Adult Female Arrestees, Year 2000**

| Primary City        | Study Area         | Completed Interviews (unweighted) |              |              |              |              |
|---------------------|--------------------|-----------------------------------|--------------|--------------|--------------|--------------|
|                     |                    | Quarter 1                         | Quarter 2    | Quarter 3    | Quarter 4    | Total        |
| Albany, NY          | Capital Area       | 0                                 | 9            | 30           | 19           | 58           |
| Albuquerque, NM     | Bernalillo County  | 70                                | 42           | 0            | 0            | 112          |
| Anchorage, AK       | Anchorage Borough  | 40                                | 34           | 36           | 34           | 144          |
| Birmingham, AL      | Jefferson County   | 13                                | 12           | 23           | 12           | 60           |
| Cleveland, OH       | Cuyahoga County    | 109                               | 94           | 143          | 101          | 447          |
| Denver, CO          | Denver County      | 49                                | 42           | 75           | 63           | 229          |
| Des Moines, IA      | Polk County        | 10                                | 10           | 12           | 17           | 49           |
| Detroit, MI         | Wayne County       | 3                                 | 14           | 3            | 36           | 56           |
| Fort Lauderdale, FL | Broward County     | 98                                | 98           | 0            | 0            | 196          |
| Honolulu, HI        | Oahu               | 25                                | 17           | 17           | 30           | 89           |
| Houston, TX         | Harris County      | 64                                | 0            | 0            | 0            | 64           |
| Indianapolis, IN    | Marion County      | 4                                 | 13           | 66           | 71           | 154          |
| Laredo, TX          | Webb County        | 16                                | 10           | 17           | 19           | 62           |
| Las Vegas, NV       | Clark County       | 41                                | 126          | 128          | 119          | 414          |
| Minneapolis, MN     | Hennepin County    | 0                                 | 24           | 2            | 0            | 26           |
| New Orleans, LA     | Orleans Parish     | 62                                | 59           | 66           | 67           | 254          |
| New York, NY        | Manhattan          | 159                               | 85           | 67           | 101          | 412          |
| Oklahoma City, OK   | Oklahoma County    | 53                                | 87           | 86           | 88           | 314          |
| Omaha, NE           | Douglas County     | 25                                | 29           | 33           | 19           | 106          |
| Phoenix, AZ         | Maricopa County    | 97                                | 105          | 109          | 108          | 419          |
| Portland, OR        | Multnomah County   | 71                                | 80           | 40           | 48           | 239          |
| Salt Lake City, UT  | Salt Lake County   | 0                                 | 8            | 39           | 35           | 82           |
| San Diego, CA       | San Diego County   | 75                                | 73           | 70           | 64           | 282          |
| San Jose, CA        | Santa Clara County | 0                                 | 13           | 12           | 27           | 52           |
| Tucson, AZ          | Pima County        | 48                                | 34           | 34           | 30           | 146          |
| <b>Total</b>        |                    | <b>1,132</b>                      | <b>1,118</b> | <b>1,108</b> | <b>1,108</b> | <b>4,466</b> |

Note: Although ADAM data are generally collected on a county basis, the primary (most populous) city in each county is generally noted here and identifies the site in other tables in this report.

**Table 2:** Demographic Characteristics of Adult Female Arrestee Respondents, 2000

| Primary City        | Mean Age | Race/Ethnicity (%) |              |       |       | Employed (%) | High School Diploma or GED (%) | Prior Arrests (%)* |           |          | Health Insurance, Past Year (%) | Stable Housing, Past 30 Days (%) |
|---------------------|----------|--------------------|--------------|-------|-------|--------------|--------------------------------|--------------------|-----------|----------|---------------------------------|----------------------------------|
|                     |          | Hispanic           | Non-Hispanic |       |       |              |                                | Ever               | Past Year |          |                                 |                                  |
|                     |          |                    | White        | Black | Other |              |                                |                    | 1+ times  | 2+ times |                                 |                                  |
| Albany, NY          | 28.6     | 6.9                | 51.7         | 34.5  | 6.9   | 47.4         | 69.0                           | 70.7               | 41.2      | 15.7     | 55.2                            | 89.7                             |
| Albuquerque, NM     | 30.9     | 55.4               | 22.3         | 3.6   | 18.8  | 44.1         | 76.8                           | 70.5               | 46.0      | 18.0     | 40.4                            | 82.7                             |
| Anchorage, AK       | 33.0     | 6.3                | 35.7         | 8.4   | 49.7  | 42.9         | 73.9                           | 79.9               | 46.8      | 22.2     | 45.7                            | 81.7                             |
| Birmingham, AL      | 30.5     | 1.7                | 41.4         | 53.4  | 3.4   | 50.8         | 64.4                           | 69.5               | 33.3      | 10.5     | 44.1                            | 91.5                             |
| Cleveland, OH       | 32.8     | 3.7                | 26.5         | 64.2  | 5.6   | 45.1         | 64.9                           | 76.3               | 45.5      | 13.6     | 49.3                            | 91.2                             |
| Denver, CO          | 31.2     | 31.4               | 26.2         | 28.8  | 13.5  | 48.7         | 61.1                           | 85.6               | 64.0      | 32.0     | 28.9                            | 75.4                             |
| Des Moines, IA      | 29.0     | 2.0                | 59.2         | 32.7  | 6.1   | 42.9         | 77.6                           | 67.3               | 43.8      | 10.4     | 58.3                            | 87.8                             |
| Detroit, MI         | 32.8     | 1.9                | 32.7         | 63.5  | 1.9   | 50.0         | 65.4                           | 70.4               | 47.2      | 26.4     | 48.1                            | 88.5                             |
| Fort Lauderdale, FL | 33.8     | 12.9               | 51.5         | 30.9  | 4.6   | 55.7         | 77.3                           | 66.0               | 40.6      | 14.6     | 43.5                            | 90.7                             |
| Honolulu, HI        | 32.3     | 14.6               | 11.2         | 1.1   | 73.0  | 22.5         | 76.4                           | 76.4               | 48.1      | 20.3     | 60.9                            | 71.6                             |
| Houston, TX         | 27.4     | 25.0               | 14.1         | 59.4  | 1.6   | 58.7         | 71.9                           | 59.4               | 31.7      | 7.9      | 31.3                            | 90.6                             |
| Indianapolis, IN    | 31.1     | 4.5                | 46.8         | 42.2  | 6.5   | 50.6         | 66.9                           | 83.8               | 52.3      | 20.5     | 41.6                            | 90.3                             |
| Laredo, TX          | 28.2     | 96.8               | 1.6          | 1.6   | 0.0   | 43.5         | 58.1                           | 32.3               | 21.0      | 3.2      | 27.4                            | 95.2                             |
| Las Vegas, NV       | 32.0     | 13.8               | 45.9         | 23.5  | 16.7  | 50.4         | 75.4                           | 65.0               | 42.1      | 18.2     | 33.7                            | 85.1                             |
| Minneapolis, MN     | 31.8     | 0.0                | 29.2         | 54.2  | 16.7  | 45.8         | 62.5                           | 66.7               | 34.8      | 17.4     | 79.2                            | 79.2                             |
| New Orleans, LA     | 30.1     | 1.2                | 16.9         | 80.7  | 1.2   | 47.0         | 52.8                           | 77.6               | 46.7      | 18.4     | 32.1                            | 91.7                             |
| New York, NY        | 32.1     | 28.8               | 13.2         | 53.9  | 4.1   | 29.3         | 56.2                           | 62.1               | 41.0      | 13.4     | 54.6                            | 85.3                             |
| Oklahoma City, OK   | 31.4     | 4.8                | 43.5         | 34.8  | 16.9  | 52.1         | 74.8                           | 74.1               | 44.8      | 16.1     | 38.5                            | 90.4                             |
| Omaha, NE           | 29.8     | 8.5                | 49.1         | 34.0  | 8.5   | 46.2         | 77.4                           | 55.7               | 35.0      | 11.7     | 54.3                            | 97.2                             |
| Phoenix, AZ         | 31.0     | 26.9               | 44.1         | 13.2  | 15.8  | 44.5         | 65.1                           | 75.8               | 50.9      | 19.6     | 41.3                            | 81.7                             |
| Portland, OR        | 31.9     | 7.9                | 62.3         | 15.9  | 13.8  | 33.3         | 72.4                           | 77.4               | 49.5      | 21.6     | 62.0                            | 78.5                             |
| Salt Lake City, UT  | 29.8     | 14.6               | 78.0         | 2.4   | 4.9   | 41.5         | 72.8                           | 76.8               | 51.9      | 24.7     | 41.5                            | 89.0                             |
| San Diego, CA       | 32.0     | 28.0               | 35.1         | 26.2  | 10.6  | 38.8         | 71.3                           | 67.4               | 43.1      | 15.3     | 50.7                            | 75.8                             |
| San Jose, CA        | 31.0     | 38.5               | 32.7         | 11.5  | 17.3  | 63.5         | 78.8                           | 63.5               | 36.0      | 22.0     | 50.0                            | 78.8                             |
| Tucson, AZ          | 31.7     | 25.9               | 50.3         | 11.2  | 12.6  | 35.2         | 60.8                           | 79.7               | 43.1      | 10.9     | 42.7                            | 83.1                             |
| Median              | 31.2     | 12.9               | 35.7         | 30.9  | 8.5   | 45.8         | 71.3                           | 70.5               | 43.8      | 17.4     | 44.1                            | 88.5                             |

\* Does not include arrests as a juvenile.

**Table 3:** Urine Test Results on Any or Multiple Drug or Alcohol Use Among Adult Female Arrestees, 2000

| Primary City        | % of Arrestees Testing Positive for: |                           |                   |                            | Interviews With Completed Urine Tests (%) |
|---------------------|--------------------------------------|---------------------------|-------------------|----------------------------|---|
|                     | Any of 5 Drugs*                      | Multiple Drugs (Any of 5) | Any of 10 Drugs** | Multiple Drugs (Any of 10) |   |
| Albany, NY          | 50.0                                 | 10.0                      | 52.5              | 12.5                       | 70.2                                      |
| Albuquerque, NM     | 57.5                                 | 19.5                      | 59.8              | 28.7                       | 81.3                                      |
| Anchorage, AK       | 46.2                                 | 11.8                      | 48.7              | 17.6                       | 88.1                                      |
| Birmingham, AL      | 53.3                                 | 13.3                      | 55.6              | 15.6                       | 80.4                                      |
| Cleveland, OH       | 68.1                                 | 17.4                      | 70.4              | 21.4                       | 89.4                                      |
| Denver, CO          | 70.5                                 | 19.8                      | 73.4              | 23.7                       | 92.1                                      |
| Des Moines, IA      | 59.1                                 | 22.7                      | 63.6              | 29.5                       | 91.7                                      |
| Detroit, MI         | 69.7                                 | 21.2                      | 69.7              | 24.2                       | 63.0                                      |
| Fort Lauderdale, FL | 61.3                                 | 18.2                      | 63.5              | 26.0                       | 94.3                                      |
| Honolulu, HI        | 60.8                                 | 21.6                      | 66.2              | 25.7                       | 83.1                                      |
| Houston, TX         | 51.7                                 | 10.0                      | 58.3              | 13.3                       | 93.8                                      |
| Indianapolis, IN    | 72.3                                 | 18.4                      | 74.5              | 25.5                       | 92.2                                      |
| Laredo, TX          | 31.0                                 | 12.1                      | 32.8              | 15.5                       | 95.1                                      |
| Las Vegas, NV       | 60.6                                 | 15.9                      | 63.1              | 19.9                       | 91.2                                      |
| Minneapolis, MN     | 61.1                                 | 22.2                      | 66.7              | 22.2                       | 75.0                                      |
| New Orleans, LA     | 56.5                                 | 19.5                      | 58.9              | 22.8                       | 96.9                                      |
| New York, NY        | 74.9                                 | 23.5                      | 77.5              | 29.8                       | 93.0                                      |
| Oklahoma City, OK   | 67.2                                 | 25.8                      | 69.5              | 31.5                       | 96.5                                      |
| Omaha, NE           | 52.6                                 | 13.2                      | 55.3              | 13.2                       | 72.4                                      |
| Phoenix, AZ         | 65.8                                 | 21.1                      | 68.9              | 22.9                       | 94.2                                      |
| Portland, OR        | 69.2                                 | 28.1                      | 69.2              | 31.2                       | 92.9                                      |
| Salt Lake City, UT  | 59.2                                 | 14.5                      | 65.8              | 18.4                       | 92.7                                      |
| San Diego, CA       | 66.4                                 | 21.3                      | 67.5              | 24.6                       | 95.0                                      |
| San Jose, CA        | 68.0                                 | 14.0                      | 68.0              | 18.0                       | 100.0                                     |
| Tucson, AZ          | 70.7                                 | 31.7                      | 75.6              | 37.4                       | 86.6                                      |
| Median              | 61.1                                 | 19.5                      | 66.2              | 22.9                       | 92.1                                      |

\*The 5 drugs are cocaine, marijuana, methamphetamine, opiates, and phencyclidine (PCP).

\*\*The 10 drugs are barbiturates, benzodiazepines, cocaine, marijuana, methadone, methamphetamine, methaqualone, opiates, phencyclidine (PCP), and propoxyphene.

**Table 4:** Use and Acquisition of CRACK COCAINE Among Adult Female Arrestees, 2000

| Primary City        | Arrestees Testing Positive for Cocaine <sup>a</sup> (%) | Arrestees Reporting Crack Use (%) |              |           | Average No. of Days in Past 30 Used Crack <sup>b</sup> | Acquired Crack in Past 30 Days |                                  |          |
|---------------------|---|-----------------------------------|--------------|-----------|--|--------------------------------|----------------------------------|----------|
|                     |   | Past 7 Days                       | Past 30 Days | Past Year |  | % of Arrestees                 | Mean Number of Days <sup>c</sup> |          |
|                     |   |                                   |              |           |  |                                | Cash                             | Non-cash |
| Albany, NY          | 22.5  | 17.3                              | 18.9         | 21.4      | 11.6   | 16.4                           | 18.6                             | 9.6      |
| Albuquerque, NM     | 41.4  | 27.5                              | 30.1         | 35.8      | 10.0   | 30.8                           | 16.7                             | 9.2      |
| Anchorage, AK       | 23.5  | 13.5                              | 19.3         | 26.8      | 7.1  | 22.1                           | 11.9                             | 2.6      |
| Birmingham, AL      | 42.2  | 23.2                              | 23.2         | 32.2      | 10.6   | 23.2                           | 8.7                              | 7.0      |
| Cleveland, OH       | 52.0  | 39.2                              | 40.9         | 47.1      | 10.9   | 42.0                           | 14.5                             | 6.6      |
| Denver, CO          | 46.9  | 29.0                              | 31.9         | 38.9      | 8.6  | 32.8                           | 13.4                             | 8.3      |
| Des Moines, IA      | 18.2  | 14.6                              | 16.7         | 16.3      | 11.4   | 16.3                           | 17.5                             | 2.0      |
| Detroit, MI         | 42.4  | 28.3                              | 31.5         | 31.5      | 14.3   | 33.3                           | 15.6                             | 7.1      |
| Fort Lauderdale, FL | 44.8  | 19.6                              | 23.3         | 27.3      | 10.2   | 23.7                           | 12.7                             | 7.1      |
| Honolulu, HI        | 18.9  | 11.3                              | 11.3         | 17.4      | 11.6   | 12.0                           | 16.9                             | 11.4     |
| Houston, TX         | 31.7  | 15.5                              | 17.2         | 18.8      | 11.3   | 19.7                           | 13.4                             | 3.2      |
| Indianapolis, IN    | 45.4  | 30.3                              | 32.2         | 39.9      | 10.9   | 33.3                           | 13.0                             | 9.3      |
| Laredo, TX          | 22.4  | 6.6                               | 6.6          | 8.1       | 11.4   | 8.2                            | 6.7                              | 15.5     |
| Las Vegas, NV       | 27.5  | 17.0                              | 19.6         | 23.2      | 10.4   | 19.4                           | 17.3                             | 7.2      |
| Minneapolis, MN     | 33.3  | 13.0                              | 13.0         | 21.7      | 14.1   | 8.7                            | 18.0                             | 2.0      |
| New Orleans, LA     | 41.1  | 27.1                              | 28.2         | 32.3      | 10.4   | 27.6                           | 11.3                             | 5.9      |
| New York, NY        | 53.0  | 29.0                              | 31.2         | 33.7      | 12.9   | 31.3                           | 17.3                             | 8.5      |
| Oklahoma City, OK   | 27.2  | 16.2                              | 18.1         | 20.8      | 9.7  | 17.9                           | 10.5                             | 7.4      |
| Omaha, NE           | 22.4  | 8.7                               | 9.5          | 11.3      | 14.0   | 11.3                           | 22.8                             | 3.8      |
| Phoenix, AZ         | 35.0  | 25.8                              | 28.3         | 34.0      | 12.0   | 28.7                           | 19.5                             | 12.9     |
| Portland, OR        | 29.9  | 15.0                              | 17.2         | 23.1      | 7.8  | 16.1                           | 14.9                             | 6.6      |
| Salt Lake City, UT  | 14.5  | 5.0                               | 6.3          | 11.1      | 5.9  | 6.2                            | 25.0                             | 8.6      |
| San Diego, CA       | 26.1  | 19.5                              | 20.9         | 27.0      | 8.6  | 21.1                           | 14.5                             | 9.7      |
| San Jose, CA        | 8.0   | 6.0                               | 8.0          | 11.5      | 5.9  | 7.8                            | 9.7                              | 10.3     |
| Tucson, AZ          | 49.6  | 30.2                              | 34.9         | 44.7      | 10.4   | 34.3                           | 14.5                             | 12.5     |
| Median              | 31.7  | 17.3                              | 19.6         | 26.8      | 10.6   | 21.1                           | 14.5                             | 7.4      |

<sup>a</sup>Arrestee tested positive for either crack or powder cocaine. <sup>b</sup>Asked of those who said they had used crack cocaine in the past year. <sup>c</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 5:** Use and Acquisition of POWDER COCAINE Among Adult Female Arrestees, 2000

| Primary City        | Arrestees Testing Positive for Cocaine <sup>a</sup> (%) | Arrestees Reporting Powder Cocaine Use (%) |              |           | Average No. of Days in Past 30 Used Powder Cocaine <sup>b</sup> | Acquired Powder Cocaine in Past 30 Days |                                  |          |
|---------------------|---|--|--------------|-----------|---|---|----------------------------------|----------|
|                     |   | Past 7 Days                                | Past 30 Days | Past Year |   | % of Arrestees                          | Mean Number of Days <sup>c</sup> |          |
|                     |   |  |              |           |   |   | Cash                             | Non-cash |
| Albany, NY          | 22.5  | 3.8  | 9.6          | 12.5      | 0.7   | 10.9                                    | 1.0                              | 2.3      |
| Albuquerque, NM     | 41.4  | 12.4                                       | 16.2         | 25.9      | 4.0   | 20.2                                    | 8.8                              | 2.6      |
| Anchorage, AK       | 23.5  | 6.7  | 12.6         | 15.8      | 4.2   | 15.4                                    | 4.4                              | 3.8      |
| Birmingham, AL      | 42.2  | 1.8  | 7.1          | 13.6      | 3.8   | 8.9                                     | 5.7                              | 3.5      |
| Cleveland, OH       | 52.0  | 6.2  | 8.8          | 16.6      | 3.8   | 10.3                                    | 4.8                              | 4.0      |
| Denver, CO          | 46.9  | 10.7                                       | 13.3         | 22.4      | 3.3   | 14.8                                    | 5.2                              | 2.0      |
| Des Moines, IA      | 18.2  | 4.2  | 8.3          | 14.3      | 6.8   | 10.2                                    | 3.0                              | 6.3      |
| Detroit, MI         | 42.4  | 1.9  | 3.7          | 5.6       | 3.2   | 5.6                                     | 1.0                              | 1.0      |
| Fort Lauderdale, FL | 44.8  | 8.3  | 11.4         | 17.5      | 4.9   | 11.3                                    | 4.8                              | 1.9      |
| Honolulu, HI        | 18.9  | 3.8  | 6.4          | 9.3       | 2.8   | 6.0                                     | 1.3                              | 4.5      |
| Houston, TX         | 31.7  | 0.0  | 3.5          | 4.7       | 11.3  | 4.9                                     | 3.5                              | 0.0      |
| Indianapolis, IN    | 45.4  | 2.0  | 6.6          | 17.0      | 3.6   | 6.5                                     | 2.2                              | 1.7      |
| Laredo, TX          | 22.4  | 16.4                                       | 24.6         | 29.0      | 6.7   | 24.6                                    | 4.4                              | 3.4      |
| Las Vegas, NV       | 27.5  | 6.9  | 8.7          | 15.6      | 4.5   | 9.0                                     | 11.7                             | 4.6      |
| Minneapolis, MN     | 33.3  | 0.0  | 0.0          | 4.3       | 1.3   | 0.0                                     | N/A                              | N/A      |
| New Orleans, LA     | 41.1  | 5.2  | 6.0          | 9.8       | 6.1   | 5.5                                     | 10.2                             | 2.6      |
| New York, NY        | 53.0  | 9.1  | 11.8         | 15.9      | 7.3   | 12.1                                    | 9.4                              | 2.4      |
| Oklahoma City, OK   | 27.2  | 5.5  | 8.4          | 13.1      | 6.1   | 8.9                                     | 7.8                              | 3.1      |
| Omaha, NE           | 22.4  | 1.0  | 1.0          | 2.8       | 8.1   | 3.8                                     | 0.0                              | 1.0      |
| Phoenix, AZ         | 35.0  | 9.0  | 12.7         | 17.6      | 5.3   | 13.5                                    | 9.0                              | 3.5      |
| Portland, OR        | 29.9  | 7.9  | 10.1         | 16.6      | 6.5   | 11.7                                    | 12.0                             | 3.8      |
| Salt Lake City, UT  | 14.5  | 9.9  | 13.6         | 17.3      | 4.1   | 14.8                                    | 4.9                              | 6.5      |
| San Diego, CA       | 26.1  | 3.7  | 5.9          | 11.0      | 5.1   | 5.7                                     | 10.0                             | 4.3      |
| San Jose, CA        | 8.0   | 4.0  | 10.0         | 15.4      | 1.1   | 9.8                                     | 10.0                             | 1.0      |
| Tucson, AZ          | 49.6  | 19.8                                       | 24.4         | 33.3      | 6.5   | 14.3                                    | 7.0                              | 6.0      |
| Median              | 31.7  | 5.5  | 8.8          | 15.6      | 4.5   | 10.2                                    | 5.1                              | 3.3      |

<sup>a</sup>Arrestee tested positive for either crack or powder cocaine. <sup>b</sup>Asked of those who said they had used powder cocaine in the past year. <sup>c</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.



**Table 6: Use and Acquisition of MARIJUANA Among Adult Female Arrestees, 2000**

| Primary City        | Arrestees Testing Positive for Marijuana (%) | Arrestees Reporting Marijuana Use (%) |              |           | Average Number of Days in Past 30 Days Used | Acquired Marijuana in Past 30 Days |                                  |          |
|---------------------|--|---------------------------------------|--------------|-----------|---|------------------------------------|----------------------------------|----------|
|                     |  | Past 7 Days                           | Past 30 Days | Past Year |   | % of Arrestees                     | Mean Number of Days <sup>b</sup> |          |
|                     |  |                                       |              |           |   |                                    | Cash                             | Non-cash |
| Albany, NY          | 30.0   | 34.6                                  | 30.0         | 43.6      | 10.0  | 40.0                               | 15.2                             | 8.7      |
| Albuquerque, NM     | 18.4   | 26.9                                  | 36.5         | 37.6      | 11.2  | 31.7                               | 5.8                              | 7.3      |
| Anchorage, AK       | 27.7   | 26.1                                  | 32.4         | 37.4      | 9.2   | 32.4                               | 5.5                              | 4.6      |
| Birmingham, AL      | 17.8   | 26.8                                  | 33.3         | 39.0      | 6.3   | 32.1                               | 7.6                              | 4.3      |
| Cleveland, OH       | 24.0   | 33.7                                  | 30.4         | 51.0      | 3.3   | 41.5                               | 7.1                              | 3.9      |
| Denver, CO          | 33.8   | 44.6                                  | 41.0         | 58.5      | 6.6   | 52.4                               | 7.2                              | 4.5      |
| Des Moines, IA      | 36.4   | 31.3                                  | 52.0         | 42.9      | 8.1   | 28.6                               | 6.1                              | 8.1      |
| Detroit, MI         | 24.2   | 26.4                                  | 31.3         | 37.0      | 9.7   | 37.0                               | 14.3                             | 5.1      |
| Fort Lauderdale, FL | 28.2   | 24.5                                  | 33.3         | 42.3      | 12.3  | 29.9                               | 9.8                              | 5.6      |
| Honolulu, HI        | 18.9   | 30.5                                  | 30.4         | 39.5      | 8.7   | 32.5                               | 13.0                             | 5.3      |
| Houston, TX         | 26.7   | 27.1                                  | 32.9         | 46.9      | 8.2   | 39.3                               | 3.7                              | 2.6      |
| Indianapolis, IN    | 38.3   | 33.6                                  | 39.0         | 51.3      | 7.5   | 39.2                               | 5.4                              | 7.0      |
| Laredo, TX          | 17.2   | 14.8                                  | 38.2         | 22.6      | 9.5   | 18.0                               | 6.5                              | 5.4      |
| Las Vegas, NV       | 25.1   | 27.5                                  | 16.4         | 40.6      | 9.4   | 32.3                               | 5.0                              | 4.3      |
| Minneapolis, MN     | 44.4   | 22.7                                  | 33.5         | 64.8      | 8.3   | 21.7                               | 30.0                             | 2.5      |
| New Orleans, LA     | 28.0   | 27.8                                  | 34.8         | 41.3      | 7.0   | 32.3                               | 8.4                              | 3.7      |
| New York, NY        | 28.2   | 28.7                                  | 32.3         | 44.3      | 7.9   | 33.5                               | 12.9                             | 5.5      |
| Oklahoma City, OK   | 44.7   | 43.2                                  | 33.4         | 51.4      | 10.8  | 39.9                               | 5.7                              | 6.2      |
| Omaha, NE           | 32.9   | 18.4                                  | 45.2         | 33.0      | 10.5  | 23.6                               | 8.3                              | 8.7      |
| Phoenix, AZ         | 23.1   | 27.2                                  | 26.0         | 41.2      | 11.3  | 33.9                               | 4.8                              | 5.8      |
| Portland, OR        | 26.2   | 25.6                                  | 32.1         | 46.0      | 8.3   | 27.3                               | 5.6                              | 3.8      |
| Salt Lake City, UT  | 25.0   | 25.0                                  | 34.6         | 43.2      | 5.4   | 32.1                               | 3.7                              | 5.2      |
| San Diego, CA       | 27.2   | 29.6                                  | 32.5         | 45.2      | 8.2   | 37.9                               | 5.3                              | 5.5      |
| San Jose, CA        | 30.0   | 28.0                                  | 36.1         | 46.2      | 7.0   | 31.4                               | 5.0                              | 3.2      |
| Tucson, AZ          | 28.5   | 29.0                                  | 36.0         | 43.3      | 9.7   | 35.1                               | 3.9                              | 6.9      |
| Median              | 27.7   | 27.8                                  | 33.3         | 43.2      | 8.3   | 32.4                               | 6.1                              | 5.3      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year.<sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously.

**Table 7: Use and Acquisition of METHAMPHETAMINE Among Adult Female Arrestees, 2000**

| Primary City        | Arrestees Testing Positive for Methamphetamine (%) | Arrestees Reporting Methamphetamine Use (%) |              |           | Avg. No. of Days in Past 30 Days Used Methamphetamine <sup>a</sup> | Acquired Methamphetamine in Past 30 Days |                                  |          |
|---------------------|--|---|--------------|-----------|--|--|----------------------------------|----------|
|                     |  | Past 7 Days                                 | Past 30 Days | Past Year |  | % of Arrestees                           | Mean Number of Days <sup>b</sup> |          |
|                     |  |   |              |           |  |  | Cash                             | Non-cash |
| Albany, NY          | 0.0  | 0.0   | 0.0          | 0.0       | N/A  | 0.0                                      | N/A                              | N/A      |
| Albuquerque, NM     | 5.7  | 3.9   | 5.9          | 14.7      | 5.4  | 6.7                                      | 4.3                              | 2.6      |
| Anchorage, AK       | 0.8  | 0.7   | 2.2          | 3.6       | 6.7  | 2.2                                      | 1.0                              | 13.0     |
| Birmingham, AL      | 2.2  | 0.0   | 0.0          | 3.4       | 0.6  | 0.0                                      | N/A                              | N/A      |
| Cleveland, OH       | 0.0  | 0.0   | 0.2          | 0.9       | 1.9  | 0.2                                      | 2.0                              | 0.0      |
| Denver, CO          | 5.3  | 4.4   | 5.3          | 7.9       | 4.1  | 5.7                                      | 6.9                              | 5.7      |
| Des Moines, IA      | 20.5   | 17.4  | 21.3         | 22.4      | 9.4  | 18.4                                     | 5.5                              | 12.3     |
| Detroit, MI         | 0.0  | 1.9   | 1.9          | 1.9       | 1.3  | 1.9                                      | 0.0                              | 1.0      |
| Fort Lauderdale, FL | 0.0  | 0.5   | 1.0          | 1.0       | 21.4   | 1.0                                      | 8.0                              | 20.0     |
| Honolulu, HI        | 47.2   | 35.4  | 40.0         | 44.7      | 12.9   | 41.0                                     | 9.9                              | 9.3      |
| Houston, TX         | 1.7  | 1.8   | 1.8          | 1.6       | 15.0   | 1.6                                      | 0.0                              | 30.0     |
| Indianapolis, IN    | 0.7  | 0.7   | 1.3          | 2.6       | 3.6  | 1.3                                      | 2.0                              | 1.0      |
| Laredo, TX          | 0.0  | 0.0   | 0.0          | 0.0       | N/A  | 0.0                                      | N/A                              | N/A      |
| Las Vegas, NV       | 20.6   | 16.1  | 22.1         | 28.6      | 7.7  | 21.6                                     | 7.0                              | 7.7      |
| Minneapolis, MN     | 0.0  | 0.0   | 0.0          | 0.0       | N/A  | 0.0                                      | N/A                              | N/A      |
| New Orleans, LA     | 0.4  | 0.0   | 1.2          | 2.4       | 4.3  | 0.8                                      | 0.0                              | 1.5      |
| New York, NY        | 0.0  | 0.0   | 0.5          | 1.2       | 2.0  | 0.5                                      | 1.0                              | 1.0      |
| Oklahoma City, OK   | 16.2   | 12.3  | 15.4         | 17.9      | 10.4   | 15.0                                     | 8.4                              | 8.6      |
| Omaha, NE           | 13.2   | 8.6   | 13.3         | 15.2      | 7.3  | 12.3                                     | 6.0                              | 4.8      |
| Phoenix, AZ         | 24.1   | 17.9  | 22.0         | 26.8      | 8.9  | 22.4                                     | 9.0                              | 7.4      |
| Portland, OR        | 23.5   | 17.6  | 21.1         | 31.1      | 5.6  | 19.6                                     | 4.5                              | 5.2      |
| Salt Lake City, UT  | 28.9   | 18.8  | 25.0         | 34.6      | 10.2   | 23.5                                     | 5.5                              | 10.2     |
| San Diego, CA       | 28.7   | 27.8  | 31.4         | 36.3      | 8.8  | 31.1                                     | 10.4                             | 9.6      |
| San Jose, CA        | 40.0   | 32.0  | 38.0         | 44.2      | 10.3   | 37.3                                     | 6.5                              | 8.1      |
| Tucson, AZ          | 9.0  | 5.6   | 8.9          | 20.6      | 8.2  | 9.0                                      | 8.4                              | 8.4      |
| Median              | 5.3  | 3.9   | 5.3          | 7.9       | 7.5  | 5.7                                      | 5.5                              | 7.7      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year.<sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

**Table 8:** Use and Acquisition of HEROIN Among Adult Female Arrestees, 2000

| Primary City        | Arrestees Testing Positive for Opiates (%) | Arrestees Reporting Heroin Use (%) |              |           | Average No. of Days in Past 30 Days Used Heroin <sup>a</sup> | Acquired Heroin in Past 30 Days |                                  |          |
|---------------------|--|------------------------------------|--------------|-----------|--|---------------------------------|----------------------------------|----------|
|                     |  | Past 7 Days                        | Past 30 Days | Past Year |  | % of Arrestees                  | Mean Number of Days <sup>b</sup> |          |
|                     |  |                                    |              |           |  |                                 | Cash                             | Non-cash |
| Albany, NY          | 7.5  | 3.8                                | 5.8          | 7.1       | 9.0  | 5.5                             | 10.0                             | 1.0      |
| Albuquerque, NM     | 13.8                                       | 15.5                               | 16.5         | 22.2      | 9.3  | 17.3                            | 13.9                             | 8.9      |
| Anchorage, AK       | 8.4  | 1.5                                | 1.5          | 2.9       | 10.6   | 1.5                             | 19.5                             | 3.0      |
| Birmingham, AL      | 4.4  | 0.0                                | 0.0          | 3.4       | 9.8  | 0.0                             | N/A                              | N/A      |
| Cleveland, OH       | 6.6  | 4.5                                | 5.0          | 6.8       | 9.6  | 5.6                             | 16.0                             | 3.6      |
| Denver, CO          | 5.8  | 4.0                                | 5.3          | 7.0       | 9.9  | 5.2                             | 21.7                             | 3.3      |
| Des Moines, IA      | 6.8  | 2.1                                | 2.1          | 2.0       | 2.2  | 2.0                             | 0.0                              | 0.0      |
| Detroit, MI         | 24.2                                       | 11.3                               | 13.0         | 14.8      | 18.0   | 13.0                            | 27.0                             | 14.3     |
| Fort Lauderdale, FL | 7.2  | 2.1                                | 3.1          | 5.2       | 6.9  | 3.1                             | 16.0                             | 1.0      |
| Honolulu, HI        | 8.1  | 2.6                                | 3.8          | 8.1       | 9.4  | 3.6                             | 15.5                             | 16.5     |
| Houston, TX         | 3.3  | 0.0                                | 0.0          | 0.0       | 0.0  | 0.0                             | N/A                              | N/A      |
| Indianapolis, IN    | 6.4  | 1.3                                | 1.3          | 3.3       | 16.6   | 1.3                             | 30.0                             | 0.0      |
| Laredo, TX          | 6.9  | 3.3                                | 3.3          | 4.8       | 15.9   | 3.3                             | 20.5                             | 0.0      |
| Las Vegas, NV       | 4.9  | 2.6                                | 3.6          | 4.9       | 10.0   | 4.2                             | 19.8                             | 7.2      |
| Minneapolis, MN     | 5.6  | 0.0                                | 0.0          | 0.0       | 0.0  | 0.0                             | N/A                              | N/A      |
| New Orleans, LA     | 8.5  | 7.2                                | 8.0          | 11.1      | 10.4   | 7.5                             | 26.3                             | 10.2     |
| New York, NY        | 19.1                                       | 14.4                               | 15.6         | 16.9      | 15.3   | 16.3                            | 19.6                             | 5.2      |
| Oklahoma City, OK   | 4.6  | 1.0                                | 1.0          | 1.6       | 8.6  | 1.0                             | 30.0                             | 1.0      |
| Omaha, NE           | 1.3  | 1.0                                | 1.0          | 0.9       | 19.2   | 0.9                             | 30.0                             | 0.0      |
| Phoenix, AZ         | 6.4  | 5.8                                | 6.5          | 8.2       | 9.8  | 6.6                             | 21.2                             | 8.0      |
| Portland, OR        | 22.2                                       | 15.0                               | 16.7         | 19.6      | 14.0   | 15.2                            | 19.8                             | 12.1     |
| Salt Lake City, UT  | 9.2  | 4.9                                | 6.2          | 7.4       | 14.6   | 8.6                             | 22.7                             | 2.2      |
| San Diego, CA       | 7.5  | 6.6                                | 8.8          | 10.4      | 8.0  | 8.9                             | 14.3                             | 2.6      |
| San Jose, CA        | 4.0  | 2.0                                | 2.0          | 5.8       | 8.3  | 2.0                             | 27.0                             | 0.0      |
| Tucson, AZ          | 17.9                                       | 9.6                                | 10.4         | 14.2      | 13.4   | 11.9                            | 19.7                             | 14.3     |
| Median              | 6.9  | 3.3                                | 3.8          | 6.8       | 9.8  | 4.2                             | 19.8                             | 3.2      |

<sup>a</sup>Question was asked of arrestees who said they had used the drug in the past year. <sup>b</sup>Question was asked of arrestees who said they obtained the drug during the past 30 days.

Note: In sites where the number of arrestees acquiring the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

**Table 9: Heavy Drug Use and Risk for Dependence Among Adult Female Arrestees, 2000**

| Primary City        | Heavy Use <sup>a</sup> of any of Five Drugs (%) | Injected Drugs, Past Year (%) | At Risk for Drug Dependence <sup>b</sup> (%) |
|---------------------|---|-------------------------------|--|
| Albany, NY          | 35.2  | 2.0                           | 37.7   |
| Albuquerque, NM     | 45.3  | 19.2                          | 44.8   |
| Anchorage, AK       | 24.3  | 5.9                           | 25.7   |
| Birmingham, AL      | 21.1  | 3.5                           | 29.8   |
| Cleveland, OH       | 41.5  | 6.6                           | 50.9   |
| Denver, CO          | 40.2  | 12.0                          | 42.7   |
| Des Moines, IA      | 34.7  | 12.5                          | 28.6   |
| Detroit, MI         | 42.6  | 9.3                           | 48.1   |
| Fort Lauderdale, FL | 32.0  | 5.2                           | 35.8   |
| Honolulu, HI        | 41.0  | 7.3                           | 42.2   |
| Houston, TX         | 22.2  | 1.6                           | 29.5   |
| Indianapolis, IN    | 41.8  | 7.4                           | 43.5   |
| Laredo, TX          | 16.1  | 0.0                           | 21.3   |
| Las Vegas, NV       | 34.2  | 9.6                           | 39.2   |
| Minneapolis, MN     | 30.4  | 0.0                           | 17.4   |
| New Orleans, LA     | 35.0  | 7.4                           | 40.6   |
| New York, NY        | 46.4  | 10.3                          | 47.7   |
| Oklahoma City, OK   | 39.3  | 14.4                          | 43.3   |
| Omaha, NE           | 25.5  | 3.8                           | 26.0   |
| Phoenix, AZ         | 45.9  | 14.4                          | 43.7   |
| Portland, OR        | 42.4  | 24.6                          | 43.0   |
| Salt Lake City, UT  | 39.5  | 13.6                          | 49.4   |
| San Diego, CA       | 46.3  | 16.1                          | 51.4   |
| San Jose, CA        | 46.2  | 13.7                          | 46.2   |
| Tucson, AZ          | 45.2  | 17.9                          | 45.2   |
| Median              | 39.5  | 9.3                           | 42.7   |

<sup>a</sup>Heavy use is defined here, as in the National Household Survey on Drug Abuse, as 13 or more days of self-reported consumption of a drug in a 30-day period in the year before the interview. The five drugs considered here are cocaine, heroin, marijuana, methamphetamine, and PCP. This list of five was established by the National Institute on Drug Abuse as a standard panel of commonly used illegal drugs.

<sup>b</sup>Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding drug use experiences during the prior year.

Note: Questions were asked of arrestees who reported using drugs.

**Table 10: ALCOHOL Use and Risk for Dependence Among Adult Female Arrestees, 2000**

| Primary City        | Binge Drinking,<br>Past 30 Days <sup>a</sup> (%) | Heavy Drinking,<br>Past 30 Days <sup>b</sup> (%) | At Risk for Alcohol Dependence <sup>c</sup><br>(%) |
|---------------------|--|--|--|
| Albany, NY          | 40.7   | 13.2   | 16.7   |
| Albuquerque, NM     | 46.7   | 24.8   | 36.5   |
| Anchorage, AK       | 60.0   | 27.6   | 45.0   |
| Birmingham, AL      | 28.6   | 14.3   | 17.5   |
| Cleveland, OH       | 39.9   | 23.5   | 30.8   |
| Denver, CO          | 52.9   | 26.4   | 36.3   |
| Des Moines, IA      | 39.6   | 16.7   | 19.6   |
| Detroit, MI         | 40.7   | 33.3   | 26.4   |
| Fort Lauderdale, FL | 43.8   | 22.9   | 26.3   |
| Honolulu, HI        | 26.5   | 12.2   | 22.0   |
| Houston, TX         | 16.9   | 6.8  | 4.9  |
| Indianapolis, IN    | 33.6   | 17.2   | 23.3   |
| Laredo, TX          | 27.9   | 13.3   | 18.3   |
| Las Vegas, NV       | 34.4   | 18.8   | 25.2   |
| Minneapolis, MN     | 43.5   | 13.0   | 23.8   |
| New Orleans, LA     | 28.0   | 16.3   | 19.3   |
| New York, NY        | 18.8   | 11.3   | 15.5   |
| Oklahoma City, OK   | 43.1   | 22.4   | 31.3   |
| Omaha, NE           | 33.3   | 16.2   | 21.0   |
| Phoenix, AZ         | 37.5   | 21.5   | 25.1   |
| Portland, OR        | 22.6   | 12.4   | 18.1   |
| Salt Lake City, UT  | 25.6   | 11.5   | 13.8   |
| San Diego, CA       | 33.1   | 18.0   | 26.6   |
| San Jose, CA        | 33.3   | 11.8   | 23.1   |
| Tucson, AZ          | 44.2   | 25.6   | 31.1   |
| Median              | 34.4   | 16.3   | 23.3   |

<sup>a</sup>Binge drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on at least one occasion in a month.

<sup>b</sup>Heavy drinking is defined in the National Household Survey on Drug Abuse as consumption of five or more drinks on the same occasion on five or more days in a month.

<sup>c</sup>Dependence, an indication of need for treatment, is measured by a clinically based dependency screen regarding alcohol use experiences during the prior year.

Note: Questions were asked of arrestees who reported consuming alcohol. N/A = Not Applicable.

**Table 11: Last Drug Buy with Cash Was Outdoors Among Adult Female Arrestees, 2000**

| Primary City        | % of Last Buys with Cash in an Outdoor Location |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana                                       | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 8.3   | 40.0          | 0.0            | 100.0  | N/A             |
| Albuquerque, NM     | 0.0   | 13.6          | 0.0            | 11.1   | 0.0             |
| Anchorage, AK       | 10.0  | 18.8          | 0.0            | 0.0    | 50.0            |
| Birmingham, AL      | 0.0   | 0.0           | 0.0            | N/A    | N/A             |
| Cleveland, OH       | 53.3  | 59.4          | 23.5           | 64.7   | 0.0             |
| Denver, CO          | 30.3  | 51.1          | 14.3           | 50.0   | 16.7            |
| Des Moines, IA      | 22.2  | 33.3          | 0.0            | N/A    | 0.0             |
| Detroit, MI         | 25.0  | 54.5          | 0.0            | 16.7   | N/A             |
| Fort Lauderdale, FL | 12.0  | 37.8          | 0.0            | 25.0   | 0.0             |
| Honolulu, HI        | 18.2  | 57.1          | 0.0            | 100.0  | 35.3            |
| Houston, TX         | 0.0   | 55.6          | 50.0           | N/A    | N/A             |
| Indianapolis, IN    | 33.3  | 41.7          | 20.0           | 100.0  | 0.0             |
| Laredo, TX          | 0.0   | 50.0          | 40.0           | 0.0    | N/A             |
| Las Vegas, NV       | 9.1   | 37.3          | 13.3           | 22.2   | 0.0             |
| Minneapolis, MN     | 0.0   | 50.0          | N/A            | N/A    | N/A             |
| New Orleans, LA     | 64.1  | 75.6          | 33.3           | 66.7   | N/A             |
| New York, NY        | 51.8  | 70.9          | 63.2           | 70.9   | 100.0           |
| Oklahoma City, OK   | 18.4  | 10.5          | 0.0            | 100.0  | 16.7            |
| Omaha, NE           | 9.1   | 22.2          | N/A            | N/A    | 0.0             |
| Phoenix, AZ         | 17.1  | 26.4          | 27.3           | 47.6   | 15.8            |
| Portland, OR        | 23.8  | 41.7          | 53.3           | 67.9   | 17.4            |
| Salt Lake City, UT  | 33.3  | 0.0           | 33.3           | 50.0   | 10.0            |
| San Diego, CA       | 20.0  | 43.6          | 36.4           | 41.2   | 23.5            |
| San Jose, CA        | 14.3  | 33.3          | 100.0          | 0.0    | 25.0            |
| Tucson, AZ          | 27.3  | 18.8          | 46.2           | 18.2   | 0.0             |
| Median              | 18.2  | 40.0          | 20.0           | 48.8   | 12.9            |

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying the drug is small, these findings have low statistical reliability and should be interpreted cautiously. N/A=Not Applicable.

**Table 12: Any Failed Drug Buy in the Past 30 Days Among Adult Female Arrestees, 2000**

| Primary City        | % Reporting Failed Drug Buy in Last 30 Days |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana                                   | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 42.9  | 22.2          | 50.0           | 0.0    | N/A             |
| Albuquerque, NM     | 23.1  | 64.0          | 18.2           | 18.2   | 33.3            |
| Anchorage, AK       | 43.8  | 50.0          | 60.0           | 50.0   | 0.0             |
| Birmingham, AL      | 40.0  | 27.3          | 33.3           | N/A    | N/A             |
| Cleveland, OH       | 31.7  | 40.8          | 33.3           | 31.6   | 100.0           |
| Denver, CO          | 28.2  | 48.1          | 36.8           | 10.0   | 37.5            |
| Des Moines, IA      | 60.0  | 50.0          | 0.0            | N/A    | 25.0            |
| Detroit, MI         | 50.0  | 56.3          | 100.0          | 50.0   | N/A             |
| Fort Lauderdale, FL | 41.4  | 45.2          | 60.0           | 20.0   | 100.0           |
| Honolulu, HI        | 45.5  | 57.1          | 100.0          | 50.0   | 42.1            |
| Houston, TX         | 33.3  | 50.0          | 100.0          | N/A    | N/A             |
| Indianapolis, IN    | 41.7  | 48.8          | 20.0           | 50.0   | 100.0           |
| Laredo, TX          | 25.0  | 33.3          | 50.0           | 0.0    | N/A             |
| Las Vegas, NV       | 35.8  | 57.4          | 38.9           | 30.8   | 56.1            |
| Minneapolis, MN     | 100.0                                       | 0.0           | N/A            | N/A    | N/A             |
| New Orleans, LA     | 34.7  | 27.1          | 50.0           | 20.0   | N/A             |
| New York, NY        | 38.9  | 46.2          | 34.1           | 37.7   | 0.0             |
| Oklahoma City, OK   | 53.0  | 54.3          | 33.3           | 0.0    | 50.0            |
| Omaha, NE           | 58.3  | 44.4          | N/A            | 100.0  | 0.0             |
| Phoenix, AZ         | 41.7  | 29.6          | 22.2           | 29.2   | 42.0            |
| Portland, OR        | 16.0  | 23.1          | 40.0           | 21.9   | 29.2            |
| Salt Lake City, UT  | 60.0  | 0.0           | 14.3           | 33.3   | 27.3            |
| San Diego, CA       | 58.6  | 38.6          | 36.4           | 47.1   | 43.2            |
| San Jose, CA        | 75.0  | 66.7          | 0.0            | 100.0  | 7.7             |
| Tucson, AZ          | 33.3  | 52.8          | 43.8           | 25.0   | 25.0            |
| Median              | 41.7  | 46.2          | 36.8           | 30.8   | 35.4            |

Note: Question was asked of arrestees who said they had bought drugs with cash in the past 30 days. In sites where the number of arrestees buying a drug with cash in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.

**Table 13: Failed Drug Buy Due to Police Activity Among Adult Female Arrestees, 2000**

| Primary City        | % Reporting Last Failed Drug Buy Due to Police Activity |               |                |        |                 |
|---------------------|---|---------------|----------------|--------|-----------------|
|                     | Marijuana   | Crack Cocaine | Powder Cocaine | Heroin | Methamphetamine |
| Albany, NY          | 0.0   | 0.0           | 0.0            | N/A    | N/A             |
| Albuquerque, NM     | 0.0   | 18.8          | 0.0            | 0.0    | 0.0             |
| Anchorage, AK       | 0.0   | 0.0           | 16.7           | 100.0  | N/A             |
| Birmingham, AL      | 0.0   | 0.0           | 0.0            | N/A    | N/A             |
| Cleveland, OH       | 7.7   | 12.9          | 14.3           | 0.0    | 0.0             |
| Denver, CO          | 0.0   | 7.7           | 0.0            | 0.0    | 0.0             |
| Des Moines, IA      | 0.0   | 0.0           | N/A            | N/A    | 0.0             |
| Detroit, MI         | 0.0   | 14.3          | 0.0            | 0.0    | N/A             |
| Fort Lauderdale, FL | 16.7  | 5.3           | 0.0            | 0.0    | 0.0             |
| Honolulu, HI        | 0.0   | 0.0           | 0.0            | 0.0    | 0.0             |
| Houston, TX         | 0.0   | 0.0           | 0.0            | N/A    | N/A             |
| Indianapolis, IN    | 0.0   | 0.0           | 0.0            | 0.0    | 0.0             |
| Laredo, TX          | 0.0   | 0.0           | 0.0            | N/A    | N/A             |
| Las Vegas, NV       | 0.0   | 17.1          | 14.3           | 25.0   | 0.0             |
| Minneapolis, MN     | 0.0   | N/A           | N/A            | N/A    | N/A             |
| New Orleans, LA     | 5.9   | 12.5          | 33.3           | 33.3   | N/A             |
| New York, NY        | 11.9  | 29.1          | 28.6           | 26.1   | N/A             |
| Oklahoma City, OK   | 2.9   | 8.0           | 0.0            | N/A    | 18.2            |
| Omaha, NE           | 14.3  | 25.0          | N/A            | 0.0    | N/A             |
| Phoenix, AZ         | 0.0   | 13.8          | 16.7           | 14.3   | 9.5             |
| Portland, OR        | 0.0   | 16.7          | 0.0            | 0.0    | 0.0             |
| Salt Lake City, UT  | 16.7  | N/A           | 0.0            | 0.0    | 0.0             |
| San Diego, CA       | 11.8  | 17.6          | 0.0            | 0.0    | 0.0             |
| San Jose, CA        | 0.0   | 0.0           | N/A            | 0.0    | 0.0             |
| Tucson, AZ          | 0.0   | 10.5          | 14.3           | 0.0    | 0.0             |
| Median              | 0.0   | 8.0           | 0.0            | 0.0    | 0.0             |

Note: Question was asked of arrestees who said they had purchased drugs with cash in the past 30 days and had at least one failed drug buy. In sites where the number of arrestees with failed drug buys in the past 30 days is small, these findings have low statistical reliability and should be interpreted cautiously. N/A = Not Applicable.



**Table 14:** Drug, Alcohol, and Mental Health Treatment Status Among Adult Female Arrestees, 2000

| Primary City        | Drug or Alcohol Treatment (%) |           |                          |           | Inpatient Mental Health/Psychiatric Treatment (%) |           |
|---------------------|-------------------------------|-----------|--------------------------|-----------|---|-----------|
|                     | Outpatient                    |           | Inpatient or Residential |           | Ever  | Past Year |
|                     | Ever                          | Past Year | Ever                     | Past Year |   |           |
| Albany, NY          | 30.4                          | 9.4       | 26.8                     | 11.1      | 16.1  | 0.0       |
| Albuquerque, NM     | 25.7                          | 8.4       | 31.2                     | 12.0      | 15.6  | 2.8       |
| Anchorage, AK       | 34.8                          | 7.2       | 44.7                     | 4.4       | 18.4  | 2.9       |
| Birmingham, AL      | 16.9                          | 6.9       | 20.7                     | 5.3       | 15.5  | 3.5       |
| Cleveland, OH       | 26.3                          | 7.2       | 40.6                     | 13.6      | 20.7  | 3.3       |
| Denver, CO          | 21.0                          | 5.7       | 35.4                     | 12.8      | 14.8  | 2.2       |
| Des Moines, IA      | 24.5                          | 6.1       | 22.4                     | 4.1       | 10.2  | 0.0       |
| Detroit, MI         | 16.7                          | 7.4       | 22.2                     | 0.0       | 16.7  | 1.9       |
| Fort Lauderdale, FL | 21.6                          | 6.7       | 27.3                     | 5.7       | 13.4  | 0.0       |
| Honolulu, HI        | 21.8                          | 2.4       | 24.1                     | 3.5       | 9.2   | 2.4       |
| Houston, TX         | 7.8                           | 1.6       | 19.2                     | 6.3       | 9.4   | 1.6       |
| Indianapolis, IN    | 30.9                          | 9.3       | 29.2                     | 7.9       | 17.0  | 3.4       |
| Laredo, TX          | 8.1                           | 4.9       | 9.7                      | 6.5       | 3.2   | 1.6       |
| Las Vegas, NV       | 16.5                          | 3.7       | 26.3                     | 5.2       | 14.6  | 1.5       |
| Minneapolis, MN     | 13.0                          | 4.3       | 17.4                     | 4.3       | 8.7   | 4.3       |
| New Orleans, LA     | 11.1                          | 4.4       | 22.8                     | 4.8       | 15.0  | 2.0       |
| New York, NY        | 25.9                          | 11.1      | 26.7                     | 7.9       | 9.3   | 1.2       |
| Oklahoma City, OK   | 12.1                          | 4.5       | 31.3                     | 8.0       | 16.9  | 1.9       |
| Omaha, NE           | 14.2                          | 0.0       | 16.0                     | 0.9       | 20.8  | 2.8       |
| Phoenix, AZ         | 20.1                          | 3.4       | 26.9                     | 6.5       | 14.6  | 1.7       |
| Portland, OR        | 38.1                          | 13.3      | 44.1                     | 12.9      | 18.2  | 1.7       |
| Salt Lake City, UT  | 25.6                          | 13.6      | 29.3                     | 7.4       | 11.0  | 1.2       |
| San Diego, CA       | 21.1                          | 8.6       | 38.8                     | 13.5      | 23.8  | 1.8       |
| San Jose, CA        | 34.6                          | 7.7       | 25.0                     | 3.8       | 23.1  | 0.0       |
| Tucson, AZ          | 20.6                          | 4.4       | 36.9                     | 10.0      | 22.7  | 3.6       |
| Median              | 21.1                          | 6.7       | 26.8                     | 6.5       | 15.5  | 1.9       |