1-17-19



Alcohol and Drug Defense Program

> Alcohol and Other Drug Use Patterns Among Students In North Carolina Public Schools Grades 7-12

REGIONAL ANALYSIS

A Report by the
Alcohol and Drug Defense Program
A Division of the
North Carolina Department of
Public Instruction

ALCOHOL AND OTHER DRUG USE PATTERNS AMOUNG STUDENTS IN NORTH CAROLINA PUBLIC SCHOOLS GRADES 7-12

REGIONAL ANALYSIS

NCJRS

OCT 14 1938

ACQUISITIONS

A Report By The Alcohol and Drug Defense Division a Division of the North Carolina Department of Public Instruction

114947

U.S. Department of Justice National Institute of Justice

This document has been reproduced exactly as received from the person or organization originating it. Points of view or opinions stated in this document are those of the authors and do not necessarily represent the official position or policies of the National Institute of Justice.

Permission to reproduce this copyrighted material has been

granted by Jorth Carolina Department of Public Instruction

to the National Criminal Justice Reference Service (NCJRS).

Further reproduction outside of the NCJRS system requires permission of the copyright owner.

The following tables present survey highlights by educational region, starting with Region 1. There are eight tables for each region.

TABLE OF CONTENTS

Table	of	C	ontents	Page .iv
TABLE	Α.	• •		. 1
TABLE	B1	-	B8 Highlights from Drug Survey: Region 1	.2-9
TABLE	C1		C8 Highlights from Drug Survey: Region 2	10-17
TABLE	D 1	-	D8 Highlights from Drug Survey: Region 3	18-25
TABLE	E1	-	D8 Highlights from Drug Survey: Region 4	26-33
TABLE	F1	-	F8 Highlights from Drug Survey: Region 5	34-41
TABLE	G1	-	G8 Highlights from Drug Survey: Region 6	42-49
TABLE	Н1	-	H8 Highlights from Drug Survey: Region 7	50-57
TABLE	I1		I8 Highlights from Drug Survey: Region 8	

North Carolina Educational Regions




TABLE B1. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

SELECTED DRUGS	PERCE GRADES 7-8	INT OF STUD GRADES 9-10	ENTS GRADES 11-12	
Tobacco (cigarettes)	35.17	48.29	59.65	
Tobacco (smokeless)	15.54	23.05	32.18	
Alcohol	41.93	63.35	77.97	
Marijuana	9.59	27.10	52,92	
Hashish	1.81	10.31	20.98	
Cocaine	3.12	8.12	15.97	
Crack	1.55	3.44	2.11	
Hallucinogens (PCP, LSD)	3.11	5.33	10.31	
Uppers	4.40	19.06	28.03	
Downers	4.92	12.81	16.55	
Inhalants	14.51	21.63	23,61	

TABLE B2. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

SELECTED DRUGS	PERCE GRADES 7-8	OF STUD GRADES 9-10	ENTS GRADES 11-12
Tobacco (cigarettes)	12.60	21,60	32.65
Tobacco (smokeless)	4.11	4.66	3.78
Alcohol	18.13	36.11	56.36
Marijuana	2.83	12.11	25.69
Hashish	1.03	3.13	3.48
Cocaine	1.03	1.56	5.23
Crack	.78	1.25	1.05
Hallucinogens (PCP, LSD)	1.29	.93	1.40
Uppers	1.55	4.98	5.92
Downers	.78	4.36	3.48

TABLE B3. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCI 2-5 TIMES	ENT OF STUI 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	18.13 16.05 17.24	5.44 14.81 12.76	2.59 4.01 3.45	.52 .93 2.07	.78 .93 .34
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12		3.38 7.50 13,10		1.82 3.44 4.14	.52 .31 2.41
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	12.01 10.53 12.07	5.22 15.48 16.55		2.09 4.95 16.55	1.57 5.26 11.38
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	10.16 14.02 9.28	7.81 13.08 14.09	8.10	1.56 6.23 13.75	1.30 4.36 11.00

TABLE B4. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES
GRADES 7-8	72.45	12.95	8.82	2.48	3.31
GRADES 9-10	57.91	15.51	16.14	4.75	5.70
GRADES 11-12	39.22	17.31	17.67	11.31	14.49

TABLE B5. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS			
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12	
Teachers or Principal	.78	2.50	3.45	
Friends	5.71	13.12	16.55	
Police	1.04	3.75	12.76	
Parents or Family	5.19	10.90	17.93	
Adults in Neighborhood	2.34	2.80	4.48	

TABLE B6. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

		PERCENT OF STUDENTS						
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	II-36 TIMES	37-50 TIMES			
BEER Grades 7-8 Grades 9-10 Grades 11-12	21.30 15.53 11.34		· -	2.86 8.70 17.18	-			
WINE Grades 7-8 Grades 9-10 Grades 11-12		6.82 15.19 24.11	2.89 10.76 10.99	2.89 6.33 6.03	.52 2.53 4.96			
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	9.47 12.74 6.41	6.05 12.74 16.01	3.16 8.60 12.46	1.05 8.28 15.30	1.32 4.46 11.03			

TABLE B7. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	1-2	UDENTS 5 OR MORE DRINKS	
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	24.21 31.45 28.82	3.16 10.69 15.28	4.21 12.26 23.61
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	27.16	2.97 15.34 20.35	13.10
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	19.04 31.73 35.33	2.41 5.77 5.30	1.88 2.56 4.95
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	26.75	3.75 9.55 16.90	9.24

TABLE B8. PERCENT OF STUDENTS IN REGION ONE WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS GRADES GRADES GRADES			
PROBLEMS WITH:	7-8	9-10	11-12	
Teachers or Principal	1.03	1.58	2.08	
Friends the Same Age	1.82	4.42	7.64	
Police	.52	1.58	2.78	
Parents or Family	1.04	4.10	5.23	
Older Adults	1.30	.95	2.43	

TABLE C1. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

	PERCENT OF STUDENTS GRADES GRADES GRADES		
SELECTED DRUGS	7-8	9-10	11-12
Tobacco (cigarettes)	37.37	51.21	64.21
Tobacco (smokeless)	17.69	40.24	30.98
Alcohol	39.25	64.26	76.96
Marijuana	11.83	34.93	50.69
łashish	2.13	8.38	18.00
Cocaine	1.89	5.11	13.28
rack	1.07	1.20	1.75
allucinogens (PCP, LSD)	1.62	3.28	5.49
ppers	4.04	11.94	21.61
owners	5.39	8.08	12.24
nhalants	15.45	24.77	27.11

TABLE C2. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

SELECTED DRUGS	PERCE GRADES 7-8	NT OF STUD GRADES 9-10	ENTS GRADES 11-12
**************************************	TT 14841 40 045 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Tobacco (cigarettes)	13.71	23.51	28,29
Tobacco (smokeless)	4.81	5.36	6.45
Alcohol	21.45	44.94	61.39
Marijuana	4.28	15.22	22.19
Hashish	1.34	.90	2.01
Cocaine	1.07	.90	2.76
Crack	.53	.60	.50
Hallucinogens (PCP, LSD)	1.07	.60	1.01
Uppers	1.34	4.80	4.01
Downers	1.07	2.41	2.76

TABLE C3. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCI 2-5 TIMES	ENT OF STUI 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
	المراجعة المراجعة والمستحدة فالمراجعة المراجعة المراجعة المراجعة المراجعة المراجعة المراجعة والمراجعة				
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	16.58 20.90 14.18	13.13	2.14 2.09 2.74		.00 1.19 .75
403 and 400 files of the files of the sale	: mais 1200 Class (177 Note majs only 4700 Albert Note only No.				
At Party w/Peers and Parents					
GRADES 7-8 GRADES 9-10	6.43 10.78	4.29 10.78	.54 2.99	1.34 .90	.27 1.80
GRADES 11-12	8.48	* .	3.99	2.24	1.50
At Party w/Peers					
and No Parents GRADES 7-8	8.58	4.83	3.22	3.75	1.34
GRADES 9-10 GRADES 11-12	10.88 10.25	15.41	11.48	6.34	
At Home of Older	o pang 1906 cikin 1860 dala 1800 taga 1800 atau atau 1800 atau		**************************************	THE HOPE WHI COLD STAP THE THE WIND THE STAP THE	170 and and and and and and and
Teenagers or Adults					
GRADES 7-8 GRADES 9-10	10.78 12.01	5.39 13.81		1.62 6.61	1.35
GRADES 11-12	11.53	19.80	12.28	9.77	4.20 7.77

TABLE C4. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERCENT OF STUDENTS							
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES				
GRADES 7-8	81.18	7.02	7.30	1.69	2.81				
GRADES 9-10	61.04	15.34	13.50	4.91	5.21				
GRADES 11-12	48.36	13.86	18.14	7.87	11.84				

TABLE C5. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

PROBLEMS WITH:	PER GRADES 7-8	CENT OF ST GRADES 9-10	UDENTS GRADES 11-12
Teachers or Principal	1.62	3.00	2.99
Friends	5.66	10.48	13.68
Police	2, 16	2.69	4.74
Parents or Family	5.38	10.21	13.68
Adults in Neighborhood	3.23	3.89	2.99

TABLE C6. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

disseurs des fremendes et é set sat symalospeque, lem dent preci, i a senencia austres pet biene il Millancta m	Chamba rentable et di Hacifornia di Stato del La Sellia (Hacifornia Territornia Territornia Sellia College	PERC	ENT OF STU	DENTS	
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	TI-36 TIMES	37-50 TIMES
BEER Grades 7-8	20.38	10.46	5.36	4.56	1.34
Grades 9-10 Grades 11-12	15.32 11.50	18.62	9.91	8.71	6.31
WINE	19 40 15 15 15 15 15 15 15 15 15 15 15 15 15	প্ৰত্য বিষয় বহুত কৰাৰ কৰাৰ বাসত বৃহত্ত প্ৰথম বৃষয়।	· · · · · · · · · · · · · · · · · · ·	1675 1620 1680 1615 1616 1615 1615 1615 1615 1615 161	en e
Grades 7-8 Grades 9-10 Grades 11-12	15.88 16.11 14.43	18.24		3.34	2.74
(a) (u) (u) (u) (u) (u) (u) (u) (u) (u) (u	lpha in the season and the season and the constant was the constant which the constant which the constant was the constant which the constant was the constant which the constant was the constant which the constant which was the constant which we can be constant which the constant which we can be constant which which which we can be constant which which which we can be constant which which which we can be constant which which which we can be constant which which we can be constant which which which we can be constant which	$L {\cal F}_{q} I {\cal O}$, and the state of ${\cal F}_{q}$ and ${\cal F}_{q}$ and ${\cal F}_{q}$ and ${\cal F}_{q}$	1.	7.85	3.04
LIQUOR Grades 7-8 Grades 9-10	10.89 13.15	5.31 16.21	- •	3.07 6.12	1.12 4.28
Grades 11-12	12.02	16.37	10.23	12.02	8.18

TABLE C7. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	1-2	RCENT OF ST 3-4 DRINKS	5 OR MORE	
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	30.81	3.53 9.97 20.30	13.60	endervort-abace or a formal
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	27.36	3.95 12.16 23.29	14.89	ein upp den dien ein
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	23.81 33.34 31.38	4.20 5.15 8.67	3.64	
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12		2.24 10.06 13.99	10.06	. DES - 140 - 150

TABLE C8. PERCENT OF STUDENTS IN REGION TWO WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

PROBLEMS WITH:	PER GRADES 7-8	CENT OF STU GRADES 9-10	DENTS GRADES 11-12
Teachers or Principal	1.08	3.31	2.50
Friends the Same Age	2.17	6.95	6.77
Police	1.08	1.81	1.00
Parents or Family	1.63	4.52	5.50
Older Adults	1.63	2.11	2.50

TABLE D1. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

		NT OF STUD	
SELECTED DRUGS	GRADES 7-8	GRADES 9-10	GRADES 11-12
Tobacco (cigarettes)	40.19	53.77	54.27
Tobacco (smokeless)	21.99	22.28	25.40
Alcohol	41.01	61.59	73.92
Marijuana	16.55	37.65	46.38
Hash i sh	3.12	6.57	9.57
Cocaine	3.00	5,58	9.97
Crack	1.83	1,20	1.60
Hallucinogens (PCP, LSD)	2.55	3.61	5.65
Uppers	5.07	12.05	15.82
Downers	4.61	7.97	11.32
Inhalants	19.17	20.15	26.15

TABLE D2. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

SELECTED DRUGS	PERCE GRADES 7-8	ENT OF STUD GRADES 9-10	
Tobacco (cigarettes)	18.16	22.25	20.90
Tobacco (smokeless)	5.73	6.01	3.49
Alcohol	23.97	35.10	38.83
Marijuana	6.93	15.31	19.58
Hashish	.48	1.46	1.59
Cocaine	.69	2.16	2.13
Crack	.92	.24	.00
Hallucinogens (PCP, LSD)	1.15	1.20	27
Jppers	2.30	2.88	1.59
Downers	2.07	2.16	1.86

TABLE D3. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCE 2-5 TIMES	ENT OF STUD 6-10 TIMES	11-36	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	16.07		2.96 4.08 2.12		.68 .96 .00
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12		7.25	1.14 2.42 4.75	1.45	
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	9.15 13.01 15.87	13.25	5.03 9.16 12.79	2.52 6.75 9.21	2.06 5.30 6.36
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	10.05 12.56 15.95		4.57 7.97 9.84	2.51 4.83 7.61	1.60 4.11 5.31

TABLE D4. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS							
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES			
			in the state of th					
GRADES 7-8	70.66	11.97	10.09	3.05	4.23			
GRADES 9-10	63.30	12.07	13.79	5.17	5.67			
GRADES 11-12	44.63	20.39	17.91	5.51	11.57			

TABLE D5. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERCENT OF STUDENTS				
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12			
Teachers or Principal	2.05	2.88	1.59			
Friends	5.95	10.55	14.06			
Police	2.06	3.60	5.57			
Parents or Family	5.25	12.95	14.65			
Adults in Neighborhood	3.20	2.64	3.18			

TABLE D6. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

			ENT OF STUI	DENTS	
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	11-36 TIMES	37-50 TIMES
BEER Grades 7-8 Grades 9-10 Grades 11-12	18.33 16.51 12.06	14.35	7.19 9.81 10.19		
WINE Grades 7-8 Grades 9-10 Grades 11-12	13.27 16.79 18.80	9.95 15.31 19.35	4.27 5.93 8.45	-	-
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	10.35 8.44 10.93	7.06 13.90 15.25	3.29 7.69 8.91	2.35 7.20 9.26	2.12 4.22 4.36

TABLE D7. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	1-2	CENT OF ST 3-4 DRINKS	5 OR MORE	
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	31.86 29.97 35.05	3.72 13.19 12.77	4.19 9.59 14.40	
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	30.80	6.24 9.54 19.07	10,02	
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	22.17 27.76 30.60	2.17 4.42 8.47	3 19	mak ngg 400
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	23.04	4.80 7.35 12.97	7.84	

TABLE D8. PERCENT OF STUDENTS IN REGION THREE WHO REPORTED AT LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

PROBLEMS WITH:	PERCENT OF STUDENTS GRADES GRADES GRADES			
PROBLEMS WITH:	7-8	9-10	11-12	
Teachers or Principal	1.16	1.91	2.13	
Friends the Same Age	1.40	4.55	4.79	
Police	1.63	2.15	1.33	
Parents or Family	1.86	5.26	6.12	
Older Adults	2.09	2.63	1.86	

TABLE E1. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

	GRADES	PERCENT OF STUDENTS GRADES GRADES GRADES			
SELECTED DRUGS	7-8	9-10	11-12		
Tobacco (cigarettes)	37.83	55.19	63.03		
Tobacco (smokeless)	24.20	31.65	33.76		
Alcohol	38.99	62.16	75.58		
Marijuana	12.38	33.05	48.73		
Hashish	1.96	8.88	11.30		
Cocaine	1.80	5.50	11.04		
Crack	.79	2.33	2.09		
Hallucinogens (PCP, LSD)	1.60	4.25	6.78		
Uppers	5.39	15.01	21.56		
Downers	4.19	10.83	12.53		
Inhalants	15.37	23.45	26.92		

TABLE E2. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

	PERCENT OF STUDENTS GRADES GRADES			
SELECTED DRUGS	7-8	9-10	11-12	
Tobacco (cigarettes)	14.23	21.47	26.99	
Tobacco (smokeless)	6.71	6.98	9.41	
Alcohol	18.61	30.08	44.56	
Marijuana	3.35	10.95	15.45	
Hashish	.39	2.74	1.88	
Cocaine	.39	1.05	2.92	
Crack	•39	1.06	1.04	
Hallucinogens (PCP, LSD)	.39	1.69	.42	
Uppers	1.19	4.45	4.38	
Downers	1.58	4.24	3.14	

TABLE E3. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCI 2-5 TIMES	ENT OF STU 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	17.03 12.03 13.39	8.12 11.81 12.34	1.58 1.90 2.30	.59 1.05 2.09	.20 .42 1.67
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	=	3.77 6.14 12.32	.99 4.03 5.01	.79 1.69 2.51	.00 .64 2.09
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	9.98 15.01 11.92	7.19 14.38 19.46	4.19 7.40 13.39	4.65	.60 3.38 7.53
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	8.93 15.68 11.06	6.35 11.65 16.70	2.98 5.30 10.02	2.58 4.24 10.23	.60 3.60 6.68

TABLE E4. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERCENT OF STUDENTS				
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES	
0.0000000000000000000000000000000000000	77.40	10.00	0.04			
GRADES 7-8	77.10	10.08	8.61	.63	3.57	
GRADES 9-10	58.90	16.92	12.53	5.27	6.37	
GRADES 11-12	45.15	14.56	20.68	7.59	12.03	

TABLE E5. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS			
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12	
Teachers or Principal	1.79	2.76	3.54	
Friends	4.76	11.04	17.92	
Police	1.79	3.18	5.62	
Parents or Family	5.36	11.86	15.00	
Adults in Neighborhood	1.98	4.03	4.58	

TABLE E6. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

	PERCENT OF STUDENTS				
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	11-36 TIMES	37-50 TIMES
BEER Grades 7-8 Grades 9-10 Grades 11-12	16.08 15.79 10.25	18.53	9.68	3.14 5,47 13.81	
WINE Grades 7-8 Grades 9-10 Grades 11-12	15.24 16.01 13.67	10.98 14.25 20.82	4.27 5.70 11.06	5.48	-
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	9.76 12.45 11.06	5.49 13.10 14.75	2.24 6.11 11.93	2.24 5.24 11.93	.20 3.28 4.99

TABLE E7. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	PERCENT OF STUDENTS 1-2 3-4 5 OR MORE DRINKS DRINKS DRINKS					
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	26.43 33.97 28.96	3.55 8.70 13.74	2.37 7.64 20.51			
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	25.65	3.45 10.78 17.37	9.27			
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12		2.03 5.17 4.71	2.80			
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	22.73	2.43 6.49 12.63	7.79			

TABLE E8. PERCENT OF STUDENTS IN REGION FOUR WHO REPORTED AT LEAST LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	GRADES	NT OF STUD	GRADES
PROBLEMS WITH:	7-8	9-10	11-12
Teachers or Principal	1.00	2.56	3.55
Friends the Same Age	1.40	5.33	6.26
Police	.80	1.50	3,34
Parents or Family	2.00	5,77	5.85
Older Adults	1.20	2.78	3.34

TABLE F1. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

	PERCENT OF STUDENTS			
SELECTED DRUGS	GRADES 7-8	GRADES 9-10	GRADES 11-12	
Tobacco (cigarettes)	41.10	55.75	57.81	
Tobacco (smokeless)	25.32	34.58	32.89	
Alcohol	42.11	67.58	72.64	
lari juana	16.70	35.73	48.85	
lashish	5,03	8.19	14.50	
ocaine	3.80	5.25	9.25	
rack	1.89	1.24	.38	
allucinogens (PCP, LSD)	2.53	5.51	5.57	
ppers	9.26	16.38	24.08	
owners	7.63	10.70	14.40	
nhalants	21.78	27.89	25.48	

TABLE F2. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

	PERCENT OF STUDENTS				
SELECTED DRUGS	GRADES 7-8	GRADES 9-10	GRADES 11-12		
obacco (cigarettes)	21.01	27.65	28.46		
Tobacco (smokeless)	9.24	11.69	11.39		
Alcohol	22.72	34.16	41.79		
Marijuana	7.77	16.50	22.71		
ashish	1.89	1.49	1.34		
ocaine	1.05	1.24	2.67		
rack	.21	.25	.19		
allucinogens (PCP, LSD)	1.47	1.73	.76		
pers	4.42	6.20	5.93		
owners	3.79	3.72	3.44		

TABLE F3. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERC 2-5 TIMES	ENT OF STU 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	17.89 17.57 18.25	17.57	.84 4.70 3.99		.21 .50 .76
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	7.35 11.66 12.55		1.49	1.26 4.22 2.47	
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	9.28 12.66 12.21		10.92	4.85 6.45 13.74	
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	10.74 16.38 12.17		6.70	5.71	1.47 3.23 4.37

TABLE F4. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS							
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES			
GRADES 7-8	72.23	12.36	9.76	2.82	2.82			
GRADES 9-10	63.13	15.91	14.14	3.54	3.28			
GRADES 11-12	44.96	20.54	17.83	7.56	9.11			

TABLE F5. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS				
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12		
Teachers or Principal	1.89	3.95	.76		
riends	6.72	7.90	16.73		
olice	1.68	3.95	6.08		
arents or Family	6.30	10.12	19.58		
dults in Neighborhood	2.74	2.48	3.23		

TABLE F6. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

	PERCENT OF STUDENTS						
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	TI-36 TIMES	37-50 TIMES		
BEER Grades 7-8 Grades 9-10 Grades 11-12	14.41 18.41 10.75		6.57 7.71 14.59	-	2.12 5.97 9.98		
WINE Grades 7-8 Grades 9-10 Grades 11-12	14.63 17.39 16.37	20.97	3.49 10.49 13.21	1.31 4.35 5.52	.66 2.56 3.35		
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	9.98 13.27 10.85	8.24 17.09 17.95	5.64 8.67 12.82	3.90 6.38 13.02	1.08 4.85 5.52		

TABLE F7. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

	PERCENT OF STUDENTS 1-2 3-4 5 OR MORE					
BEVERAGE TYPE	DRINKS		DRINKS			
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	25.75 30.99 27.74	5.32 7.30 14.45	6.17 15.87 21.77			
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12		6.06 14.65 19.88	13.11			
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	24.13 36.24 36.35	2.61 7.46 6.88	1.96 3.08 6.09			
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	25.82	4.51 9.87 17.13	9.87			

TABLE F8. PERCENT OF STUDENTS IN REGION FIVE WHO REPORTED AT LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

PROBLEMS WITH:	PERCEI GRADES 7-8	NT OF STUD GRADES 9-10	ENTS GRADES 11-12	
Teachers or Principal	1.68	2.98	1.53	Maray proprietation
Friends the Same Age	3.16	5.71	6.33	
Police	2.11	2.73	1.34	
Parents or Family	2.53	4.71	5.95	
Older Adults	2,54	2.73	2.50	

TABLE G1. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

SELECTED DRUGS	PERCE GRADES 7-8	GRADES 9-10	DENTS GRADES 11-12
Tobacco (cigarettes)	33.79	55.65	55.89
Tobacco (smokeless)	23.63	30.44	41.13
Alcohol	39.51	66.33	79.46
Marijuana	15.99	37.65	49.75
Hashish	3,76	9.38	11.11
Cocaine	1.90	7.04	10.47
Crack	1.34	2.19	.99
Hallucinogens (PCP, LSD)	1.63	5.42	7.21
Uppers	7.10	19.36	24.69
Downers	7.08	12.83	16.83
Inhalants	20.19	28.40	30.00

TABLE G2. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

	PERCENT OF STUDENTS			
ELECTED DRUGS	GRADES 7-8	GRADES 9-10	GRADES 11-12	
obacco (cigarettes)	15.45	22.71	25.25	
obacco (smokeless)	9.16	9.24	14.63	
lcohol	21.41	36.65	49.63	
arijuana	6.45	13.77	22.06	
ashish	.27	1.81	1.23	
ocaine	.00	1.40	1.72	
rack	.27	.40	.00	
allucinogens (PCP, LSD)	.27	1.20	.49	
ppers	2.96	4.59	5.17	
wners	1.88	4.41	3.19	

TABLE G3. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERC 2-5 TIMES	ENT OF STU 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	14.67 15.34 11.52	15.34	2.45 3.19 5.15	.82 1.59 1.72	.54 .20 1.47
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12		5.45 9.16 15.84	3,19	.82 1.79 4.70	.27 .80 2.23
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	8.15 13.75 10.12	9.78 17.13 19.01		7.97	
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	9.54 11.93 9.85	5.99 15.51 17.49	2.45 9.15 12.81	3.54 6.96 11.08	1.91 4.17 8.37

TABLE G4. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERC			
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES
GRADES 7-8	73.79	13.39	7.12	2.23	3.42
GRADES 9-10	59.75	16.43	15.61	3/29	4.93
GRADES 11-12	41.65	13.72	24.19	7.98	12.47

TABLE G5. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERI GRADES	CENT OF STU GRADES	JDENTS GRADES
PROBLEMS WITH:	7-8	9-10	11-12
Teachers or Principal	2.19	2.00	3.70
Friends	7.40	14.00	17.00
Police	3.28	4.00	8.37
Parents or Family	7.38	11.78	17.20
Adults in Neighborhood	3.55	4.79	3.69

TABLE G6. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

		PERC	ENT OF STU	DENTS	
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	11-36 TIMES	37-50 TIMES
BEER Grades 7-8 Grades 9-10 Grades 11-12	16.62 14.97 9.78	12.26 17.17 15.40	3.54 11.78 9.54		-
WINE Grades 7-8 Grades 9-10 Grades 11-12	14.68 16.46 15.70	5.82 18.29 20.76	5.54 10.16 10.89	.55 4.07 7.34	
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	9.44 11.20 9.05	7.78 14.46 19.10	2.22 8.96 12.56	3.33 9.57 13.07	2.22 3.67 6.53

TABLE G7. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

	1-2 PER	CENT OF ST	UDENTS 5 OR MORE
BEVERAGE TYPE	DRINKS		DRINKS
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	30.86	2.46 13.63 18.43	12.42
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	25.00	3.32 15.16 22.52	14.55
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	20.17 33.47 35.16	2.24 5.13 8.23	1.68 4.72 4.49
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	24.79	3.65 12.40 18.20	8.33

TABLE G8. PERCENT OF STUDENTS IN REGION SIX WHO REPORTED AT LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

PROBLEMS WITH:	PERC GRADES 7-8	GRADES 9-10	DENTS GRADES 11-12	
Teachers or Principal	1.36	2.00	1.49	
Friends the Same Age	3.26	6.40	8.71	
Police	.82	1.40	2.49	
Parents or Family	2.72	4.99	7.48	
Older Adults	2.17	2.40	3.23	

TABLE H1. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

SELECTED DRUGS	PERCE GRADES 7-8	INT OF STUD GRADES 9-10	ENTS GRADES 11-12
Tobacco (cigarettes)	36.68	49.32	58.17
Tobacco (smokeless)	30.43	32.12	39.62
Alcohol	36.03	63.83	74.21
Marijuana	14.87	34.03	42.02
lashish	5.32	10.00	8.96
Cocaine	2.04	5.74	7.35
Crack	2.25	2.08	2.71
lallucinogens (PCP, LSD)	3.26	6.53	7.59
Jppers	10.00	21.07	25.21
Downers	6.53	15.00	17.89
Inhalants	13.37	25.68	25.79

TABLE H2. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

*** The second and the second of the second		NT OF STUD	
SELECTED DRUGS	GRADES 7-8	GRADES 9-10	GRADES 11-12
Tobacco (cigarettes)	14.37	23.86	26.36
Tobacco (smokeless)	11.95	10.78	14.85
Alcohol	16.29	35.03	40.42
Marijuana	6.31	13.02	15.87
Hashish	2.45	1.70	1.46
Cocaine	1.43	1.14	1.89
Crack	1.02	.19	.63
Hallucinogens (PCP, LSD)	1.22	.95	2.31
Uppers	3.47	5,69	8.58
Downers	3.46	5.12	6.88

TABLE H3. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERC 2-5 TIMES	ENT OF STU 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	14.01 11.55 10.02		.81 4.17 3.55	1.02 1.70 2.30	.01 .95 .63
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	5.93 10.61 10.67	2.85 9.47 10.04	1.43 4.92 5.23	.41 3.60 2.72	1.02 .38 1.88
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	8.57 12.14 8.79	7.10 16.89 18.41	3.27 10.44 12.97	2.45 9.68 13.60	
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	8.79 11.20 12.53	-	3.41 10.06 12.32	1.84 8.35 8.98	2.25 2.66 6.26

TABLE H2. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

SELECTED DRUGS	PERC GRADES 7-8	ENT OF STUL GRADES 9-10	DENTS GRADES 11-12
Tobacco (ciganottos)	14 27	22.06	25 25
Tobacco (cigarettes) Tobacco (smokeless)	14.37 11.95	23.86 10.78	26.36 14.85
Alcohol	16.29	35.03	40.42
Marijuana	6.31	13.02	15.87
Hashish	2.45	1.70	1.46
Cocaine	1.43	1.14	1.89
Crack	1.02	.19	.63
Hallucinogens (PCP, LSD)	1.22	.95	2.31
Uppers	3.47	5.69	8.58
Downers	3.46	5.12	6.88

TABLE H3. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCI 2-5 TIMES	ENT OF STUD 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12	11.55		.81 4.17 3.55		.01 .95 .63
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12			1.43 4.92 5.23	.41 3.60 2.72	1.02 .38 1.88
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12		16.89	3.27 10.44 12.97	9.68	
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	8.79 11.20 12.53	15.56	3.41 10.06 12.32	1.84 8.35 8.98	2.25 2.66 6.26

TABLE H4. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERCI			
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES
easy file least the region of the restrict terms as a first search of the substrate of the				at Zalakani Maliferia (m. 1944). A sama kana da ina sayaya da Citara (m. Talakana n.	
GRADES 7-8	77.75	9.96	7.20	2.54	2.54
GRADES 9-10	58.57	17.34	14.26	4.62	5.20
GRADES 11-12	43.20	16.63	20.09	7.56	12.53

TABLE H5. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		ENT OF STU	
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12
Teachers or Principal	2,06	4.37	3,33
Friends	6.98	14.12	13.75
Police	1.44	4.57	5.85
Parents or Family	4.56	11.81	18.96
Adults in Neighborhood	2.67	4.57	3.34

TABLE H6. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

			ENT OF STU		
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	TI-36 TIMES	37-50 TIMES
BEER Grades 7-8 Grades 9-10 Grades 11-12	14.00 12.12 10.19	12.17 16.10 14.35	4.26 10.80 15.38	. •	2.23 4.17 8.94
WINE Grades 7-8 Grades 9-10 Grades 11-12	14.76 15.38 12.23	9.98 18.85 19.96	3.95 10.58 14.59	1.04 3.65 6.87	-
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	10.01 12.88 9.19	5.86 13.08 19.44	2.29 10.58 13.89	2.92 8.27 11.97	2.92 3.85 4.91

TABLE H7. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	1-2	CENT OF ST 3-4 DRINKS	UDENTS 5 OR MORE DRINKS
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12	30.77	4.72 9.62 11.81	11.73
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	26.97	3.19 14.07 21.31	12.33
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12		3.31 6.56 6.41	3.86
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12	23.50	4.22 8.48 13.83	11.37

TABLE H8. PERCENT OF STUDENTS IN REGION SEVEN WHO REPORTED AT LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		NT OF STUD	
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12
eachers or Principal	2,25	3.27	.84
Friends the Same Age	3.89	8.46	4.61
Police	1.23	1.92	.84
Parents or Family	2.66	6.91	3.16
older Adults	2.66	3.45	1.26

TABLE I1. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED EVER TRYING SELECTED DRUGS BY GRADE GROUPING.

SELECTED DRUGS	PERCE GRADES 7-8	NT OF STUD GRADES 9-10	ENTS GRADES 11-12	
Tobacco (cigarettes) Tobacco (smokeless)	36.70 35.98	51.88 43.39	55.81 39.22	
Alcohol	36.07	64.04	78.53	
Marijuana	11.11	30.56	45.66	
Hashish	3.42	8.05	10.08	
Cocaine	2.65	5.81	6.74	
Crack	2.11	3.91	2.52	
Hallucinogens (PCP, LSD)	3.72	4.90	6.18	
Uppers	5.32	18.10	24.93	
Downers	6.12	13.99	15.41	
Inhalants	16.98	29.25	22.66	

TABLE 12. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED USING SELECTED DRUGS BY GRADE GROUPING (WITHIN 30 DAYS PRECEDING THE SURVEY).

SELECTED DRUGS	PERCE GRADES 7-8	NT OF STUD GRADES 9-10	ENTS GRADES 11-12
Tobacco (cigarettes)	14.62	23,22	24.02
Tobacco (smokeless)	15.97	21.43	18.44
Alcohol	15.34	33.03	41.85
Marijuana	4.71	12.84	16.85
Hashish	1.05	2.98	1.68
Cocaine	1.31	2.07	1.96
Crack	1.05	1.61	.28
Hallucinogens (PCP, LSD)	1.32	.92	1.12
Uppers	2.89	6.90	8.66
Downers	2.88	4.61	6.16

TABLE 13. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED DRINKING BY LOCATION OF DRINKING, FREQUENCY OF DRINKING, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

LOCATION/GRADE GROUPING	ONCE	PERCI 2-5 TIMES	ENT OF STUI 6-10 TIMES	DENTS 11-36 TIMES	37-50 TIMES
At Home w/Family GRADE 7-8 GRADE 9-10 GRADE 11-12		5.57 8.92 11.17	1.86 2.97 5.03	1.06 1.37 1.96	1.06 .23 .56
At Party w/Peers and Parents GRADES 7-8 GRADES 9-10 GRADES 11-12		2.92 7.59 11.24		.53 1.61 3.65	.80 1.61 .84
At Party w/Peers and No Parents GRADES 7-8 GRADES 9-10 GRADES 11-12	6.38 9.91 10.11		3.19 9.68 10.96	1.60 6.22 8.43	2.13 7.60 8.43
At Home of Older Teenagers or Adults GRADES 7-8 GRADES 9-10 GRADES 11-12	9.81 10.34 9.24	4.24 17.24 20.17	4.77 6.67 13.45	.80 8.28 8.68	1.86 3.68 5.88

TABLE 14. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED RIDING WITH A TEENAGE DRIVER WHO WAS DRINKING BY FREQUENCY OF OCCURRENCE AND GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

		PERC		DENTS	
GRADE GROUPING	NEVER	ONCE	2-5 TIMES	6-10 TIMES	MORE THAN 10 TIMES
GRADES 7-8	72.97	12.79	6.98	2.62	4.65
GRADES 9-10	61.45	13.01	15.18	3.37	6.99
GRADES 11-12	44.25	17.24	21.55	7.18	9.77

TABLE I5. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED AT LEAST ONE PROBLEM CAUSED BY ALCOHOL USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS			
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12	
Teachers or Principal	2.38	6,21	3.35	
Friends	6.08	13.39	15.69	
Police	2.92	5.53	4.49	
Parents or Family	5.82	13.86	15.41	
Adults in Neighborhood	2.91	4.61	3.92	

TABLE 16. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED DRINKING BY FREQUENCY OF DRINKING, BEVERAGE TYPE, AND GRADE GROUPING (IN THE YEAR PRECEDING SURVEY).

		PERC	ENT OF STU	DENTS	
BEVERAGE TYPE	ONCE	2-5 TIMES	6-10 TIMES	11-36 TIMES	37-50 TIMES
BEER Grades 7-8 Grades 9-10 Grades 11-12	11.84 13.76 12.32	13.99	11.24		3.16 8.03 10.92
WINE Grades 7-8 Grades 9-10 Grades 11-12	14.10 13.18 13.71		9.41	1.86 3.76 7.14	1.33 2.35 2.86
LIQUOR Grades 7-8 Grades 9-10 Grades 11-12	10.19 9.41 11.46		3.49 9.88 12.32	1.88 6.82 10.60	2.68 5.41 7.45

TABLE I7. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED DRINKING BY NUMBER OF DRINKS CONSUMED AT ONE TIME, BEVERAGE TYPE, AND GRADE GROUPING.

BEVERAGE TYPE	1-2 DRINKS	CENT OF ST 3-4 DRINKS	UDENTS 5 OR MORE DRINKS
12-oz. Cans or Bottles of Beer Grades 7-8 Grades 9-10 Grades 11-12		5.04 10.37 14.49	18.66
12-oz. Bottles of Wine Cooler Grades 7-8 Grades 9-10 Grades 11-12	16.89 23.77 26.50	4.02 13.18 17.38	16.24
Glasses of Wine Grades 7-8 Grades 9-10 Grades 11-12	17.16 30.56 33.43	1.61 5.92 9.43	2.68 5.69 5.14
Mixed Drinks or Shots of Liquor Grades 7-8 Grades 9-10 Grades 11-12		2.15 9.84 13.35	-

TABLE 18. PERCENT OF STUDENTS IN REGION EIGHT WHO REPORTED AT LEAST ONE PROBLEMS CAUSED BY MARIJUANA USE BY GRADE GROUPING (IN THE YEAR PRECEDING THE SURVEY).

	PERCENT OF STUDENTS				
PROBLEMS WITH:	GRADES 7-8	GRADES 9-10	GRADES 11-12		
Teachers or Principal	1.58	3.70	2.53		
Friends the Same Age	3.17	5.56	7.58		
Police	2.37	2.31	1.40		
Parents or Family	2.11	5.32	5.06		
Older Adults	2.37	2.78	2.53		