

	NIJ
Special	REPORT
Test Results for Hardware Write Block Device: Wiebe SATADock (USB Interface)	eTech Forensic

www.ojp.usdoj.gov/nij

U.S. Department of Justice Office of Justice Programs 810 Seventh Street N.W. Washington, DC 20531 Alberto R. Gonzales Attorney General Regina B. Schofield Assistant Attorney General Glenn R. Schmitt Acting Director, National Institute of Justice This and other publications and products of the National Institute of Justice can be found at: **National Institute of Justice** www.ojp.usdoj.gov/nij Office of Justice Programs Partnerships for Safer Communities www.ojp.usdoj.gov



DEC. 06

Test Results for Hardware Write Block Device: WiebeTech Forensic SATADock (USB Interface)



Glenn R. Schmitt

Acting Director

This report was prepared for the National Institute of Justice, U.S. Department of Justice, by the Office of Law Enforcement Standards of the National Institute of Standards and Technology under Interagency Agreement 2003–IJ–R–029.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance, the Bureau of Justice Statistics, the Office of Juvenile Justice and Delinquency Prevention, and the Office for Victims of Crime.

Test Results for Hardware Write Block Device: WiebeTech Forensic SATADock (USB Interface)

December 2006



Contents

Iı	ntrodu	uction	3
T	est Re	esults for Hardware Write Block Devices	4
1	Res	esults Summary by Requirements	4
2		est Case Selection	
3	Ob	oservations	5
4		esting Environment	
	4.1	Test Computers	
	4.2	Protocol Analyzer	5
	4.3	Hard Disk Drives	
	4.4	Support Software	
5	Tes	est Results	
	5.1	Test Results Report Key	
	5.2	Test Details	

Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the National Institute of Justice (NIJ), the research and development organization of the U.S. Department of Justice, and the National Institute of Standards and Technology's (NIST's) Office of Law Enforcement Standards (OLES) and Information Technology Laboratory (ITL). CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, Internal Revenue Service Criminal Investigation's Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of Immigration and Customs Enforcement and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. This approach to testing computer forensic tools is based on well-recognized methodologies for conformance and quality testing. The specifications and test methods are posted on the CFTT Web site (http://www.cftt.nist.gov/) for review and comment by the computer forensics community.

This document reports the results from testing the **WiebeTech Forensic SATADock** (**USB Interface**) write blocker, against the *Hardware Write Blocker* (*HWB*) *Assertions and Test Plan Version 1.0*, available at the CFTT Web site (http://www.cftt.nist.gov/HWB-ATP-19.pdf). This specification identifies the following top-level tool requirements:

- A hardware write block (HWB) device shall not transmit a command to a protected storage device that modifies the data on the storage device.
- An HWB device shall return the data requested by a read operation.
- An HWB device shall return without modification any access-significant information requested from the drive.
- Any error condition reported by the storage device to the HWB device shall be reported to the host.

Test results from other software packages and the CFTT tool methodology can be found on NIJ's computer forensics tool testing Web page, http://www.ojp.usdoj.gov/nij/topics/ecrime/cftt.htm.

Test Results for Hardware Write Block Devices

Device Tested: WiebeTech Forensic SATADock (USB Interface)

Model: FSDK

Serial No: 40701000039

Firmware: 22:32:43 Jan 11 2004 v1.05.0000

Host to Blocker Interface: USB Blocker to Drive Interface: SATA

Supplier: WiebeTech LLC

Address: WiebeTech LLC

8200 East 34th Street North #1404

Wichita, KS 67226 866–744–8722

http://www.wiebetech.com/

1 Results Summary by Requirements

An HWB device shall not transmit a command to a protected storage device that modifies the data on the storage device.

For all test cases run, the device always blocked any commands that would have changed user or operating system data stored on a protected drive.

An HWB device shall return the data requested by a read operation.

For all test cases run, the device always allowed commands to read the protected drive.

An HWB device shall return without modification any access-significant information requested from the drive.

For all test cases run, the device always returned access-significant information from the protected drive without modification.

Any error condition reported by the storage device to the HWB device shall be reported to the host.

For all test cases run, the device always returned error codes from the protected drive without modification.

2 Test Case Selection

Since a protocol analyzer was not available for the interface between the blocker and the protected drive, the following test cases were appropriate: HWB-02, HWB-04, HWB-05, HWB-07, HWB-08, and HWB-09.

For test case HWB-04, two variations were selected: file (attempt to use operating system commands to create and delete file system objects (files and directories) from a protected drive) and image (use an imaging tool to attempt to write to a protected drive).

For test case HWB–07, one variation was selected: ix (use a stand-alone imaging tool (IXimager) to read from a protected drive).

3 Observations

For test case HWB-04-file, the protected drive was set up with two partitions, FAT32 and NTFS. The NTFS partition was not visible or accessable to Windows XP. It was therefore not possible to attempt to create or delete files and directories from the NTFS partition. In addition, the operating system on the test computer (Freddy) stopped responding during the test after an attempt to modify the FAT32 partition of the protected drive. Disconnecting the USB cable restored operation. In no case was the protected drive modified.

4 Testing Environment

The tests were run in the NIST CFTT lab. This section describes the hardware (test computers and hard drives) available for testing.

4.1 Test Computers

One test computer was used: **Freddy**, which has the following configuration:

Intel Desktop Motherboard D865GB/D865PERC (with ATA-6 IDE onboard controller)

BIOS Version BF86510A.86A.0053.P13

Adaptec SCSI BIOS V3.10.0

Intel PentiumTM 4 CPU

SONY DVD RW DRU-530A, ATAPI CD/DVD-ROM drive

1.44MB floppy drive

Two slots for removable IDE hard disk drives

Two slots for removable SATA hard disk drives

Two slots for removable SCSI hard disk drives

4.2 Protocol Analyzer

A Data Transit bus protocol analyzer (Bus Doctor Rx) was used to monitor and record commands sent from the host to the write blocker. Two identical protocol analyzers were available for monitoring commands.

One of two Dell laptop computers (either Chip or Dale) was connected to each protocol analyzer to record commands observed by the protocol analyzer.

4.3 Hard Disk Drives

The hard disk drives used in testing are described below.

```
Drive label: 109
Partition table Drive /dev/hdg
09728/254/63 (max cyl/hd values)
```

```
09729/255/63 (number of cyl/hd)
156301488 total number of sectors
IDE disk: Model (WDC WD800JD-32HKA0) serial # (WD-WMAJ91407692)
N Start LBA Length Start C/H/S End C/H/S boot Partition type
Drive label: 11
Partition table Drive /dev/sda
19456/254/63 (max cyl/hd values)
19457/255/63 (number of cyl/hd)
312581808 total number of sectors
Non-IDE disk
Model (WDC WD1600JD-00G) serial # (WD-WMAEP1785434)
N Start LBA Length Start C/H/S End C/H/S boot Partition type
2 S 000000063 000032067 0001/001/01 0002/254/63
                                     01 Fat12
Drive label: 0A
Partition table Drive /dev/hde
09728/254/63 (max cyl/hd values)
09729/255/63 (number of cyl/hd)
156301488 total number of sectors
IDE disk: Model (WDC WD800JD-32HKA0) serial # (WD-WMAJ91508343)
N Start LBA Length Start C/H/S End C/H/S boot Partition type
1 P 000000063 156280257 0000/001/01 1023/254/63 Boot 07 NTFS
```

P primary partition (1–4) S secondary (sub) partition X primary extended partition (1–4) x secondary extended partition

4.4 Support Software

The software in the following table was used to send commands to the protected drive. One widely used imaging tool, IXimager, was used to generate disk activity (reads and writes) consistent with a realistic scenario of an accidental modification of an unprotected hard drive during a forensic examination. This does not imply an endorsement of the imaging tool.

Program	Description
sendSCSI	A tool to send SCSI commands wrapped in the USB or IEEE 1394 (FireWire)
	protocols to a drive.
FS-TST	Software from the FS–TST tools was used to generate errors from the hard drive
	by trying to read beyond the end of the drive. The FS–TST software was also used
	to setup the hard drives and print partition tables and drive size.
IXimager	An imaging tool (ILook IXimager version 1.0, August 25, 2004) for test case 04-
	img.

5 Test Results

The main item of interest for interpreting the test results is determining the conformance of the device with the test assertions. Conformance with each assertion tested by a given test case is evaluated by examining the Blocker Input and Blocker Output boxes of the test report summary.

5.1 Test Results Report Key

A summary of the actual test results is presented in this report. The following table presents a description of each section of the test report summary.

Heading	Description
First Line	Test case ID; name, model, and interface of device tested.
Case Summary	Test case summary from <i>Hardware Write Blocker (HWB)</i>
	Assertions and Test Plan Version 1.0.
Assertions Tested	The test assertions applicable to the test case, selected from
	Hardware Write Blocker (HWB) Assertions and Test Plan
	Version 1.0.
Tester Name	Name or initials of person executing test procedure.
Test Date	Time and date that test was started and completed.
Test Configuration	Identification of the following:
	1. Host computer for executing the test case.
	2. Laptop attached to each protocol analyzer.
	3. Protocol analyzers monitoring each interface.
	4. Interface between host and blocker.
	5. Interface between blocker and protected drive.
	6. Execution environment for tool sending commands
	from the host.
Hard Drives Used	Description of the protected hard drive.
Blocker Input	For test case HWB–02, a list of commands sent is provided.
	For test cases HWB-02 and HWB-04, an SHA1 value for
	the entire drive is provided for reference.
	For test case HWB–05, a string of known data from a given location is provided for reference.

Heading	Description
Blocker Output	For test cases HWB-02, HWB-04, and HWB-07, an SHA1
	value computed after commands are sent to the protected
	drive is given for comparison to the reference SHA1 value.
	For test case HWB–05, a string read from a given location is provided for comparison to known data.
	For test case HWB–08, the number of sectors determined for the protected drive and the partition table are provided.
	For test case HWB–09, any error return obtained by trying to access a nonexistent sector of the drive is provided.
Results	Expected and actual results for each assertion tested.
Analysis	Whether or not the expected results were achieved.

5.2 Test Details

Test Case HWB-02	Variation hwb-02 WiebeTech Forensic SATADOCK (USB)	
Case Summary:	HWB-02 Identify modifying commands blocked by the HWB.	
Assertions	HWB-AM-01 The HWB shall not transmit any modifying category	
Tested:	operation to the protected storage device.	
Tester Name:	kbr	
Test Date:	run start Mon Apr 10 13:57:22 2006	
	run finish Mon Apr 10 14:04:05 2006	
Test	HOST: freddy	
Configuration:	HostToBlocker Monitor: dale	
	HostToBlocker PA: aa00155	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: Linux	
Drives:	Protected drive: 109	
	109 is a SATA drive with 156301488 sectors (80 GB)	
Blocker Input:	SHA of 109 is FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -	
	Commands Sent to Blocker	
	63 MODE	
	126 PREVENT/ALLOW	
	189 READ	
	42 READ(10)	
	683 REQUEST_SENSE	
	1 SEND(6)	
	252 TEST	
	4 WRITE	
	1 WRITE(10)	
	1 WRITE(12)	
	1 WRITE/VERIFY	
Blocker Output:	CMD: /mnt/floppy/diskhash.csh hwb freddy kbr /dev/sdb 109 -	

Test Case HWB-02	Variation hwb-02 WiebeTech Forens	ic SATADOCK (USB)
	after	
	FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -	
Results:	Assertion & Expected Result	Actual Result
	AM-01 Modifying commands	Modifying commands
	blocked	blocked
Analysis:	Expected results achieved	

Test Case HWB-04	Variation hwb-04-file WiebeTech Fo	orensic SATADOCK (USB)	
Case Summary:	HWB-04 Attempt to modify a protectools.	ted drive with forensic	
Assertions Tested:	HWB-AM-01 The HWB shall not transmit any modifying category operation to the protected storage device.		
Tester Name:	kbr		
Test Date:	run start Tue May 2 13:03:35 2006 run finish Wed May 3 11:48:17 2006		
Test Configuration:	HOST: freddy HostToBlocker Monitor: none HostToBlocker PA: none HostToBlocker Interface: USB BlockerToDrive Monitor: none BlockerToDrive PA: none BlockerToDrive Interface: SATA Run Environment: WXP		
Drives:	Protected drive: 11 11 is a SATA drive with 312581808	sectors (160 GB)	
Blocker Input:	SHA of 11 is 2653AA0443BB572C36DD42E5FF21FA15362740AA - Commands are sent to blocker by OS operations: @echo off REM %1 is the directory where alpha, beta & gamma are created REM Redirect the output to a logfile REM hwb-mod . X: > dir-setup.txt echo "mod: %1" mkdir %1\delta rmdir %1\gamma copy %1\beta\zeta.txt %1\alpha copy %1\beta\zeta.txt %1\delta del %1\beta\zeta.txt dir %1 /b /s		
Blocker Output:	Results for FAT partition: "mod: d:" Final SHA1 value: CMD: /mnt/floppy/diskhash.csh hwb-04-file freddy kbr /dev/sdb 11 -after 2653AA0443BB572C36DD42E5FF21FA15362740AA -		
Results:	Assertion & Expected Result	Actual Result	
	AM-01 Modifying commands blocked	Modifying commands blocked	

Test Case	HWB-04	Variation	hwb-04-file	WiebeTech	Forensic	SATADOCK	(USB)
Analysis:		Expected	results achi	eved			

Test Case HWB-04	Variation hwb-04-img WiebeTech Fo	rensic SATADOCK (USB)	
Case Summary:	HWB-04 Attempt to modify a protected drive with forensic		
	tools.		
Assertions	HWB-AM-01 The HWB shall not trans	HWB-AM-01 The HWB shall not transmit any modifying category	
Tested:	operation to the protected storage	ge device.	
Tester Name:	kbr		
Test Date:	run start Tue Apr 11 15:12:24 200	16	
	run finish Tue Apr 11 15:23:14 20	106	
Test	HOST: freddy		
Configuration:	HostToBlocker Monitor: none		
	HostToBlocker PA: none		
	HostToBlocker Interface: USB		
	BlockerToDrive Monitor: none		
	BlockerToDrive PA: none		
	BlockerToDrive Interface: SATA		
	Run Environment: IXimager		
Drives:	Protected drive: 109		
	109 is a SATA drive with 156301488 sectors (80 GB)		
Blocker Input:	SHA of 109 is FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -		
	Commands are sent to blocker by imaging tool		
Blocker Output:	CMD: /mnt/floppy/diskhash.csh hwb freddy kbr /dev/sdb 109 -		
	FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -		
Results:	Assertion & Expected Result	Actual Result	
	AM-01 Modifying commands	Modifying commands	
	blocked	blocked	
Analysis:	Expected results achieved		

Test Case HWB-05	Variation hwb-05 WiebeTech Forensic SATADOCK (USB)
Case Summary:	HWB-05 Identify read commands allowed by the HWB.
Assertions	HWB-AM-02 If the host sends a read category operation to the
Tested:	HWB and no error is returned from the protected storage
	device to the HWB, then the data addressed by the original
	read operation is returned to the host.
Tester Name:	kbr
Test Date:	run start Thu May 11 14:19:06 2006
	run finish Thu May 11 14:37:42 2006
Test	HOST: freddy
Configuration:	HostToBlocker Monitor: dale
	HostToBlocker PA: aa00155
	HostToBlocker Interface: USB
	BlockerToDrive Monitor: none
	BlockerToDrive PA: none
	BlockerToDrive Interface: SATA
	Run Environment: Linux

Test Case HWB-05	Variation hwb-05 WiebeTech Forensic SATADOCK (USB)	
Drives:	Protected drive: 0a	
Blocker Input:	Commands Sent to Blocker Read sector 32767 for the string: 00002/010/08 000000032767	
Blocker Output:	00032/008/08 000000032767	
Results:	Assertion & Expected Result Actual Result	
	AM-02 Read commands allowed Read commands allowed	
Analysis:	Expected results achieved	

Test Case HWB-07	7 Variation hwb-07 WiebeTech Foren	sic SATADOCK (USB)
Case Summary:	HWB-07 Read a protected drive wit	th forensic tools.
Assertions Tested:	HWB-AM-02 If the host sends a real HWB and no error is returned from device to the HWB, then the data read operation is returned to the HWB-AM-03 If the host sends an into the HWB and if there is no error device, then any returned access returned to the host without mode.	n the protected storage addressed by the original host. nformation category operation for on the protected storage significant information is
Tester Name:	kbr	
Test Date:	run start Tue Apr 11 17:29:12 200 run finish Wed Apr 12 09:44:23 20	
Test Configuration:	HOST: freddy HostToBlocker Monitor: none HostToBlocker PA: none HostToBlocker Interface: USB BlockerToDrive Monitor: none BlockerToDrive PA: none BlockerToDrive Interface: SATA Run Environment: IXimager	
Drives:	Protected drive: 109 109 is a SATA drive with 156301488 sectors (80 GB)	
Blocker Input:	SHA of 109 is FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 - Commands Sent to Blocker Commands are sent to blocker by imaging tool	
Blocker Output:	Apr 11 18:49:38 iimager: SHA-1 Value : fe7f2f3b735b37f685e13e14aa5fcf1c42561e08	
Results:	Assertion & Expected Result AM-02 Read commands allowed AM-03 Access Significant Information unaltered	Actual Result Read commands allowed Access Significant Information unaltered
Analysis:	Expected results achieved	

Test Case HWB-08 Variation hwb-08 WiebeTech Forensic SATADOCK (USB)		
Case Summary:	HWB-08 Identify access significant information unmodified by	
	the HWB.	

Test Case HWB-08	3 Variation hwb-08 WiebeTech Foren	sic SATADOCK (USB)
Assertions	HWB-AM-03 If the host sends an information category operation	
Tested:	to the HWB and if there is no error on the protected storage	
	device, then any returned access	-significant information is
	returned to the host without mod	ification.
Tester Name:	kbr	
Test Date:	run start Wed Apr 12 09:46:42 2006	
	run finish Wed Apr 12 09:48:31 2	006
Test	HOST: freddy	
Configuration:	HostToBlocker Monitor: none	
	HostToBlocker PA: none	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: Linux	
Drives:	Protected drive: 109	
	109 is a SATA drive with 156301488 sectors (80 GB)	
Blocker	cmd: /mnt/floppy/partab hwb-08 freddy kbr /dev/sdb 109 -all	
Output:	156301488 total number of sectors	
Results:	Assertion & Expected Result	Actual Result
	AM-03 Access Significant	Access Significant
	Information unaltered	Information unaltered
Analysis:	Expected results achieved	
<u> </u>		

Test Case HWB-09	Variation hwb-09 WiebeTech Forensic SATADOCK (USB)		
Case Summary:	HWB-09 Determine if an error on the protected drive is		
	returned to the host.		
Assertions	HWB-AM-04 If the host sends an operation to the HWB and if		
Tested:	the operation results in an unresolved error on the protected		
	storage device, then the HWB shall return an error status		
	code to the host.		
Tester Name:	kbr		
Test Date:	run start Wed Apr 12 09:50:24 2006		
	run finish Wed Apr 12 09:53:00 2006		
Test	HOST: freddy		
Configuration:	HostToBlocker PA: none		
	HostToBlocker Interface: USB		
	BlockerToDrive Monitor: none		
	BlockerToDrive PA: none		
	BlockerToDrive Interface: SATA		
	Run Environment: Linux		
D '			
Drives:	Protected drive: 109		
D1 1 0 1 1	109 is a SATA drive with 156301488 sectors (80 GB)		
Blocker Output:	09728/254/63 (max cyl/hd values)		
	09729/255/63 (number of cyl/hd)		
	156301488 total number of sectors		
cmd: /mnt/floppy/diskchg hwb-09 freddy kbr /dev/sdb -read			
	256301488 0 1 Disk addr lba 256301489 C/H/C 15054/7/39 offgot 0		
	Disk addr lba 256301488 C/H/S 15954/7/38 offset 0		

Test Case HWB-09	Variation hwb-09 WiebeTech Forensic SATADOCK (USB)
	Disk read error 0xFFFFFFFF at sector 15954/7/38
Results:	Assertion & Expected Result Actual Result
	AM-04 Error code returned Error code returned
Analysis:	Expected results achieved

About the National Institute of Justice

NIJ is the research, development, and evaluation agency of the U.S. Department of Justice. NIJ's mission is to advance scientific research, development, and evaluation to enhance the administration of justice and public safety. NIJ's principal authorities are derived from the Omnibus Crime Control and Safe Streets Act of 1968, as amended (see 42 U.S.C. §§ 3721–3723).

The NIJ Director is appointed by the President and confirmed by the Senate. The Director establishes the Institute's objectives, guided by the priorities of the Office of Justice Programs, the U.S. Department of Justice, and the needs of the field. The Institute actively solicits the views of criminal justice and other professionals and researchers to inform its search for the knowledge and tools to guide policy and practice.

Strategic Goals

NIJ has seven strategic goals grouped into three categories:

Creating relevant knowledge and tools

- 1. Partner with State and local practitioners and policymakers to identify social science research and technology needs.
- Create scientific, relevant, and reliable knowledge—with a particular emphasis on terrorism, violent crime, drugs and crime, cost-effectiveness, and community-based efforts—to enhance the administration of justice and public safety.
- 3. Develop affordable and effective tools and technologies to enhance the administration of justice and public safety.

Dissemination

- 4. Disseminate relevant knowledge and information to practitioners and policymakers in an understandable, timely, and concise manner.
- 5. Act as an honest broker to identify the information, tools, and technologies that respond to the needs of stakeholders.

Agency management

- 6. Practice fairness and openness in the research and development process.
- 7. Ensure professionalism, excellence, accountability, cost-effectiveness, and integrity in the management and conduct of NIJ activities and programs.

Program Areas

In addressing these strategic challenges, the Institute is involved in the following program areas: crime control and prevention, including policing; drugs and crime; justice systems and offender behavior, including corrections; violence and victimization; communications and information technologies; critical incident response; investigative and forensic sciences, including DNA; less-than-lethal technologies; officer protection; education and training technologies; testing and standards; technology assistance to law enforcement and corrections agencies; field testing of promising programs; and international crime control.

In addition to sponsoring research and development and technology assistance, NIJ evaluates programs, policies, and technologies. NIJ communicates its research and evaluation findings through conferences and print and electronic media.

To find out more about the National Institute of Justice, please visit:

http://www.ojp.usdoj.gov/nij

or contact:

National Criminal Justice Reference Service P.O. Box 6000 Rockville, MD 20849–6000 800–851–3420 e-mail: askncjrs@ncjrs.org