Bridge T3u (USB Interface)



	NIJ
Special	REPORT
Test Results for Hardware Write Block Device: Tablea	au Forensic SATA

www.ojp.usdoj.gov/nij

# U.S. Department of Justice Office of Justice Programs

810 Seventh Street N.W. Washington, DC 20531

## Alberto R. Gonzales

Attorney General

### Regina B. Schofield

Assistant Attorney General

### David W. Hagy

Deputy Assistant Attorney General, Office of Justice Programs and Principal Deputy Director, National Institute of Justice

This and other publications and products of the National Institute of Justice can be found at:

### **National Institute of Justice**

www.ojp.usdoj.gov/nij

### Office of Justice Programs

Partnerships for Safer Communities www.ojp.usdoj.gov



**JAN. 07** 

Test Results for Hardware Write Block Device: Tableau Forensic SATA Bridge T3u (USB Interface)



### David W. Hagy

Deputy Assistant Attorney General, Office of Justice Programs and Principal Deputy Director, National Institute of Justice

This report was prepared for the National Institute of Justice, U.S. Department of Justice, by the Office of Law Enforcement Standards of the National Institute of Standards and Technology under Interagency Agreement 2003–IJ–R–029.

The National Institute of Justice is a component of the Office of Justice Programs, which also includes the Bureau of Justice Assistance, the Bureau of Justice Statistics, the Office of Juvenile Justice and Delinquency Prevention, and the Office for Victims of Crime.

# Test Results for Hardware Write Block Device: Tableau Forensic SATA Bridge T3u (USB Interface)

January 2007

# **Contents**

I	ntrodu	ctionction	4
T	est Re	sults for Hardware Write Block Devices	5
1	Res	sults Summary by Requirements	5
2	Tes	t Case Selection	5
3	Tes	ting Environment	6
	3.1	Test Computers	
	3.2	Protocol Analyzer	6
	3.3	Hard Disk Drives	6
	3.4	Support Software	7
4	Tes	t Results	
	4.1	Test Results Report Key	8
	4.2	Test Details	

### Introduction

The Computer Forensics Tool Testing (CFTT) program is a joint project of the National Institute of Justice (NIJ), the research and development organization of the U.S. Department of Justice, and the National Institute of Science and Technology's (NIST's) Office of Law Enforcement Standards (OLES) and Information Technology Laboratory (ITL). CFTT is supported by other organizations, including the Federal Bureau of Investigation, the U.S. Department of Defense Cyber Crime Center, Internal Revenue Service Criminal Investigation's Electronic Crimes Program, and the U.S. Department of Homeland Security's Bureau of U.S. Immigration and Customs Enforcement and U.S. Secret Service. The objective of the CFTT program is to provide measurable assurance to practitioners, researchers, and other applicable users that the tools used in computer forensics investigations provide accurate results. Accomplishing this requires the development of specifications and test methods for computer forensics tools and subsequent testing of specific tools against those specifications.

Test results provide the information necessary for developers to improve tools, users to make informed choices, and the legal community and others to understand the tools' capabilities. This approach to testing computer forensics tools is based on well-recognized methodologies for conformance and quality testing. The specifications and test methods are posted on the CFTT Web site (<a href="http://www.cftt.nist.gov/">http://www.cftt.nist.gov/</a>) for review and comment by the computer forensics community.

This document reports the results from testing the **Tableau Forensic SATA Bridge T3u** (**USB Interface**) write blocker against the <u>Hardware Write Blocker (HWB) Assertions and Test Plan Version 1.0</u>, available on the CFTT Web site (<a href="http://www.cftt.nist.gov/HWB-ATP-19.pdf">http://www.cftt.nist.gov/HWB-ATP-19.pdf</a>). This specification identifies the following top-level tool requirements:

- A hardware write block (HWB) device shall not transmit a command to a protected storage device that modifies the data on the storage device.
- An HWB device shall return the data requested by a read operation.
- An HWB device shall return without modification any access-significant information requested from the drive.
- Any error condition reported by the storage device to the HWB device shall be reported to the host.

Test results from other software packages and the CFTT test methodology can be found on NIJ's computer forensics tool testing Web page, <a href="http://www.ojp.usdoj.gov/nij/topics/ecrime/cftt.htm">http://www.ojp.usdoj.gov/nij/topics/ecrime/cftt.htm</a>.

# **Test Results for Hardware Write Block Devices**

Device Tested: Tableau Forensic SATA Bridge T3u<sup>1</sup>

Model: T3u

Serial No: 000ECC01000531B2 Firmware: 0ctober 4, 2004 15:28:51

Host to Blocker Interface: USB Blocker to Drive Interface: SATA

Supplier: Tableau, LLC

Address: N8 W22195 Johnson Drive, Suite 100

Waukesha, WI 53186 http://www.tableau.com/

Results Summary by Requirements

# An HWB device shall not transmit a command to a protected storage device that modifies the data on the storage device.

For all test cases run, the HWB device always blocked any commands that would have changed user or operating system data stored on a protected drive.

### An HWB device shall return the data requested by a read operation.

For all test cases run, the HWB device always allowed commands to read the protected drive.

# An HWB device shall return without modification any access-significant information requested from the drive.

For all test cases run, the HWB device always returned access significant information from the protected drive without modification.

# Any error condition reported by the storage device to the HWB device shall be reported to the host.

For all test cases run, the HWB device always returned error codes from the protected drive without modification.

## 1 Test Case Selection

Because a protocol analyzer was not available for the interface between the blocker and the protected drive, the following test cases were appropriate: HWB-02, HWB-04, HWB-05, HWB-07, HWB-08 and HWB-09.

For test case HWB-04, two variations were selected: boot (attempt to boot from a protected drive) and image (use an imaging tool to attempt to write to a protected drive).

<sup>&</sup>lt;sup>1</sup> Tableau produces this write block device for resale under various partner labels. See http://www.tableau.com for information on resellers.

For test case HWB-07, one variation was selected: ix (use a stand-alone imaging tool ([ximager] to read from a protected drive).

# 2 Testing Environment

The tests were run in the NIST CFTT lab. This section describes the hardware (test computers and hard drives) available for testing.

### 2.1 Test Computers

Four test computers were used: **Freddy**, **Max**, **JohnStone** and **MrsPeel**. **Freddy** and **Max** have the following configuration:

Intel Desktop Motherboard D865GB/D865PERC (with ATA-6 IDE on board controller)

BIOS Version BF86510A.86A.0053.P13

Adaptec SCSI BIOS V3.10.0

Intel Pentium® 4 CPU

SONY DVD RW DRU-530A, ATAPI CD/DVD-ROM drive

1.44MB floppy drive

Two slots for removable IDE hard disk drives

Two slots for removable SATA hard disk drives

Two slots for removable SCSI hard disk drive

**JohnStone** and **MrsPeel** have the following configuration:

FIC IC-VL67 (865G; S478; 800MHz)
Phoenix—Award BIOS version v6.00PG
Intel Pentium® 4 CPU
Plextor DVDR PX-716A, ATAPI CD/DVD-ROM drive
1.44MB floppy drive
Three IEEE 1394 ports
Four USB ports

## 2.2 Protocol Analyzer

A Data Transit bus protocol analyzer (Bus Doctor Rx) was used to monitor and record commands sent from the host to the write blocker. Two identical protocol analyzers were available for monitoring commands.

One of two Dell laptop computers (either Chip or Dale) was connected to each protocol analyzer to record commands observed by the protocol analyzer.

### 2.3 Hard Disk Drives

The hard disk drives that were used were selected from the SATA drives listed below. These hard drives were mounted in removable storage modules. The drives were set up in a variety of ways with the common partition types (FAT and NTFS) represented. The setup of each drive is documented below.

```
Drive label: 09
Partition table Drive /dev/hdg
09728/254/63 (max cyl/hd values)
09729/255/63 (number of cyl/hd)
156301488 total number of sectors
IDE disk: Model (WDC WD800JD-32HKA0) serial # (WD-WMAJ91407692)
                  Start C/H/S End C/H/S boot Partition type
N Start LBA Length
1 P 000000063 000016002 0000/001/01 0000/254/63 01 Fat12
2 X 000016065 156280320 0001/000/01 1023/254/63
                                       0F extended
Drive label: 0A
Partition table Drive /dev/hde
09728/254/63 (max cyl/hd values)
09729/255/63 (number of cyl/hd)
156301488 total number of sectors
IDE disk: Model (WDC WD800JD-32HKA0) serial # (WD-WMAJ91508343)
N Start LBA Length Start C/H/S End C/H/S boot Partition type
1 P 000000063 156280257 0000/001/01 1023/254/63 Boot 07 NTFS
Drive label: 0C
Partition table Drive /dev/hde
30400/254/63 (max cyl/hd values)
30401/255/63 (number of cyl/hd)
488397168 total number of sectors
IDE disk: Model (WDC WD2500JD-22FYB0) serial # (WD-WMAEH2676627)
N Start LBA Length Start C/H/S End C/H/S boot Partition type
2 S 000000063 061432497 0001/001/01 1023/254/63
                                       0B Fat32
```

P primary partition (1-4) S secondary (sub) partition X primary extended partition (1-4) x secondary extended partition

# 2.4 Support Software

The software in the following table was used to send commands to the protected drive. One widely used imaging tool, IXimager, was used to generate disk activity (reads and writes) consistent with a realistic scenario of an accidental modification of an unprotected hard drive during a forensic examination. This does not imply an endorsement of the imaging tool.

Program	Description
sendSCSI	A tool to send SCSI commands wrapped in the USB or IEEE 1394 (firewire)
	protocols to a drive.
FS-TST	Software from the FS–TST tools was used to generate errors from the hard drive
	by trying to read beyond the end of the drive. The FS–TST software was also used
	to setup the hard drives and print partition tables and drive size.
IXimager	An imaging tool (ILook IXimager Version 1.0, August 25, 2004) for test case 03-
	img.

### 3 Test Results

The main item of interest for interpreting the test results is determining the conformance of the device with the test assertions. This section lists each test assertion and identifies the information in the log files relevant to conformance with that assertion. Conformance with each assertion tested by a given test case is evaluated by examining the Blocker Input and Blocker Output boxes of the test report summary.

## 3.1 Test Results Report Key

A summary of the actual test results is presented in this report. The following table presents a description of each section of the test report summary.

Heading	Description	
First Line	Test case ID, name and version of device tested.	
Case Summary	Test case summary from Hardware Write Blocker (HWB) Assertions	
	and Test Plan Version 1.0.	
Assertions Tested	The test assertions tested by the test case from <i>Hardware Write Blocker</i>	
	(HWB) Assertions and Test Plan Version 1.0.	
Tester Name	Name or initials of person executing test procedure.	
Test Date	Time and date that test was started.	
Test Configuration	Identification of the following:	
	1. Label of the protected hard drive,	
	2. Interface between host and blocker.	
	3. Interface between blocker and protected drive.	
	4. Protocol analyzers monitoring each interface.	
	5. Laptop attached to each protocol analyzer.	
	6. Execution environment for tool sending commands from the	
	host.	
Hard Drives Used	Description of the protected hard drive.	
Blocker Input	A list of commands sent from the host to the blocker.	
	For test cases HWB-02 and HWB-07, a list of the commands sent is	
	provided.	
	For test cases HWB-02 and HWB-04, an SHA1 value for the entire	
	drive is provided for reference.	

Heading	Description	
	For test case HWB-05, a string of known data from a given location is provided for reference.	
Blocker Output	For test cases HWB-02 and HWB-04, an SHA1 value computed after commands are sent to the protected drive is given for comparison to the reference SHA1 value.	
	For test case HWB-05, a string read from a given location is provided for comparison to known data.	
	For test case HWB-08, the number of sectors determined for the protected drive and the partition table are provided.	
	For test case HWB-09, any error return obtained by trying to access a nonexistent sector of the drive is provided.	
Results	Expected and actual results for each assertion tested.	
Analysis	Whether or not the expected results were achieved.	

# 3.2 Test Details

<b>Test Case HWB-</b>	02 Variation HWB-02 Tableau Forensic SATA Bridge T3u (USB)	
Case Summary:	HWB-02 Identify modifying commands blocked by the HWB.	
Assertions	HWB-AM-01 The HWB shall not transmit any modifying category operation	
Tested:	to the protected storage device.	
Tester Name:	brl	
Test Date:	run start Thu Sep 1 15:16:12 2005	
	THOOME C. 11	
Test	HOST: freddy	
Configuration:	HostToBlocker Monitor: DALE	
	HostToBlocker PA: AA00155	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: linux(HELIX)	
D .	D 11: 0C	
Drives:	Protected drive: 0C	
	OC is a SATA drive with 488397168 sectors (250 GB)□	
Blocker Input:	SHA of 0C is 3F42637C8316A7AC9DB12CAD263B35105EF81E4C -	
	Commands Sent to Blocker	
	BULK CBW: READ(10)	
	BULK CBW: REQUEST SENSE	

Test Case HWB-02 Variation HWB-02 Tableau Forensic SATA Bridge T3u (USB)		
	BULK CBW: SEND(6)	
	BULK CBW: WRITE & VERIFY	•
	BULK CBW: WRITE BUFFER	
	BULK CBW: WRITE LONG	
	BULK CBW: WRITE SAME	
	BULK CBW: WRITE(10)	
	BULK CBW: WRITE(12)	
	BULK CBW: WRITE/VERIFY	
Blocker Output:	CMD: /tmp/diskhash.csh hwb-02 max brl /dev/sdb 0C -after	
	3F42637C8316A7AC9DB12CAD	0263B35105EF81E4C -
Results:	Assertion & Expected Result	Actual Result
	AM-01 Modifying commands	Modifying commands blocked
	blocked	
Analysis:	Expected results achieved	·

Test Case HWB	-04 Variation HWB-04-boot Tableau	Forensic SATA Bridge T3u (USB)	
Case Summary:	HWB-04 Attempt to modify a protected drive with forensic tools.		
Assertions	HWB-AM-01 The HWB shall not transmit any modifying category operation		
Tested:	to the protected storage device.		
Tester Name:	JRL		
Test Date:	run start Sun Sep 11 11:24:07 2005		
	run finish Sun Sep 11 11:31:07 2005		
Test	HOST: MrsPeel		
Configuration:	HostToBlocker Monitor: Dale		
	HostToBlocker PA: AA00111		
	HostToBlocker Interface: USB		
	BlockerToDrive Monitor: none		
	BlockerToDrive PA: none		
	BlockerToDrive Interface: SATA		
	Run Environment: Boot		
Drives:	Protected drive: 0A		
	0A is a SATA drive with 156301488	sectors (80 GB)□	
Blocker Input:	SHA of 0A is 8ECF7CF671274B1B757BCD4FD871C6BD7A9DFCF1 -		
_	Commands are sent to the blocker by	attempting to boot the protected drive.	
Blocker Output:	CMD://diskhash.csh HWB-04-boot Nancy JRL /dev/sda 0A -after		
	8ECF7CF671274B1B757BCD4FD87	71C6BD7A9DFCF1 -	
Results:	Assertion & Expected Result	Actual Result	
		Modifying commands blocked	
	blocked		
Analysis:	Expected results achieved		

<b>Test Case HWB-</b>	04 Variation HWB-04-img Tableau Forensic SATA Bridge T3u (USB)	
Case Summary:	HWB-04 Attempt to modify a protected drive with forensic tools.	
Assertions	HWB-AM-01 The HWB shall not transmit any modifying category operation	
Tested:	to the protected storage device.	
Tester Name:	JRL	
Test Date:	run start Sun Sep 11 10:33:28 2005	
	run finish Sun Sep 11 10:57:58 2005	
Test	HOST: MrsPeel	
Configuration:	HostToBlocker Monitor: Dale	
	HostToBlocker PA: AA00111	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: IXimager	
Drives:	Protected drive: 09	
Direcs.	09 is a SATA drive with 156301488 sectors (80 GB)□	
Blocker Input:	SHA of 09 is FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -	
1	Commands are sent to the blocker by attempting to create an image file on the	
	protected drive.	
Blocker Output:	CMD://diskhash.csh HWB-04-img Nancy JRL /dev/sda 09 -after	
	FE7F2F3B735B37F685E13E14AA5FCF1C42561E08 -	
Results:	Assertion & Expected Result	
	AM-01 Modifying commands   Modifying commands blocked	
	blocked	
A malarais:	Even acted results askiswed	
Analysis:	Expected results achieved	

Test Case HWB-05 Variation hwb-05 Tableau Forensic SATA Bridge T3u (USB)		
Case Summary:	HWB-05 Identify read commands allowed by the HWB.	
Assertions	HWB-AM-02 If the host sends a read category operation to the HWB and no	
Tested:	error is returned from the protected storage device to the HWB, then the data	
	addressed by the original read operation are returned to the host.	
Tester Name:	JRL	
Test Date:	run start Sun Sep 11 10:02:03 2005	
	run finish Sun Sep 11 10:06:38 2005	
Test	HOST: MrsPeel	
Configuration:	HostToBlocker Monitor: Dale	
	HostToBlocker PA: AA00111	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	

Test Case HWB-05 Variation hwb-05 Tableau Forensic SATA Bridge T3u (USB)		
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: Helix	
Drives:	Protected drive: 0A	
	0A is a SATA drive with 156301	488 sectors (80 GB)□
Blocker Input:	Commands Sent to Blocker	
	Read sector 32767 for the string: 00032/008/08 000000032767	
Blocker	00032/008/08 000000032767	
Output:		
Results:	Assertion & Expected Result	Actual Result
	AM-02 Read commands	Read commands allowed
	allowed	
Analysis:	Expected results achieved	

Test Case HWB-07 Variation hwb-07 Tableau Forensic SATA Bridge T3u (USB)		
Case	HWB-07 Read a protected drive with forensic tools.	
Summary:		
Assertions Tested:	HWB-AM-02 If the host sends a read category operation to the HWB and no error is returned from the protected storage device to the HWB, then the data addressed by the original read operation are returned to the host.  HWB-AM-03 If the host sends an information category operation to the HWB and if there is no error on the protected storage device, then any returned access-significant information is returned to the host without modification.	
Tester Name:	brl	
Test Date:	run start Fri Sep 2 07:56:48 2005 run finish Fri Sep 2 08:20:25 2005	
Test	HOST: JohnStone	
Configuration:	HostToBlocker Monitor: Dale	
	HostToBlocker PA: AA00155	
	HostToBlocker Interface: USB	
	BlockerToDrive Monitor: none	
	BlockerToDrive PA: none	
	BlockerToDrive Interface: SATA	
	Run Environment: IX(imager)	
Drives:	Protected drive: 0C	
	0C is a SATA drive with 488397168 sectors (250 GB)□	
Blocker Input:	Commands Sent to Blocker	
_	Read(10)	
Blocker	Sep 2 08:05:01 iimager: User entered the Image Device Menu	

Test Case HWB-07 Variation hwb-07 Tableau Forensic SATA Bridge T3u (USB)				
Output: Sep 2 08:05:13 iimager: User exited the Image Device Menu				
_	Sep 2 08:06:17 iimager: User ente	ered the Display Image File Information		
	Menu			
	Sep 2 08:06:26 iimager: User exited the Display Image File Information Menu			
	Sep 2 08:06:39 iimager: User ente	Sep 2 08:06:39 iimager: User entered the Image Device Menu		
	Sep 2 08:06:42 iimager: User entered the Image Target Menu			
	Sep 2 08:06:48 iimager: User sele	ected ILook Default Image Format		
	Sep 2 08:06:59 iimager: User selected CD-ROM sized Image of			
	Sep 2 08:08:42 iimager: The Image Target Menu provides you with a list of			
	the devices that are connected to your computer. The Image Device Menu			
	provides you with a list of the devices that are connected to your computer.  Use the 'Up' and 'Down' arrow keys on your keyboard to move the highlighted area until the operation you wish to perform is highlighted. Then press 'Enter'			
	on your keyboard so that your input will be accepted. Pressing the 'Escape' k			
	on your keyboard will return you	to the Main Menu.		
	Sep 2 08:08:46 iimager: User exit	ted the Image Target Menu		
	Sep 2 08:09:16 iimager: User ente	ered the Image Target Menu		
	Sep 2 08:09:25 iimager: User sele	ected ILook Default Image Format		
	Sep 2 08:09:55 iimager: Image is	being stored to /dev/sdc1		
	Sep 2 08:09:55 iimager: Beginnin			
	Sep 2 08:09:55 iimager: Opened	output file		
	'/ILookImager/ILook.013/diSATAHWB07001.asb' Sep 2 08:09:55 iimager: Image is being stored to /ILook.013/diSATAHWB07001.asb Sep 2 08:09:55 iimager: Image is being stored to /dev/sdc1 Sep 2 08:09:55 iimager: Image is being stored to /ILook.013/diSATAHWB07001.asb Sep 2 08:09:55 iimager: Beginning Image operation for 8225280 bytes Sep 2 08:09:56 iimager: Image Complete			
	Sep 2 08:09:56 iimager: Image was completed successfully.			
	Sep 2 08:09:56 iimager: Image Speed : 0.000 MB/sec			
	Sep 2 08:10:03 iimager: User exited the Image Target Menu			
	Sep 2 08:10:03 iimager: User exited the Image Device Menu			
Results:	Assertion & Expected Result	Actual Result		
	AM-02 Read commands	Read commands allowed		
	allowed			
	AM-03 Access Significant	Access Significant Information		
	Information unaltered	unaltered		
Analyzaia	Evenoted results askinged			
Analysis:	Expected results achieved			

Test Case HWB-08 Variation hwb-08 Tableau Forensic SATA Bridge T3u (USB)		
Case	HWB-08 Identify access significant information unmodified by the HWB.	
Summary:		

Test Case HWB-08 Variation hwb-08 Tableau Forensic SATA Bridge T3u (USB)				
Assertions	HWB-AM-03 If the host sends an information category operation to the HWB and			
Tested:	if there is no error on the protected storage device, then any returned access-			
	significant information is returned to the host without modification.			
Tester Name:	brl			
Test Date:	run start Thu Sep 1 14:25:43 2005			
	run finish Thu Sep 1 14:31:01 2005			
Test	HOST: max			
Configuration:	HostToBlocker Monitor: none			
	HostToBlocker PA: none			
	HostToBlocker Interface: USB			
	BlockerToDrive Monitor: none			
	BlockerToDrive PA: none			
	BlockerToDrive Interface: SATA			
	Run Environment: Linux(HELIX)			
Drives:	Protected drive: 0C			
	0C is a SATA drive with 488397168 sectors (250 GB)□			
Blocker	cmd: ./partab hwb-08 max brl /dev/sdb 0C 488397168 total number of sectors			
Output:				
	Drive label: 0C Partition table Drive /dev/sdb			
	30400/254/63 (max cyl/hd values)			
	30401/255/63 (number of cyl/hd) 488397168 total number of sectors			
	Non-IDE disk			
	Model (00JD-22FYB0 ) serial # (DWW-MAEH2676627)   N Start LBA Length   Start C/H/S End C/H/S   boot Partition type			
	1 X 000016065 419425020 0001/000/01 1023/254/63			
	2 S 000000063 061432497 0001/001/01 1023/254/63			
Results:	Assertion & Expected Result			
icouits.	AM-03 Access Significant	Access Significant Information		
	Information unaltered	unaltered		
	mornation unutitied	unanciou		
Analysis:	Expected results achieved			
1 11101 ) 010.				

Test Case HWB-09 Variation hwb-09 Tableau Forensic SATA Bridge T3u (USB)			
Case Summary:	HWB-09 Determine if an error on the protected drive is returned to the host.		
Assertions	HWB-AM-04 If the host sends an operation to the HWB and if the operation		
Tested:	results in an unresolved error on the protected storage device, then the HWB		
	shall return an error status code to the host.		
Tester Name:	brl		
Test Date:	run start Thu Sep 1 14:37:29 2005		
	run finish Thu Sep 1 14:42:47 2005		

Test Case HWB-09 Variation hwb-09 Tableau Forensic SATA Bridge T3u (USB)			
Test	HOST: max		
Configuration:	HostToBlocker Monitor: none		
	HostToBlocker PA: none		
	HostToBlocker Interface: USB		
	BlockerToDrive Monitor: none		
	BlockerToDrive PA: none		
	BlockerToDrive Interface: SATA		
	Run Environment: Linux(HELIX)		
Drives:	Protected drive: 0C		
	0C is a SATA drive with 488397168 sectors (250 GB)□		
Blocker Output:	30400/254/63 (max cyl/hd values)		
	30401/255/63 (number of cyl/hd)		
	488397168 total number of sectors		
	cmd: ./diskchg hwb-08 max brl /dev/sdb -read 588397168 0 1		
	Disk addr lba 588397168 C/H/S 36626/7/38 offset 0		
	Disk read error 0xFFFFFFF at sector 36626/7/38		
Results:	Assertion & Expected Result	Actual Result	
	AM-04 Error code returned	Error code returned	
Analysis:	Expected results achieved		

### **About the National Institute of Justice**

NIJ is the research, development, and evaluation agency of the U.S. Department of Justice. NIJ's mission is to advance scientific research, development, and evaluation to enhance the administration of justice and public safety. NIJ's principal authorities are derived from the Omnibus Crime Control and Safe Streets Act of 1968, as amended (see 42 U.S.C. §§ 3721–3723).

The NIJ Director is appointed by the President and confirmed by the Senate. The Director establishes the Institute's objectives, guided by the priorities of the Office of Justice Programs, the U.S. Department of Justice, and the needs of the field. The Institute actively solicits the views of criminal justice and other professionals and researchers to inform its search for the knowledge and tools to guide policy and practice.

#### **Strategic Goals**

NIJ has seven strategic goals grouped into three categories:

#### Creating relevant knowledge and tools

- 1. Partner with State and local practitioners and policymakers to identify social science research and technology needs.
- Create scientific, relevant, and reliable knowledge—with a particular emphasis on terrorism, violent crime, drugs and crime, cost-effectiveness, and community-based efforts—to enhance the administration of justice and public safety.
- 3. Develop affordable and effective tools and technologies to enhance the administration of justice and public safety.

#### Dissemination

- 4. Disseminate relevant knowledge and information to practitioners and policymakers in an understandable, timely, and concise manner.
- 5. Act as an honest broker to identify the information, tools, and technologies that respond to the needs of stakeholders.

### Agency management

- 6. Practice fairness and openness in the research and development process.
- 7. Ensure professionalism, excellence, accountability, cost-effectiveness, and integrity in the management and conduct of NIJ activities and programs.

### **Program Areas**

In addressing these strategic challenges, the Institute is involved in the following program areas: crime control and prevention, including policing; drugs and crime; justice systems and offender behavior, including corrections; violence and victimization; communications and information technologies; critical incident response; investigative and forensic sciences, including DNA; less-than-lethal technologies; officer protection; education and training technologies; testing and standards; technology assistance to law enforcement and corrections agencies; field testing of promising programs; and international crime control.

In addition to sponsoring research and development and technology assistance, NIJ evaluates programs, policies, and technologies. NIJ communicates its research and evaluation findings through conferences and print and electronic media.

To find out more about the National Institute of Justice, please visit:

http://www.ojp.usdoj.gov/nij

or contact:

National Criminal Justice Reference Service P.O. Box 6000 Rockville, MD 20849–6000 800–851–3420 e-mail: askncjrs@ncjrs.org